

別添7

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
川人 豊	NSAIDsによる胃腸障害と腎障害	宮坂信之	リウマチ科	科学評論社	東京	2018	457-462
川人 豊、 河野 正孝	ステロイド性骨粗鬆症に対するteriparatideの有用性.	宮坂信之	リウマチ科	科学評論社	東京	2018	609-616
和田 誠、 川人 豊	関節リウマチにおけるアダリムマブ	宮坂信之	リウマチ科	科学評論社	東京	2019	33-40
川人 豊	非ステロイド性抗炎症薬	川畑仁人	リウマチ・膠原病治療薬ハンドブック	文光堂	東京	2018	208-214
岸本 暢将、 岡田 正人	関節リウマチの診かた, 考えかたver. 3	なし	関節リウマチの診かた, 考えかたver. 3	中外医学社	東京	2018	単行本
中山 健夫	診療ガイドラインに関する基本知識	門脇 孝, 小室 一成, 宮地 良樹 (監修)	日常診療に活かす診療ガイドラインUP-TO-DATE 2018-2019 -	株式会社 メディカル レビュー社	東京	2018	10-15
西田圭一郎	Q58. 関節リウマチの手術についてどのようなものがあるか教えてください.	松野博明, 松原 司	ズバッと答える関節リウマチ～患者さんからの85通の挑戦状～	日本医学出版	東京	2018	139-140
西田圭一郎	Q59. 関節リウマチ手術のメリット、デメリットについて教えてください.	松野博明, 松原 司	ズバッと答える関節リウマチ～患者さんからの85通の挑戦状～	日本医学出版	東京	2018	141-142
西田圭一郎	Q67. 関節リウマチの足関節障害の種類と手術方法について教えてください.	松野博明, 松原 司	ズバッと答える関節リウマチ～患者さんからの85通の挑戦状～	日本医学出版	東京	2018	165-167

西田圭一郎	Q68. 関節リウマチの足指関節障害の種類と手術方法について教えてください.	松野博明、 松原 司	ズバッと答える 関節リウマチ～ 患者さんからの 85通の挑戦状～	日本医学出 版	東京	2018	168-171
藤井 隆夫	第1章関節リウマチとは 第5章 生物学的製剤	松野 博明、 松原 司	【最新版】ズバッと答える関節リウマチ～患者さんからの85通の挑戦状～	日本医学出 版	東京	2018	pp. 20-21 , pp. 25-26, p p. 110-112
藤井 隆夫	II 専門医の管理・治療が必要な疾患のガイドライン. 全身性疾患/膠原病. 17 関節リウマチ	泉 孝英	今日の診療のために ガイドライン 外来診療2018	日経メディカル開発	東京	2018	pp. 479-484
藤井 隆夫	III章 各論. A 合成抗リウマチ薬 (sDMARDs). 1) 従来型抗リウマチ薬 (csDMARDs). 1 メトトレキサート	川畑 仁人	リウマチ・膠原病治療薬ハンドブック - エキスパートが教える極意 -	文光堂	東京	2018	pp. 24-29
松下 功	リハビリ	松野博明、 松原 司	ずばっと答える 関節リウマチ	日本医学出 版	東京	2018	174-183
田中栄一、 山中寿	バイオシミラーとその使い分け	田中良哉	Modern Physician	新興医学出 版社	東京	2018	992-993
田中栄一	関節リウマチ治療バイオシミラーの経済効果		リウマチ科	科学評論社	東京	2019	48-52
田中栄一	関節リウマチにおける費用対効果評価		Pharma Medica	メディカル レビュー社	東京	2019	91-94
和田誠、川 人豊.	消化管障害・肝機能障害・腎機能障害出現時のマネージメント	宮坂信之	リウマチ科	科学評論社	東京	62(6) 2019	509-517
川人豊	抗リウマチ薬の特徴と適正使用.MTX以外の免疫抑制薬	佐野 統	抗リウマチ薬ガイドブック	フジメディカル出版	大阪	2019	33-37

川人豊	従来型抗リウマチ薬	中原英子 金子裕子	関節リウマチ看護ガイドブック	羊土社	東京	2019	76
岸本暢将, 岡田正人	単行本	岸本暢将, 岡田正人	関節リウマチの診かた, 考え方 ver3	中外医学社	東京	2019	単行本
鈴木康夫, 佐々木則子, 佐々翔, 若林孝之	合併症/併存症をもつ関節リウマチ患者のマネジメント. リンパ増殖性疾患・リンパ腫	大井一弥, 折井孝男, 丸山徹, 室井延行	薬局	南山堂	東京	2019	71-77
鈴木康夫	関節リウマチに対するメトトレキサート治療はどこに向かうのか	宮坂信之	炎症と免疫	先端医学社	東京	2019	258-261
中山健夫	診療ガイドラインに関する基本知識	門脇 孝, 小室 一成, 宮地 良樹 (監修)	日常診療に活かす診療ガイドラインUP-TO-DATE 2018-2019 -	株式会社 メディカル レビュー社	東京	2018	10-15
西田圭一 郎、鉄永倫 子、原田遼 三、井上真 一郎	関節リウマチ: 感染症を景気に関節痛の増悪、両下肢麻痺に至ったケース	牛田享宏、 福井 聖、川崎元敬	慢性疼痛ケースカンファレンス	MEDICAL VIEW社	東京	2020	381-390
小橋靖子、 西田圭一郎	関節手術時の看護	房間見恵、 竹内 勤 監修、 中原英子、 金子祐子 編	関節リウマチ看護ガイドブック	羊土社	東京	2019	244-247
藤田慎一 朗、西田圭 一郎	関節リウマチとリハビリテーション	房間見恵、 竹内 勤 監修、 中原英子、 金子祐子 編	関節リウマチ看護ガイドブック	羊土社	東京	2019	111-119
藤井 隆夫	3 抗リウマチ薬の特徴と適正使用. 生物学的製剤	佐野 統	実臨床に活かす抗リウマチ薬ガイドブックだから, これを選ぶ, こう使う	フジメディカル出版	大阪	2019	38-45
松下 功	正常関節の構造と関節リウマチにおける関節の変化	中原英子、 金子祐子編	関節リウマチ看護ガイドブック	羊土社	東京	2019	27-31

針谷正祥 他	関節リウマチ診療 ガイドライン 2020	一般社団法人 日本リウマチ学会	関節リウマチ診 療ガイドライン 2020	株式会 社 診断と治療 社	東京	2020	全編
森 雅亮	小児疾患－若年性 特発性関節炎.		今日の診断指 針(第8版)	医学書院	東京	2020	1942-19 44
森 雅亮	膠原病・リウマチ性 疾患, 原発性免疫 不全症－若年性特 発性関節炎.		新臨床内科学 (第10版)	医学書院	東京	2020	1760-17 62
伊藤秀 一・森 雅 亮 監修.	小児リウマチ学	日本小児リ ウマチ学会 編集	小児リウマチ学	朝倉書店	東京	2020	全編
森 雅亮、 他	若年性特発性関節 炎における生物学 的製剤使用の手引 き 2020年度版.	厚労省移行 期班 若年 性特発性関 節炎分担班	若年性特発性関 節炎における生 物学的製剤使用 の手引き 2020	羊土社	東京	2020	全編
森 雅亮、 他	成人診療科のため の小児リウマチ性 疾患移行支援ガイ ド.	厚労省移行 期班 編集	成人診療科医の ための小児リウ マチ性疾患移行 支援ガイド	羊土社	東京	2020	全編
森 雅亮、 他	脊椎関節炎診療の 手引き 2020.	日本脊椎関 節炎学会 編集	脊椎関節炎診療 の手引き 2020.	診断と治療 社	東京	2020	118-125
森 雅亮、 他	小児感染免疫学.	日本小感染 症学会 編 集	小児感染免疫 学.	朝倉書店	東京	2020	全編
森 雅亮	川崎病(冠動脈病変 を除く)、非結核性 抗酸菌症.		今日の小児治療 指針(第17版)	医学書院	東京	2020	277-280 362-363
森 雅亮、 他	小児非感染性ぶど う膜炎 初期診療の 手引き2020年版.	一般社団法人 日本リウ マチ学会 小児リウ	小児非感染性ぶ どう膜炎 初期 診療の手引き20 20年版.	羊土社	東京	2020	全編
岸本暢将, 岡田正人	関節リウマチの診 かた, 考え方ver4	岸本暢将, 岡田正人	関節リウマチの 診かた, 考え方 ver3	中外医学社	東京	2020	単行本
西田圭一郎	TEAの合併症対策. 3. 脱臼	山本謙吾	スペシャリスト がすすめる人工 関節手術合併症 対策	南江堂	東京	2021	213-216

西田圭一郎	TEAの合併症対策. 4. 摩耗、ゆるみ、 破損	山本謙吾	スペシャリスト がすすめる人工 関節手術合併症 対策	南江堂	東京	2021	217-220
西田圭一 郎、鉄永智 紀、尾崎敏 文	関節外科技術の疼 痛への応用. 第IV 編 痛みの評価と治 療. 2. 治療, 6.手	田口敏彦、 飯田宏樹、 牛田享宏	疼痛医学	医学書院	東京	2020	347-352
渡辺雅仁、 西田圭一郎	第2章 疾患別の薬 剤 III 関節疾患 A. 関節リウマチ	萩野 浩	とことん使いこ なす整形外科薬 剤	南江堂	東京	2020	64-80
西田圭一郎	関節リウマチの疼 痛発生機序と治療 戦略. 第3章 症 状・原因疾患に応じ た治療戦略	池内昌彦	長引く膝の痛み に対する治療戦 略	日本醫事新 報社	東京	2020	88-94
西田圭一郎	変形性関節症(骨関 節炎). 第13章 膠 原病. リウマチ性 疾患、原発性免疫不 全症	矢崎義雄	新臨床内科学 第10版	医学書院	東京	2020	1795-17 97
中島亜矢子	第4章 多様な患者 背景に対応するた めに 我が国における関	針谷正祥	RA診療ガイドラ イン	診断と治療 社	東京	2021	
川人 豊	非ステロイド性抗 炎症薬 (NSAID s)	日本医師会 生涯教育課 編集企画 室	日本医師会雑誌 第149巻特別号	診断と治療 社	東京	2020	128-131

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Harigai M.	Growing evidence of the safety of JAK inhibitors in patients with rheumatoid arthritis and rheumatoid arthritis.	Rheumatology (Oxford)	Feb 1	doi: 10.1093/rheumatology/key287	2019

Harigai M, Takeuchi T, Smolen JS, Winthrop KL, Nishikawa A, Rooney TP, Saifan CG, Issa M, Isaka Y, Akashi N, Ishii T, Tanaka Y.	Safety profile of baricitinib in Japanese patients with active rheumatoid arthritis with over 1.6 years median time in treatment: an integrated analysis of Phase 2 and 3 trials.	Mod Rheumatol.	Feb 20	doi: 10.1080/14397595.2019.1583711	2019
Kasai S, Sakai R, Koike R, Kohsaka H, Miyasaka N, Harigai M.	Higher risk of hospitalized infection, cardiovascular disease, and fracture in patients with rheumatoid arthritis determined using the Japanese health insurance database.	Mod Rheumatol.	Nov 28	doi: 10.1080/14397595.2018.1519889.	2018
Harigai M, Ishiguro N, Inokuma S, Mimori T, Raneyu J, Takei S, Takeuchi T, Tanaka Y, Takasaki Y, Yamanaka H, Yoshizawa Y, Chinen I, Nakao T, Koike T.	Safety and effectiveness of abatacept in Japanese non-elderly and elderly patients with rheumatoid arthritis in an all-cases post-marketing surveillance.	Mod Rheumatol.	Oct 25	doi: 10.1080/14397595.2018.1524998.	2018
Kameda H, Fujii T, Nakajima A, Koike R, Sagawa A, Kanbe K, Tomita T, Harigai M, Suzuki Y	Japan College of Rheumatology subcommittee on the guideline for the use of methotrexate in patients with rheumatoid arthritis. Japan College of Rheumatology guideline for the use of methotrexate in patients with rheumatoid arthritis.	Mod Rheumatol.	29(1)	31-40	2018

Sakai R, Kasai S, Hirano F, Harigai M, Kihara S, Yokoyama W, Tsutsumino M, Nagasaka K, Koike R, Yamanaka H, Miyasaka N, Harigai M.	No increased risk of herpes zoster in TNF inhibitor and non-TNF inhibitor users with rheumatoid arthritis: epidemiological study using the Japanese health insurance database.	Int J Rheum Dis.	21(9)	1670-1677	2018
Mimori T, Harigai M, Atsumi T, Fujii T, Kuwana M, Matsuno H, Momohara S, Takeuchi S, Tamura N, Takasaki Y, Yamamoto K, Ikeuchi S, Kushimoto S, Koike T.	Safety and effectiveness of iguratimod in patients with rheumatoid arthritis: Final report of a 52-week, multicenter postmarketing surveillance study.	Mod Rheumatol.	Apr 27	doi: 10.1080/14397595.2018.1460230.	2018
Tanaka Y, Takeuchi T, Harigai M, Yamanaka H, Nakano T, Akagie K, Ukyo Y, Hsu B.	Efficacy and safety of sirukumab in Japanese patients with active rheumatoid arthritis who were refractory or intolerant to anti-tumor necrosis factor therapy: Subgroup analysis of a randomized, double-blind, multicenter, phase 3 study (SIRROUND-T).	Mod Rheumatol.	Apr 13	doi: 10.1080/14397595.2018.1452345.	2018
Takeuchi T, Tanaka Y, Yamanaka H, Harigai M, Nakano T, Akagie K, Ukyo Y, Hsu B.	Efficacy and safety of sirukumab in Japanese patients with moderate to severe rheumatoid arthritis inadequately controlled by disease modifying anti-rheumatic drugs: Subgroup analysis of a phase 3 study.	Mod Rheumatol.	28(6)	941-949	2018

Takeuchi T, Harigai M, Tanaka Y, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Ukyo Y, Ishii Y, Yoshinari T, Baker D	GO-MONO study group. Clinical efficacy, radiographic, and safety results of golimumab monotherapy in Japanese patients with active rheumatoid arthritis despite prior therapy with disease-modifying antirheumatic drugs: Final results of the GO-MONO trial through week 120.	Mod Rheumatol.	28(5)	770-779	2018
Tanaka Y, Atsumi T, Amano K, Harigai M, Ishii T, Kawaguchi O, Rooney TP, Akashi N, Takeuchi T.	Efficacy and safety of baricitinib in Japanese patients with rheumatoid arthritis: Subgroup analyses of four multinational phase 3 randomized trials.	Mod Rheumatol.	28(4)	583-591	2018
Hakamata J, Kaneko Y, Shimizu M, Yamaoka K, Maruyama J, Takeuchi T, Mochizuki M, Hashiguchi M.	Factors Predicting the Therapeutic Response to Methotrexate in Japanese Patients with Rheumatoid Arthritis: A Hospital-Based Cohort Study.	Biol Pharm Bull.	41(9)	1414-1422	2018
Inamo J, Kaneko Y, Sakata K, Takeuchi T.	Impact of subclinical synovitis in ankles and feet detected by ultrasonography in patients with rheumatoid arthritis.	Int J Rheum Dis.	22(1)	62-67	2019
Kondo Y, Suzuki K, Inoue Y, Sakata K, Takahashi C, Takeshita M, Kassai Y, Miyazaki T, Morita R, Niki Y, Kaneko Y, Yasuoka H, Yamaoka K, Yoshimura A, Takeuchi T.	Significant association between joint ultrasonographic parameters and synovial inflammatory factors in rheumatoid arthritis.	Arthritis Res Ther.	21(1)	14	2019

Kukida Y, Kasahara A, Seno T, Inoue T, Sagawa R, Kida T, Nakabayashi A, Nagahara H, Murakami K, Sugitani T, Morita S, Ito H, Oda R, Fujiwara H, Kohno M, Kawahito Y.	Efficacy of abatacept in patients with rheumatoid arthritis, as assessed by magnetic resonance imaging of bilateral hands.	Int J Rheum Dis.	21(9)	1678-1685	2018
Kida T, Seno T, Nagahara H, Inoue T, Nakabayashi A, Kukida Y, Fujioka K, Fujii W, Wada M, Kohno M, Kawahito Y.	Roles of high-mobility group box 1 and thrombin in murine pulmonary fibrosis and the therapeutic potential of thrombomodulin.	Am J Physiol Lung Cell Mol Physiol.	314(3)	L473-L483	2018
Gottlieb AB, Strand V, Kishimoto M, Mease P, Thaçi D, Birt J, Lee CH, Shuler CL, Lin CY, Gladman DD.	Ixekizumab improves patient-reported outcomes up to 52 weeks in bDMARD-naïve patients with active psoriatic arthritis (SPIRIT-P1).	Rheumatology (Oxford)	57(10)	1777-1788	2018
Sawada H, Suda M, Rokutanda R, Kobayashi D, Kishimoto M, Okada M.	Concomitant use of intravenous methylprednisolone to increase retention rate of abatacept in rheumatoid arthritis.	Rheumatol Int	38(10)	1825-1831	2018
Yamanaka H, Kishimoto M, Pappas DA, Greenberg JD, Kremer JM, Tanaka Y	Design characteristics of the CORRONA Japan rheumatoid arthritis registry.	Mod Rheumatol	28(1)	95-100	2018
Shiraishi K, Suda M, Rokutanda R, Kishimoto M, Okada M.	Mizoribine is as effective as methotrexate for the treatment of polymyalgia rheumatica: a retrospective case series analysis.	Arch Rheumatol	33(3)	302-308	2018

Kishimoto M, Yoshida K, Ichikawa N, Inoue H, Kaneko Y, Kawasaki T, Matsui K, Morita M, Suda M, Tada K, Takizawa N, Tamura N, Taniguchi A, Taniguchi Y, Tsuji S, Haji Y, Rokutanda R, Yanaoka H, Cheung PP, Gu J, Kim TH, Luo SF, Okada M, Medina CL, Molto A, Dougados M, Kobayashi S, van der Heijde D, Tomita T.	Clinical characteristics of spondyloarthritis patients in Japan in comparison to other regions of the world.	J Rheumatol			2019 Feb 22 (E-pub)
Asai S et al.	Influence of methotrexate on gastrointestinal symptoms in patients with rheumatoid arthritis.	Int J Rheum Dis	22(2)	207-13	2019
Takahashi N et al	Clinical effectiveness and long-term retention of abatacept in elderly rheumatoid arthritis patients: Results from a multicenter registry system.	Mod Rheumatol	Epub ahead of print	doi: 10.1080/14397595.2018.1525019	2018
Matsumoto T et al.	Association between chest computed tomography findings and respiratory adverse events in rheumatoid arthritis patients undergoing long-term biological therapy.	Int J Rheum Dis	Epub ahead of print	doi: 10.1111/1756-185X.13434	2018
Kojima T, Ishikawa H, Tanaka S, Haga N, Nishida K, Yukioka M, Hashimoto J, Miyahara H, Niki Y, Kimura T, Oda H, Asai S, Funahashi K, Kojima M, Ishiguro N.	Target setting for lower limb joint surgery using the Timed Up and Go test in patients with rheumatoid arthritis: A prospective cohort study.	Int J Rheum Dis.	21(10)	1801-1808	2018

Kojima T, Ishikawa H, Tanaka S, Haga N, Nishida K, Yukioka M, Hamashimoto J, Miyahara H, Niki Y, Kitamura T, Oda H, Asai S, Funahashi K, Kojima M, Ishiguro N.	Validation and reliability of the Timed Up and Go test for measuring objective functional impairment in patients with long-standing rheumatoid arthritis: a cross-sectional study.	Int J Rheum Dis.	21(10)	1793-1800	2018
Kojima T, Ishikawa H, Tanaka S, Haga N, Nishida K, Yukioka M, Hamashimoto J, Miyahara H, Niki Y, Kitamura T, Oda H, Asai S, Funahashi K, Kojima M, Ishiguro N.	Characteristics of functional impairment in patients with long-standing rheumatoid arthritis based on range of motion of joints: Baseline data from a multicenter prospective observational cohort study to evaluate the effectiveness of joint surgery in the treat-to-target era.	Mod Rheumatol.	28(3):	474-481	2018
Kubo S, Todoroki Y, Nakayamada S, Nakano K, Satoh M, Nawata A, Satoh Y, Miyagawa I, Saito K, Smith V, Cutolo M, Tanaka Y.	Significance of nailfold videocapillaroscopy in patients with idiopathic inflammatory myopathies.	Rheumatology	58(1)	120-130	2019
Yoshikawa M, Nakayamada S, Kubo S, Nawata A, Kitanaga Y, Iwata S, Sakata K, Ma X, Wang SP, Nakano K, Saito K, Tanaka Y.	Type I and II interferons commit to abnormal expression of chemokine receptor on B cells in patients with systemic lupus erythematosus.	Clin Immunol	200	1-9	2018

Tanaka Y, Kameda H, Saito K, Kaneko Y, Tanaka E, Yasuda S, Tamura N, Fujio K, Fujii T, Kojima T, Anzai T, Hamada C, Fujino Y, Matsuda S, Kohsaka H.	Effect of subcutaneous tocilizumab treatment on work/housework status in biologic-naïve rheumatoid arthritis patients using inverse probability of treatment weighting: FIRST ACT-SC study.	Arthritis Res Ther.	20(1)	151	2018
Kubo S, Nakayamada S, Nakano K, Sawamukai N, Hirata S, Hanami K, Saito K, Tanaka Y.	Comparison of efficacy of TNF inhibitors and abatacept in patients with rheumatoid arthritis: Adjusted with propensity score matching.	Clin Immunol	191	67-74	2018
Kakugawa T, Sakamoto N, Ishimoto H, Shimizu T, Nakamura H, Nawata A, Ito C, Sato S, Hanaka T, Oda K, Kido T, Miyamura T, Nakashima S, Aoki T, Nakamichi S, Obase Y, Saito K, Yatera K, Ishimatsu Y, Nakayama T, Korogi Y, Kawakami A, Tanaka Y, Mukae H.	Lymphocytic focus score is positively related to airway and interstitial lung diseases in primary Sjögren's syndrome	Respir Med	137	95-102	2018
Nagayasu A, Kubo S, Nakano K, Nakayamada S, Iwata S, Miyagawa I, Fukuyo S, Saito K, Tanaka Y.	IgG4-related Pleuritis with Elevated Adenosine Deaminase in Pleural Effusion.	Intern Med.	57(15)	2251-2257	2018

Satoh Y, Nakano K, Yoshinari H, Nakayamada S, Iwata S, Kubo S, Miyagawa I, Yoshikawa M, Miyazaki Y, Saito K, Tanaka Y.	A case of refractory lupus nephritis complicated by psoriasis vulgaris that was controlled with secukinumab.	Lupus	27(7)	1202-1206	2018
Ishii T, Tanaka Y, Kawakami A, Saito K, Ichinose K, Fujii H, Shirota Y, Shirai T, Fujita Y, Watanabe R, Chiu SW, Yamaguchi T, Harigae H.	Multicenter double-blind randomized controlled trial to evaluate the effectiveness and safety of bortezomib as a treatment for refractory systemic lupus erythematosus	Mod Rheumatol	28(6)	986-992	2018
Iwata S, Saito K, Hirata S, Ohkubo N, Nakayamada S, Nakano K, Hanami K, Kubo S, Miyagawa I, Yoshikawa M, Miyazaki Y, Yoshinari H, Tanaka Y.	Efficacy and safety of anti-CD20 antibody rituximab for patients with refractory systemic lupus erythematosus.	Lupus	27(5)	802-811	2018
Miyazaki Y, Nakayamada S, Kubo S, Nakano K, Iwata S, Miyagawa I, Ma X, Trimova G, Sakata K, Tanaka Y.	Th22 Cells Promote Osteoclast Differentiation <i>via</i> Production of IL-22 in Rheumatoid Arthritis.	Front Immunol.	9	2901	2018
Ueno M, Nakano K, Yoshinari H, Nakayamada S, Iwata S, Kubo S, Miyagawa I, Tanaka Y.	An Autopsy Case with Cerebral Hemorrhaging Due to Disseminated Aspergillosis During Glucocorticoid Therapy for Overlap Syndrome of Systemic Lupus Erythematosus and Systemic Sclerosis.	Intern Med.		1226-18	2018

Ishikawa Y, Iwata S, Hanami K, Nawata A, Zhang M, Yamagata K, Hirata S, Sakata K, Todoroki Y, Nakano K, Nakayamada S, Satoh M, Tanaka Y.	Relevance of interferon-gamma in pathogenesis of life-threatening rapidly progressive interstitial lung disease in patients with dermatomyositis.	Arthritis Res Ther.	20(1)	240	2018
Miyagawa I, Nakano K, Nakayamada S, Iwata S, Hanami K, Fukuyo S, Kubo S, Inoue Y, Ueno M, Tanaka Y.	Effectiveness and safety of hydroxychloroquine therapy with or without corticosteroid in patients with systemic lupus erythematosus.	Int J Rheum Dis.		doi: 10.1111/1756-185X.13387	2018
Sakata K, Nakayamada S, Miyazaki Y, Kubo S, Ishii A, Nakano K, Tanaka Y.	Up-Regulation of TLR7-Mediated IFN- α Production by Plasmacytoid Dendritic Cells in Patients With Systemic Lupus Erythematosus.	Front Immunol.	28;9	1957	2018
Kawabe A, Nakano K, Miyata H, Shibuya R, Matsuyama A, Ogoshi T, Tanaka Y.	Fatal Chronic Active Epstein-Barr Virus Infection in a Rheumatoid Arthritis Patient Treated with Abatacept.	Intern Med.		doi: 10.2169/internalmedicine.1280-18	2018
Aritomi T, Kido T, Nakano K, Satoh Y, Noguchi S, Jotatsu T, Hanaka T, Satoh M, Tanaka Y, Yatera K.	A Case of a Small Cell Lung Cancer Patient with Anti-transcriptional Intermediary Factor 1 γ Antibody Who Developed Dermatomyositis after Successful Chemoradiotherapy.	Intern Med.		doi: 10.2169/internalmedicine.1007-18	2018

Kubo S, Nakayamada S, Sakata K, Kitanaga Y, Ma X, Lee S, Ishii A, Yamagata K, Nakano K, Tanaka Y.	Janus Kinase Inhibitor Baricitinib Modulates Human Innate and Adaptive Immune System.	Front Immunol	28:9	1510	2018
Miyagawa I, Nakayamada S, Nakano K, Kubo S, Iwata S, Miyazaki Y, Yoshikawa M, Yoshinari H, Tanaka Y.	Precision medicine using different biological DMARDs based on characteristic phenotypes of peripheral T helper cells in psoriatic arthritis.	Rheumatology (Oxford)		doi: 10.1093/rheum atology/key06 9.	2018
Kawabe A, Nakano K, Aiko Y, Aramaki S, Onoue T, Okura D, Tanaka Y.	Successful Management of Pregnancy in a Patient with Systemic Lupus Erythematosus-associat ed Pulmonary Arterial Hypertension.	Intern Med.	57(11)	1655-1659	2018

<p>Oku K, Atsumi T, Akiyama Y, Amanohara H, Azuma N, Bohgaki T, Asanuma YF, Horita T, Hosoya T, Ichinose K, Kato M, Katsumata Y, Kawaguchi Y, Kawakami A, Kogata T, Kohsaka H, Kondo Y, Kubo K, Kuwana M, Mimori A, Mimori T, Mimura T, Murakami K, Nakano K, Nakayamada S, Ogishima H, Ohmura K, Saito K, Sano H, Shibuya M, Takahashi Y, Takasaki Y, Takeuchi T, Tamura N, Tanaka Y, Tsuboi H, Tsunoda S, Yukawa N, Yamakawa N, Yamamoto K, Sumida T.</p>	<p>Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC).</p>	<p>Mod Rheumatol.</p>	<p>28(4)</p>	<p>642-648</p>	<p>2018</p>
<p>Suzuki Y, Sugiyama N, Fukuma Y, Sugiyama N, Kobayashi T.</p>	<p>Safety and effectiveness of high-dose methotrexate (over 8 mg/week) in 2838 Japanese patients with rheumatoid arthritis: A postmarketing surveillance report</p>	<p>Mod Rheumatol.</p>	<p>Oct 4</p>	<p>doi: 10.1080/14397595.2018.1532483</p>	<p>2018</p>

Nogi S, Sato S, Sasaki S, Tomoatsu K, Narayama C, Ikeda M, Nakamura N, Suzuki Y.	Iatrogenic immunodeficiency-associated latent Epstein-Barr virus-related lymphomatoid granulomatosis initial presenting as unusual gynecocological manifestations in a case of rheumatoid arthritis- a case report and review.	Mod Rheumatol Case Reports	3	5-9	2019
Carreras J, Kikuti YY, Miyaoka M, Hiraiwa S, Tomita S, Ikoma H, Kondo Y, Shiraiwa S, Ando K, Satoh S, Suzuki Y, Miura I, Roncador G, Nakamura.	Genomic profile and pathologic features of diffuse large B-cell lymphoma subtype of methotrexate-associated lymphoproliferative disorder in rheumatoid arthritis patients.	Am J Surg Pathol	42	936-50	2018
Hasegawa M, Sakai F, Konda N, Okabayashi A, Katsura H, Seto Y	CT assessment of axillary lymphadenopathy in patients with rheumatoid arthritis: association with disease activity and severity.	Rheumatol Int	38	1017-1022	2018
Ishikawa Y, Hashimoto M, Ito H, Tanaka M, Yukawa N, Fujii T, Yamamoto W, Mimori T, Terao C.	Anti-nuclear antibody development is associated with poor treatment response to biological disease-modifying antirheumatic drugs in patients with rheumatoid arthritis.	Semin Arthritis Rheum.	in press		2019
Takeuchi Y, Hashimoto M, Nakashima R, Tanaka M, Kuramoto N, Murakami K, Yoshifuji H, Ohmura K, Mimori T.	Anti-EJ, anti-MDA5 double-positive chronic clinically amyopathic dermatomyositis: a case report.	Rheumatol Adv Pract.	2(2)	rky022	2018
Yoshida T, Hashimoto M, Kawahara R, Yamamoto H, Tanaka M, Ito H, Masuda I, Hosoda K, Yamamoto W, Uozumi R, Morita S, Fujii Y, Mimori T, Nin K	Non-obese visceral adiposity is associated with the risk of atherosclerosis in Japanese patients with rheumatoid arthritis: a cross-sectional study	Rheumatol Int.	38(9)	1679-1689	2018

Sumida T, Azuma N, Moriyama M, Takahashi H, Asahima H, Honda F, Abe S, Ono Y, Hirota T, Hirata S, Tanaka Y, Shimizu T, Nakamura H, Kawakami A, Sano H, Ogawa Y, Tsubota K, Ryo K, Saito I, Tanaka A, Nakamura S, Takamura E, Tanaka M, Suzuki K, Takeuchi T, Yamakawa N, Mimori T, Ohta A, Nishiyama S, Yoshihara T, Suzuki Y, Kawano M, Tomiita M, Tsuboi H.	Clinical practice guideline for Sjogren's syndrome 2017.	Mod Rheumatol.	28(3)	383-408	2018
Okabe N, Ohmura K, Katayama M, Akizuki S, Carpino N, Murakami K, Nakashima R, Hashimoto M, Imura Y, Yoshifuji H, Tanaka M, Mimori T.	Suppressor of TCR signaling-2 (STS-2) suppresses arthritis development in mice.	Mod Rheumatol.	28(4)	626-636	2018
Nakagawa S, Nakaiishi M, Hashimoto M, Ito H, Yamamoto W, Nakashima R, Tanaka M, Fujii T, Omura T, Imai S, Nakagawa T, Yonezawa A, Imai H, Mimori T, Matsubara K.	Effect of medication adherence on disease activity among Japanese patients with rheumatoid arthritis.	PLoS One.	13(11)	e0206943	2018
Murata K, Ito H, Hashimoto M, Nishitani K, Murakami K, Tanaka M, Yamamoto W, Mimori T, Matsuda S.	Elderly onset of early rheumatoid arthritis is a risk factor for bone erosions, refractory to treatment: KURAMA cohort.	Int J Rheum Dis			2018

Morita Y, Ito H, Torii M, Hanai A, Furu M, Hashimoto M, Tanaka M, Azukizawa M, Arai H, Mimori T, Matsuda S.	Factors affecting walking ability in female patients with rheumatoid arthritis.	PLoS One.	13(3)	e0195059	2018
Matsuo T, Hashimoto M, Ito I, Kubo T, Uozumi R, Furu M, Ito H, Fujii T, Tanaka M, Terao C, Kono H, Mori M, Hamaguchi M, Yamamoto W, Ohmura K, Morita S, Mimori T.	Interleukin-18 is associated with the presence of interstitial lung disease in rheumatoid arthritis: a cross-sectional study.	Scand J Rheumatol.		1-8	2018
Masamoto K, Otsuki B, Fujibayashi S, Shima K, Ito H, Furu M, Hashimoto M, Tanaka M, Lyman S, Yoshitomi H, Tanida S, Mimori T, Matsuda S.	Factors influencing spinal sagittal balance, bone mineral density, and Oswestry Disability Index outcome measures in patients with rheumatoid arthritis.	Eur Spine J.	27(2)	406-415	2018
Hashimoto M, Furu M, Yamamoto W, Fujimura T, Harada R, Katayama M, Ohnishi A, Akashi K, Yoshida S, Nagai K, Son Y, Amuro H, Hirano T, Ebina K, Uozumi R, Ito H, Tanaka M, Ohmura K, Fujii T, Mimori T.	Factors associated with the achievement of biological disease-modifying antirheumatic drug-free remission in rheumatoid arthritis: the ANSWER cohort study.	Arthritis Res Ther.	20(1)	165	2018
田中 真生	米国における関節炎の頻度は既報よりも多い。	リウマチ科	61(1)	69-72	2018
中山健夫	診療ガイドラインの今・これから	東京女子医科大学雑誌	88(Extra)	E2-E9	2018
上田佳代、五十嵐稔子、中山健夫	根拠に基づく医療 (EBM) や診療ガイドラインとの上手な付き合い方	助産雑誌	72(12)	916-922	2018

中山健夫	エビデンスに基づくリスク・ベネフィットのコミュニケーション：SDM〈共有意思決定に向けて〉	薬学雑誌	138(3)	331-334	2018
Horita M, Nishida K, Hashizume K, Nasu Y, Saigak K, Nakahara R, Machida T, Ohashi H, Ozaki T	Resection versus joint-preserving arthroplasty for forefoot deformities in patients with rheumatoid arthritis	Foot & Ankle Int	39(3)	292-299	2018
Nishida K, Hashizume K, Nasu Y, Ozawa M, Fujiwara K, Inoue H, Ozaki T	Mid-term results of alumina ceramic unlinked total elbow arthroplasty with cement fixation for patients with rheumatoid arthritis	Bone Joint J	100-B	1066-73	2018
Hirose T, Fukae Y, Takeshita A, Nishida K	The role of lymphotoxin- α in rheumatoid arthritis	Inflammation Res	67(6)	495-501	2018
Nishida K, Harada R, Nasu Y, Takeshita A, Nakahara R, Natsumeda M, Ozaki T	The clinical course of patients with rheumatoid arthritis who underwent orthopaedic surgeries under disease control by tofacitinib	Modern Rheumatol	30	1-3	2018
Nishie H, Tetsunaga T, Kanzaki H, Oda K, Inoue S, Ryuo Y, Ota H, Miyawaki T, Arakawa K, Kitamura Y, Sendo T, Morimatsu H, Ozaki T, Nishida K	A multidisciplinary approach to the management of chronic pain using a self-managed behavioral exercise program: A pilot study in Japan	Acta Med Okayama	72(4)	343-350	2018
Tetsunaga T, Nishida K, Kanzaki H, Misawa H, Takigawa T, Shiozaki Y, Ozaki T	Drug dependence in patients with chronic pain: A retrospective study	Medicine	97(40)	e12748	2018
Okita S, Nishida K, Ohtsuka A, Ozaki T	A high incidence of extensor pollicis brevis insertion into the distal phalanx in rheumatoid arthritis patients who required the surgical reconstruction for thumb boutonnière deformity	Modern Rheumatol	Oct 4	doi: 10.1080/14397595.2018.1532484.	2018

Kaneko Y, Kato M, Tanaka Y, Inoo M, Kobayashi-Haraoka H, Amano K, Miyata M, Murakawa Y, Yasuoka H, Hirata S, Tanaka E, Miyasaka N, Yamanaoka H, Yamamoto K, Takeuchi T; SURPRISE study group.	Tocilizumab discontinuation after attaining remission in patients with rheumatoid arthritis who were treated with tocilizumab alone or in combination with methotrexate: results from a prospective randomised controlled study (the second year of the SURPRISE study)	Ann Rheum Dis	77(9)	1268-1275	2018
Shirakashi M, Yoshifuji H, Kodama Y, Chiba T, Yamamoto M, Takahashi H, Uchida K, Okazaki K, Ito T, Kawa S, Yamada K, Kawano M, Hirata S, Tanaka Y, Moriyama M, Nakamura S, Kamisawa T, Matsui S, Tsuboi H, Sumida T, Shibata M, Goto H, Sato Y, Yoshino T, Mimori T.	Factors in glucocorticoid regimens associated with treatment response and relapses of IgG4-related disease: a multicentre study.	Sci Rep	8(1)	10262	2018
Murakami K, Sekiguchi M, Hirata S, Fujii T, Matsui K, Morita S, Ohmura K, Kawahito Y, Nishimoto N, Mimori T, Sano H; ABROAD study investigators.	Predictive factors for structural remission using abatacept: Results from the ABROAD study.	Mod Rheumatol	Jun 27	doi: 10.1080/14397595	2018
Gudmann NS, Hirata S, Karsdal MA, Kubo S, Bay-Jensen AC, Tanaka Y	Increased remodelling of interstitial collagens and basement membrane is suppressed by treatment in patients with rheumatoid arthritis: serological evaluation of a one-year prospective study of 149 Japanese patients	Clin Exp Rheumatol	36(3)	462-470	2018

Sumida T, Azuma N, Moriyama M, Takahashi H, Asashima H, Honda F, Abe S, Ono Y, Hirota T, Hirata S, Tanaka Y, Shimizu T, Nakamura H, Kawakami A, Sano H, Ogawa Y, Tsubota K, Ryo K, Saito I, Tanaka A, Nakamura S, Takamura E, Tanaka M, Suzuki K, Takeuchi T, Yamakawa N, Mimori T, Ohta A, Nishiyama S, Yoshihara T, Suzuki Y, Kawano M, Tomiita M, Tsuboi H	Clinical practice guideline for Sjögren's syndrome 2017	Mod Rheumatol	28(3)	383-408	2018
Kubo S, Nakayamada S, Zhao J, Yoshikawa M, Miyazaki Y, Nawata A, Hirata S, Nakano K, Saito K, Tanaka Y	Correlation of T follicular helper cells and plasmablasts with the development of organ involvement in patients with IgG4-related disease	Rheumatology (Oxford)	57(3)	514-524	2018
Nakayamada S, Kubo S, Yoshikawa M, Miyazaki Y, Yunoue N, Iwata S, Miyagawa I, Hirata S, Nakano K, Saito K, Tanaka Y	Differential effects of biological DMARDs on peripheral immune cell phenotypes in patients with rheumatoid arthritis	Rheumatology (Oxford)	57(1)	164-174	2018
Tsuji H, Ikari K, Ohmura K, Yano K, Furu M, Hashimoto M, Ito H, Fujii T, Yamamoto W, Taniguchi A, Yamanaka H, Mimori T, Terao C	Significant joint-destructive association of HLA-DRB1*04:05 independent of DAS28 in rheumatoid arthritis	Ann Rheum Dis	78	284-286	2019
藤井 隆夫	リウマチ性疾患の診療ガイドライン・推奨のupdate. 関節リウマチEULAR recommendations-2016 update	リウマチ科	59	345-350	2018

藤井 隆夫	メトトレキサート診療ガイドライン2016改訂版の要点について	臨床リウマチ	30	5-11	2018
Seki S, Hirano N, Matsushita I, Kawaguchi Y, Nakano M, Yasuda T, Motomura H, Sesuzuki K, Yahara Y, Watanabe K, Makino H, Kimura	Lumbar spine surgery in patients with rheumatoid arthritis (RA): what affects the outcomes?	Spine J.	18	99-106	2018
松下 功	関節リウマチの画像評価	整形外科	69	161-167	2018
松下 功	関節リウマチの関節病変—大関節の単純X線写真—	画像診断	38	9-15	2018
元村 拓、松下功、下条 竜一、野上 真紀子、平岩利仁、峯 隼人、木村 友厚	メタローシスに伴う脛骨巨大骨欠損に対してimpacted allograftを用いて人工膝関節再置換術を施行した関節リウマチ患者の1例.	整形外科	69	1021-1024	2018
Shirai T, Okano T, Morinobu A.	Rupture of Multiple Hepatic Artery Microaneurysms in Microscopic Polyangiitis.	J Rheumatol.	45(12)	1705	2018
Shirai T, Onishi A, Waki D, Saegusa J, Morinobu A.	Successful treatment with tacrolimus in TAFRO syndrome: two case reports and literature review.	Medicine (Baltimore)	97(23)	e11045	2018
Onishi A, Otsuka Y, Morita N, Morinobu A.	Focal myositis diffusely involving multiple masticatory muscles.	Scand J Rheumatol.	47	513-4	2018
Nishida M, Saegusa J, Tanaka S, Morinobu A.	SI100A12 facilitates osteoclast differentiation from human monocytes.	PLoS One.	13	e0204140	2018
Onishi A, Tanaka Y, Morinobu A.	Spontaneous remission in large-vessel vasculitis: Takayasu arteritis and paraneoplastic disorder associated with thymic carcinoma.	Scand J Rheumatol.	48	79-81	2018

Takaichi Okano, Jun Saegusa, Soshi Takahashi, Yohji Ueda, Akio Morinobu	Immunometabolism in rheumatoid arthritis.	Immunological Medicine	41	89-97	2018
Sendo S, Saegusa J, Morinobu A.	Myeloid-derived suppressor cells in non-neoplastic inflamed organs.	Inflamm Regen.	17	epub	2018
森信 暁雄	炎症性サイトカインは転写因子SXOCを安定させることにより線維芽細胞様滑膜細胞のトランスフォーメーションに働く。	リウマチ科	61	59-63	2019
Nakayama M, Furuya T, Inoue E, Tanaka E, Ikari K, Nakajima A, Taniguchi A, Yamana H.	Factors associated with decreasing serum 25(OH)D among Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study.	Mod Rheumatol	Jul 11	doi: 10.1080/14397595	2018
Yano K, Ikari K, Inoue E, Sakuma Y, Mochizuki T, Koenuma N, Tobimatsu H, Tanaka E, Taniguchi A, Okazaki K, Yamana H.	Features of patients with rheumatoid arthritis whose debut joint is a foot or ankle joint: A 5,479-case study from the IORRA cohort.	PLoS One	Sep 6; 13(9)	e0202427. doi: 10.1371/journal.pone.0202427	2018
Harigai M, Winthrop K, Takeuchi T, Hsieh T, Chen Y, Smolen JS, Burmester G, Wallis C, Wu W, Dickson C, Liao R, Genovese M. Evaluation of hepatitis B virus in clinical trials of baricitinib in rheumatoid arthritis. RMD Open. 6(1) e001095 2020	Evaluation of hepatitis B virus in clinical trials of baricitinib in rheumatoid arthritis.	RMD Open.	6(1)	e001095	2020

Yamanaka H, Tanaka E, Nakajima A, Furuya T, Ikari K, Taniguchi A, Inoue E, Harigai M.	A large observational cohort study of rheumatoid arthritis, IORRA: Providing context for today's treatment options.	Modern Rheumatology	30(1)	1-6	2020
Harigai M, Takeuchi T, Smolen JS, Winthrop KL, Nishikawa A, Rooney TP, Saifan CG, Issa M, Isakaya Y, Akashi N, Ishii T, Tanaka Y.	Safety profile of baricitinib in Japanese patients with active rheumatoid arthritis with over 1.6 years median time in treatment: An integrated analysis of Phases 2 and 3 trials.	Modern Rheumatology	30(1)	36-43	2020
Kasai S, Sakai R, Koike R, Kohsaka H, Miyasaka N, Harigai M.	Higher risk of hospitalized infection, cardiovascular disease, and fracture in patients with rheumatoid arthritis determined using the Japanese health insurance database.	Modern Rheumatology	29(5)	788-794	2019
Harigai M, Ishiguro N, Inokuma S, Mimori T, Ryujima J, Takei S, Takeuchi T, Tanaka Y, Takasaki Y, Yamanaka H, Yoshizawa Y, Chinen I, Nakao T, Koike T.	Safety and effectiveness of abatacept in Japanese non-elderly and elderly patients with rheumatoid arthritis in an all-cases post-marketing surveillance.	Modern Rheumatology	29(5)	747-755	2019
Nakayama M, Furuya T, Inoue E, Tanaka E, Ikari K, Nakajima A, Taniguchi A, Yamanaka H.	Factors Associated With Decreasing Serum 25(OH)D Among Japanese Patients With Rheumatoid Arthritis: Results From the IORRA Cohort Study	Modern Rheumatology	29(3)	430-435	2019

Furuya T, Inoue E, Tanaka E, Maeda S, Ikari K, Taniguchi A, Yamana H.	Age and female gender associated with periodontal disease in Japanese patients with rheumatoid arthritis: Results from self-reported questionnaires from the IORRA cohort study.	Modern Rheumatology	30 (3)	465-470	2020
Oh K, Furuya T, Inoue E, Tanaka E, Ikari K, Taniguchi A, Yamana H, Okazaki K, Harigai M.	A simple screening test to assess risk of falls in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study.	Modrn Rheumatology		1-4	2020
Takanashi S, Kaneko Y, Takeuchi T.	CDAI and DAS28 in the management of rheumatoid arthritis in clinical practice.	Ann Rheum Dis	79 (5)	671-674	2020
Tanaka Y, Kameda H, Saito K, Kaneko Y, Tanaka E, Yasuda S, Tamura N, Fujio K, Fuji T, Kojima T, Anzai T, Hamada C, Fujino Y, Matsuda S, Kohsaka H.	Response to tocilizumab and work productivity in patients with rheumatoid arthritis: 2-year follow-up of FIRST ACT-SC study.	Mod Rheumatol.		1-11	2020
Kato M, Kaneko Y, Tanaka Y, Inoue M, Kobayashi-Haraoka H, Amano K, Miyata M, Murakawa Y, Yasuoka H, Hirata S, Nagasawa H, Tanaka E, Miyasaka N, Yamanaka H, Yamamoto K, Yokota I, Atsumi T, Takeuchi T.	Predictive value of serum amyloid A levels for requirement of concomitant methotrexate in tocilizumab initiation: A post hoc analysis of the SURPRISE study.	Mod Rheumatol.	30 (3)	442-449	2020

Kondo Y, Suzuki K, Inoue Y, Sakata K, Takahashi C, Takeshita M, Kassai Y, Miyazaki T, Morita R, Niki Y, Kaneko Y, Yasuoka H, Yamaoka K, Yoshimura A, Takeuchi T.	Significant association between joint ultrasonographic parameters and synovial inflammatory factors in rheumatoid arthritis.	Arthritis Res Ther.	21(1)	14	2019
Inamo J, Kaneko Y, Sakata K, Takeuchi T.	Impact of subclinical synovitis in ankles and feet detected by ultrasonography in patients with rheumatoid arthritis.	Int J Rheum Dis.	22(1)	62-97	2019
Murakami K, Sekiguchi M, Hirata S, Fujii T, Matsui K, Morita S, Ohmura K, Kawahito Y, Nishimoto N, Mimori T, Sano H and the ABROAD study investigators.	Predictive factors for structural remission using abatacept. : Results from the ABROAD study	Mod Rheumatol.	29(3)	406-412	2019.
Inoue T, Kohno M, Nagahara H, Murakami K, Sagawa T, Kasahara A, Kaneshita S, Kida T, Fujioka K, Wada M, Nakada H, Hla T, Kawahito Y.	Upregulation of sphingosine-1-phosphate receptor 3 on fibroblast-like synoviocytes is associated with the development of collagen-induced arthritis via an increased interleukin-6 production.	PLoS One.	14(6)	e0218090	2019.
Kaneshita S, Kida T, Yokota I, Nagahara H, Takahiro Seno T, Wada M, Kohno M, Kawahito Y.	Risk Factors for cytomegalovirus disease with cytomegalovirus reactivation in patients with rheumatic diseases.	Mod Rheumatol.	30(1)	109-115	2020.

岸本暢将, 多田弥生, 岡田正人	乾癬から見た肥満と代謝疾患	日本内科学会雑誌	第108巻(4)	708-714	2019
Kishimoto M, Yoshida K, Ichikawa N, et al.	Clinical characteristics of spondyloarthritis patients in Japan in comparison to other regions of the world	J Rheumatol	46(8)	896-903	2019
van der Heijde, Song IH, Pangan A, Deodhar A, Vanden Bosch F, Maksymowych WP, Kishimoto M, et al.	Efficacy and safety of upadacitinib in patients with active ankylosing spondylitis (SELECT-Axis 1): a multicentre, randomised, double-blind, placebo-controlled, phase 2/3 trial.	Lancet	394	2108-2117	2019
Lau CS, Chia F, Dans L, Harrison A, Hsieh TY, Jatin R, Jung SM, Kishimoto M, et al.	Update of the APLAR recommendations for treatment of rheumatoid arthritis.	Int J Rheum Dis	22(3)	357-375	2019
Kida T, Umemura A, Kaneshita S, Sagawa R, Inoue T, Toyama S, Wada M, Kohno M, Oda R, Inaba T, Isetoh Y, Kawahito Y.	Effectiveness and safety of chronic hepatitis C treatment with direct-acting antivirals in patients with rheumatic diseases: A case-series.	Mod Rheumatol		1-7	2019

Sobue Y, Kojima T, Funahashi K, Okui N, Takahashi N, Asai S, Terabe K, Nishiume T, Suzuki M, Yokota Y, Ohashi Y, Ishiguro N.	Relationship between disease activity of rheumatoid arthritis and development of locomotive syndrome: A five-year longitudinal cohort study.	Mod Rheumatol.		1-17	2020
Hattori K, Hirano Y, Kanayama Y, Hattori Y, Kato T, Takahashi N, Ishiguro N, Kojima T.	Efficacy of add-on iguratimod in patients with rheumatoid arthritis who inadequately respond to either tocilizumab or tumor necrosis factor alpha inhibitors.	Mod Rheumatol.		1-8	2020
Takemoto T, Takahashi N, Kida D, Kaneko A, Hirano Y, Fujibayashi T, Kanayama Y, Hanabayashi M, Yabe Y, Takagi H, Oguchi T, Kato T, Funahashi K, Matsumoto T, Sobue Y, Nishiume	Improvement in matrix metalloproteinase-3 independently predicts low disease activity at 52 weeks in bio-switch rheumatoid arthritis patients treated with abatacept.	Clin Exp Rheumatol.		Online ahead of print	2020
Suzuki M, Takahashi N, Sobue Y, Ohashi Y, Kishimoto K, Hattori K, Ishiguro N, Kojima T.	Hyaluronan suppresses enhanced cathepsin K expression via activation of NF-kappaB with mechanical stress loading in a human chondrocytic HCS-2/8 cells.	Sci Rep.	10(1)	216	2020
Hattori K, Hirano Y, Kanayama Y, Takahashi N, Ishiguro N, Kojima T.	Predictors of denosumab efficacy in treating osteoporosis in patients with rheumatoid arthritis: a Japanese multicenter study.	Nagoya J Med Sci.	81(4)	571-585	2019

Suzuki M, Takahashi N, Kida D, Hirano Y, Kato T, Yabe Y, Oguchi T, Fujibayashi T, Hayashi M, Asai S, Ishiguro N, Kojima T.	Clinical effectiveness and safety of additional administration of tacrolimus in rheumatoid arthritis patients with an inadequate response to abatacept: A retrospective cohort study.	Int J Rheum Dis.	22(12)	2199-2205	2019
Sobue Y, Kojima T, Funahashi K, Okui N, Mizuno M, Takahashi N, Asai S, Asai N, Matsumoto T, Nishihime T, Suzuki M, Ishiguro N.	Relationship between rheumatoid arthritis and locomotive syndrome: validation of the 25-question Geriatric Locomotive Function Scale in patients with rheumatoid arthritis.	Nagoya J Med Sci.	81(3)	453-462	2019
Asai N, Asai S, Takahashi N, Ishiguro N, Kojima T.	Factors associated with osteophyte formation in patients with rheumatoid arthritis undergoing total knee arthroplasty.	Mod Rheumatol.		Online ahead of print	2019
Asai S, Takahashi N, Asai N, Yamashita S, Terabe K, Matsumoto T, Sobue Y, Nishiume T, Suzuki M, Ishiguro N, Kojima T.	Characteristics of patients with rheumatoid arthritis undergoing primary total joint replacement: A 14-year trend analysis (2004-2017).	Mod Rheumatol.		Online ahead of print	2019
Ogawa Y, Takahashi N, Kaneko A, Hirano Y, Kanayama Y, Yabe Y, Oguchi T, Fujibayashi T, Takagi H, Hanabayashi M, Funahashi K, Hayashi M, Tsuboi S, Asai S, Asai N, Matsumoto T, Sobue Y, Ishiguro N, Kojima T.	Association between seropositivity and discontinuation of tumor necrosis factor inhibitors due to ineffectiveness in rheumatoid arthritis.	Clin Rheumatol.	38(10)	2757-2763	2019

Takahashi N, Kojima T, Kida D, Kamekura A, Hirano Y, Fujibayashi T, Yabe Y, Takagishi H, Oguchi T, Hanabusa M, Kamekura T, Funahashi K, Hayashi M, Tsuboi S, Kanayama Y, Sobue Y, Asai N, Matsumoto T, Watanabe T, Asai S, Ishiguro N.	Concomitant methotrexate has little effect on clinical outcomes of abatacept in rheumatoid arthritis: a propensity score matching analysis.	Clin Rheumatol.	38(9)	2451-2459	2019
Kojima M, Nakayama T, Tsutani K, Igarashi A, Kojima T, Suzuki S, Miyasaka N, Yamana H.	Epidemiological characteristics of rheumatoid arthritis in Japan: Prevalence estimates using a nationwide population-based questionnaire survey.	Mod Rheumatol.		1-7	2019
Nakano K, Saito K, Nawata A, Hanami K, Kubo S, Miyagawa I, Fujino Y, Nakayamada S, Tanaka Y.	Clinical aspects in patients with rheumatoid arthritis complicated with lymphoproliferative disorders without regression after methotrexate withdrawal and treatment for arthritis after regression of lymphoproliferative disorders	Modern Rheumatology		1-17	2020
Suzuki Y, Sugiyama N, Fukuma Y, Sugiyama N, Takeshi Kokubo T.	Safety and effectiveness of high-dose methotrexate (over 8mg/week) in 2838 Japanese patients with rheumatoid arthritis: a postmarketing surveillance report.	Mod Rheumatol	Vol. 30	24-35	2019

<p>Kameda H, Fujii T, Nakajima A, Koike R, Sagawa A, Kanbe K, Tomita T, Harigai M, Suzuki Y, Japan College of Rheumatology subcommittee on the guideline for the use of methotrexate in patients with rheumatoid arthritis.</p>	<p>Japan College of Rheumatology guideline for the use of methotrexate in patients with rheumatoid arthritis.</p>	<p>Mod Rheumatol</p>	<p>29(1)</p>	<p>31-40</p>	<p>2019</p>
<p>Nogi S, Sato S, Sasaki S, Tomomatsu K, Narayama C, Ikeda M, Nakamura N, Suzuki Y.</p>	<p>Iatrogenic immunodeficiency-associated latent Epstein-Barr virus-related lymphomatoid granulomatosis initial presenting as unusual gynecocological manifestations in a case of rheumatoid arthritis- a case report and review.</p>	<p>Mod Rheumatol. Case Reports</p>	<p>3(1)</p>	<p>5-9</p>	<p>2019</p>
<p>Murata K, Hashimoto M, Yamamoto W, Son Y, Amuro H, Nagai K, Takeuchi T, Katayama M, Maeda Y, Ebina K, Hara R, Jinno S, Onishi A, Murakami K, Tanaka M, Ito H, Mimori T, Matsuda S.</p>	<p>The family history of rheumatoid arthritis in anti-cyclic citrullinated peptide antibody-positive patient is not a predictor of poor clinical presentation and treatment response with modern classification criteria and treatment strategy: the ANSWER cohort study.</p>	<p>Rheumatology international</p>	<p>40(2)</p>	<p>217-225</p>	<p>2020</p>

Doi K, Ito H, Tomizawa T, Murata K, Hashimoto M, Tanaka M, Murakami K, Nishitani K, Azukizawa M, Okahata A, Saito M, Mimori T, Matsuda S.	Oral steroid decreases the progression of joint destruction of large joints in the lower extremities in rheumatoid arthritis.	Medicine	98(47)	e17968	2019
Ishikawa Y, Hashimoto M, Ito H, Tanaka M, Yukawa N, Fujii T, Yamamoto W, Mimori T, Terao C.	Anti-nuclear antibody development is associated with poor treatment response to biological disease-modifying antirheumatic drugs in patients with rheumatoid arthritis.	Seminars in arthritis and rheumatism	49(2)	204-210	2019
Ishikawa Y, Ikarashi K, Hashimoto M, Ohmura K, Tanaka M, Ito H, Taniguchi A, Yamamoto H, Mimori T, Terao C.	Shared epitope defines distinct associations of cigarette smoking with levels of anticitrullinated protein antibody and rheumatoid factor.	Annals of the rheumatic diseases	78(11)	1480-1487	2019

<p>Kawahara R, Nakabo S, Shimizu M, Yamamoto H, Sasai T, Nishida Y, Funakoshi S, Gonn Y, Taniguchi M, Nakajima T, Hiwa R, Hashimoto M, Tomizawa T, Azukizawa M, Nishitani K, Murata K, Tanaka M, Ito H, Mimori T, Fujii Y.</p>	<p>Feasibility of patient-oriented ultrasound joint selection: Cross-sectional observational study on rheumatoid arthritis.</p>	<p>Modern rheumatology</p>		<p>Online ahead of print</p>	<p>2019</p>
<p>Matsuo T, Hashimoto M, Ito I, Kubo T, Uozumi R, Furu M, Ito H, Fujii T, Tanaka M, Terao C, Konoh H, Mori M, Hamauchi M, Yamamoto W, Ohmura K, Morita S, Mimori T.</p>	<p>Interleukin-18 is associated with the presence of interstitial lung disease in rheumatoid arthritis: a cross-sectional study.</p>	<p>Scandinavian journal of rheumatology</p>	<p>48(2)</p>	<p>87-94</p>	<p>2019</p>
<p>Murata K, Ito H, Hashimoto M, Nishitani K, Murakami K, Tanaka M, Yamamoto W, Mimori T, Matsuda S.</p>	<p>Elderly onset of early rheumatoid arthritis is a risk factor for bone erosions, refractory to treatment: KURAMA cohort.</p>	<p>International journal of rheumatic diseases</p>	<p>22(6)</p>	<p>1084-1093</p>	<p>2019</p>
<p>Okahata A, Ito H, Furu M, Ishikawa M, Fujii T, Hashimoto M, Tanaka M, Morita Y, Azukizawa M, Tomizawa T, Doi K, Nishitani K, Murata K, Yoshitomi H, Mimori T, Matsuda S.</p>	<p>Soluble Lectin-like Oxidized Low-Density Lipoprotein Receptor 1 Predicts the Changes of Rheumatoid Factor Titers in Rheumatoid Arthritis.</p>	<p>Journal of clinical rheumatology</p>		<p>Online ahead of print</p>	<p>2019</p>

Tomizawa T, Ito H, Murata K, Hashimoto M, Tanaka M, Murakami K, Nishitani K, Azukizawa M, Okahata A, Doi K, Saito M, Furu M, Hamaguchi M, Mimori T, Matsuda S.	Distinct biomarkers for different bones in osteoporosis with rheumatoid arthritis.	Arthritis research & therapy	21(1)	174	2019
中山健夫	診療ガイドラインの今・これから	東京女子医科大学雑誌	88 (Extra)	E2-E9	2018
上田佳代、五十嵐稔子、中山健夫	根拠に基づく医療 (EBM) や診療ガイドラインとの上手な付き合い方	助産雑誌	72(12)	916-22	2018
中山健夫	エビデンスに基づくリスク・ベネフィットのコミュニケーション：SDM (共有意思決定に向けて)	薬学雑誌	138 (3)	331-4	2018
西田圭一郎	関節リウマチ	月刊ナーシング	40 巻 3 号	40-43	2020
松山宜之、中原龍一、那須義久、岡佳純、千田益生、西田圭一郎	RA手指変形—MCP関節人工関節置換術のリハビリテーションについて	MB Med Reha	244	1-7	2020
松山宜之、中原龍一、那須義久、西田圭一郎	RA手のリハビリテーション	臨床リウマチ	31	259-265	2019
西田圭一郎	リウマチ性疾患・感染症	整形外科	70 巻 7 号	801-807	2019

佐藤康晴, 祇園由佳, 西田圭一郎, 吉野 正	その他の医原性免疫不全関連リンパ増殖性疾患	病理と臨床・別冊	37巻4号	360-363	2019
Tsuji H, Tetsunaga T, Tetsunaga T, Nishida K, Misawa H, Ozaki T	The factors driving self-efficacy in intractable chronic pain patients: a retrospective study	J Orthop Surg Res	14(1)	473	2019
Ito H, Tsuji S, Nakayama M, Mochida Y, Nishida K, Ishikawa H, Kojima T, Matsumoto T, Kubota A, Mochizuki T, Sakuraba K, Matsushita I, Nakajima A, Hara R, Haraguchi A, Matsubara T, Kanbe K, Nakagawa N, Hamaguchi M, Momohara S, and JOSRA consortium	Does abatacept increase postoperative adverse events in rheumatoid arthritis compared with conventional synthetic disease-modifying drugs?	J Rheumatol	47(4)	502-509	2019
Horita M, Nishida K, Hasei J, Furumatsu T, Sakurai M, Onodera Y, Fukuda K, Salter DM, Ozaki T	Involvement of ADAM12 in chondrocyte differentiation by regulation of TGF- β 1-induced IGF-1 and RUNX-2 expression	Calcif Tissue Int	105(1)	97-106	2019
Horita M, Nishida K, Ozaki T	Prevalence of and risk factors for the progression of upper cervical lesions in patients with rheumatoid arthritis	Acta Med Okayama	73(3)	235-240	2019
Hiranaka T, Nishida K, Konishiike T, Ozaki T, Mikasa M	Tuberosity-overlapping fixation on the humeral shaft in the humeral head replacement surgery	Acta Med Okayama	73(4)	299-305	2019

Yukawa K, Mokuda S, Kohno H, Oi K, Kuranobu T, Terokunaga T, Yoshida Y, Yamana J, Iwahashi M, Hirata S, Yamana S, Sugiyama E.	Serum CXCL10 levels are associated with better responses to abatacept treatment of rheumatoid arthritis.	Clin Exp Rheumatol.		Online ahead of print	2020
Yamaguchi A, Hirata S, Kubo S, Fukukuyo S, Hanami K, Nakano K, Nakayama S, Saito K, Tanaka Y.	5-year remission rate after the discontinuation of adalimumab in patients with rheumatoid arthritis: Long-term follow-up results of the HONOR study.	Mod Rheumatol.		Online ahead of print	2020
Trimova G, Yamagata K, Iwata S, Hirata S, Zhang T, Uemura F, Satoh M, Biln N, Nakayamada S, Maksymowych WP, Tanaka Y.	Tumour necrosis factor alpha promotes secretion of 14-3-3beta by inducing necroptosis in macrophages.	Arthritis Res Ther.	22(1)	24	2020
Tokunaga T, Mokuda S, Kohno H, Yukawa K, Kuranobu T, Oi K, Yoshida Y, Hirata S, Sugiyama E.	TGFbeta1 Regulates Human RANKL-Induced Osteoclastogenesis via Suppression of NFATc1 Expression.	Int J Mol Sci.	21(3)	pii: E800	2020
Tanaka Y, Oba K, Koike T, Miyasaka N, Mimori T, Takeuchi T, Hirata S, Tanaka E, Yasuoka H, Kaneko Y, Murakami K, Koga T, Nakano K, Amano K, Ushiro K, Atsumi T, Inoo M, Hatta K, Mizuki S, Nagaoka S, Tsunoda S, Dobashi H, Horie N, Sato N.	Sustained discontinuation of infliximab with a raising-dose strategy after obtaining remission in patients with rheumatoid arthritis: the RRRR study, a randomised controlled trial.	Ann Rheum Dis.	79(1)	94-102.	2020
Kuranobu T, Mokuda S, Oi K, Tokunaga T, Yukawa K, Kohno H, Yoshida Y, Hirata S, Sugiyama E.	Activin A Expressed in Rheumatoid Synovial Cells Downregulates TNF-alpha-Induced CXCL10 Expression and Osteoclastogenesis.	Pathobiology.		Online ahead of print	2020

Oi K, Tokunaga T, Kuranobu T, Yukawa K, Kohno H, Yoshida Y, Mokuda S, Hirata S, Sugiyama E.	Tumour necrosis factor alpha augments the inhibitory effects of CTLA-4-Ig on osteoclast generation from human monocytes via induction of CD80 expression.	Clin Exp Immunol.	196 (3)	392-402	2019
Tsuji H, Ikari K, Ohmura K, Yanagisawa K, Furu M, Hashimoto M, Ito H, Fujii T, Yamamoto W, Taniguchi A, Yamanaka H, Mimori T, and Terao C.	Significant joint-destructive association of HLA-DRB1*04:05 independent of DAS28 in rheumatoid arthritis	Ann Rheum Dis.	78 (2)	284-286	2019
Kameda H, Fujii T, Nakajima A, Koike R, Sagawa A, Kanbe K, Tomita T, Harigai M, Suzuki Y, and Japan College of Rheumatology subcommittee on the guideline for the use of methotrexate in patients with rheumatoid arthritis	Japan College of Rheumatology guideline for the use of methotrexate in patients with rheumatoid arthritis	Mod Rheumatol.	29	31-40	2019
Mimori T, Harigai M, Atsumi T, Fujii T, Kuwana M, Matsuno H, Momohara S, Takei S, Tamura N, Takasaki Y, Yamamoto K, Ikeuchi S, Kushimoto S, and Koike T	Safety and effectiveness of iguratimod in patients with rheumatoid arthritis: Final report of a 52-week, multicenter postmarketing surveillance study	Mod Rheumatol.	29	314-323	2019
Ishigooka N, Fujii T, Abe H, Murakami K, Nakashima R, Hashimoto M, Yoshifuji H, Tanaka M, Ito H, Ohmura K, Morita S, and Mimori T	Predicting factors for disappearance of anti-citrullinated vimentin antibodies in sera of patients with rheumatoid arthritis	Mod Rheumatol	30 (3)	450-247	2020

Torii M, Hashimoto M, Hanai A, Fujii T, Furu M, Ito H, Uozumi R, Hamaguchi M, Terao C, Yamamoto W, Uda M, Nin K, Morita S, Arai H, and Mimori T	Prevalence and factors associated with sarcopenia in patients with rheumatoid arthritis	Mod Rheumatol.	29	589-595	2019
Tsuji H, Hashimoto M, Harada T, Tanaka M, Ito H, Murakami K, Ohmura K, Fujii T, and Mimori T	Persistent anemia and hypoalbuminemia in rheumatoid arthritis patients with low serum triiodothyronine level	Mod Rheumatol.		1-8	2019
Nakagami Y, Sugihara G, Takei N, Fujii T, Hashimoto M, Murakami K, Furu M, Ito H, Uda M, Torii M, Nin K, Murai T, and Mimori T	Effect of physical state on pain mediated through emotional health in rheumatoid arthritis	Arthritis Care Res.	71(9)	1216-1223	2019
Murakami I, Murakami K, Hashimoto M, Tanaka M, Ito H, Fujii T, Torii M, Ikeda K, Kuwabara A, Tanaka K, Yoshida A, Akizuki S, Nakashima R, Yoshifuji H, Ohmura K, Usui T, Morita S, and Mimori T	Intake frequency of vegetables or seafoods negatively correlates with disease activity of rheumatoid arthritis	PLoS One	15	e0228852	2020
松下 功	関節リウマチの画像診断	臨床リウマチ	31	88-97	2019

松下 功	薬物の特性とその効果的 処方 抗リウマチ薬	MB Orthop	32	155-162	2019
元村 拓, 松下 功, 平岩利仁, 関 英子, 木村友厚	関節リウマチ患者におけ る長期の骨密度変化	臨床リウマチ	31	98-103	2019
Kaneko Y, Kawahi to Y, Kojima M, Nakayama T, Hira ta S, Kishimoto M, Endo H, Seto Y, Ito H, Nishid a K, Matsushita I, Kojima T, Kam atani N, Tsutani K, Igarashi A, Hasegawa M, Miya saka N, Yamanaka H.	Efficacy and safety of tacrolimus in patient s with rheumatoid arth ritis - A systematic r eview and meta-analysi s	Mod Rheumatol		Online ahead of print	2020
Saito J, Yakuwa N, Takai C, Kane ko K, Goto M, Na kajima K, Yamata ni A, Murashima A.	Abatacept concentratio ns in maternal serum a nd breast milk during breastfeeding and an i nfant safety assessmen t: a case study.	Rheumatology	58(9)	1692-1694	2019
Saito J, Yakuwa N, Kaneko K, Tak ai C, Goto M, Na kajima K, Yamata ni A, Murashima A.	Tocilizumab during pre gnancy and lactation: drug levels in materna l serum, cord blood, b reast milk and infant serum.	Rheumatology	58(8)	1505-1507	2019

Saito J, Yakuwa N, Kaneko K, Nakajima K, Takai C, Goto M, Yamatani A, Murashima A.	Clinical application of the dried milk spot method for measuring tocilizumab concentrations in the breast milk of patients with rheumatoid arthritis.	Int J Rheum Dis.	22(6)	1130-1137	2019
Tsuda S, Sameshima A, Sekine M, Kawaguchi H, Fujita D, Makino S, Morinobu A, Murakawa Y, Matsui K, Sugiyama T, Watanabe M, Suzuki Y, Nagahori M, Murashima A, Atsumi T, Oku K, Mitsuda N, Takei S, Miyamae T, Takahashi N, Nakajima K, Saito S; Ministry of Health Labour and Welfare Working Group for "Guideline for The Treatment of Rheumatoid Arthritis or Inflammatory Bowel Disease Bearing Women in Child-bearing Age".	Pre-conception status, obstetric outcome and use of medications during pregnancy of systemic lupus erythematosus (SLE), rheumatoid arthritis (RA) and inflammatory bowel disease (IBD) in Japan: Multi-center retrospective descriptive study.	Mod Rheumatol.		Online ahead of print	2019
Saito J, Kaneko K, Yakuwa N, Kawasaki H, Yamatani A, Murashima A	Rivaroxaban Concentration in Breast Milk During Breastfeeding: A Case Study.	Breastfeed Med.	14(10)	748-751	2019
Onishi A, Kamitsuji S, Nishida M, Uemura Y, Takahashi M, Saito T, Yoshida Y, Kobayashi M, Kawatani M, Nishimura K, Misaki K, Nobuyuhara Y, Nakazawa T, Hatachi S, Tsuji G, Morinobu A, Kumagai S.	Genetic and clinical prediction models for the efficacy and hepatotoxicity of methotrexate in patients with rheumatoid arthritis: a multicenter cohort study.	Pharmacogenomics J.		Online ahead of print	2019

Yatomi A, Mori S, Kawauchi H, Shihono A, Shimoyama S, Tanaka H, Okano T, Inoue T, Jimbo N, Morinobu A, Hirata KI.	Predominant Involvement of the Aortic Root in a Patient with Antineutrophil Cytoplasmic Antibody-associated Vasculitis: Congestive Heart Failure due to Subacute Severe Aortic Regurgitation and Reversible Conduction Disturbance.	Intern Med.	59(5)	663-671	2019
Kageyama G, Onishi A, Ueda Y, Nakajima I, Tsuda K, Okano T, Akashi K, Nishimura K, Sendo S, Saegusa J, Morinobu A.	Subjective well-being among rheumatoid arthritis patients.	Int J Rheum Dis	22(10)	1863-1870	2019
Sendo S, Saegusa J, Yamada H, Nishimura K, Morinobu A.	Tofacitinib facilitates the expansion of myeloid-derived suppressor cells and ameliorates interstitial lung disease in SKG mice.	Arthritis Res Ther	21(1)	184	2019
Waki D, Onishi A, Morinobu A.	Large vessel vasculopathy in a patient with systemic lupus erythematosus: a case report.	J Med Case Rep	13 (1)	189	2019
Takahashi S, Saegusa J, Onishi A, Morinobu A.	Biomarkers identified by serum metabolomic analysis to predict biologic treatment response in rheumatoid arthritis patients.	Rheumatology (Oxford)	58(12)	2153-2161	2019
Ueda Y, Saegusa J, Okano T, Sendo S, Yamada H, Nishimura K, Morinobu A.	Additive effects of inhibiting both mTOR and glutamine metabolism on the arthritis in SKG mice.	Sci Rep.	9	6374	2019

Yamasaki G, Okano M, Nakayama K, Jimbo N, Senda S, Tamada N, Misaki K, Shinkura Y, Yanaka K, Tanaka H, Akashi K, Morinobu A, Yokozaki H, Emoto N, Hirata KI.	Acute Pulmonary Hypertension Crisis after Adalimumab Reduction in Rheumatoid Vasculitis.	Intern Med.	58(4)	593-601	2019
Shono A, Mori S, Nakamura K, Yatomomi A, Takada H, Tanaka H, Okano T, Morinobu A, Hirata KI.	Glucocorticoid-Sensitive Paroxysmal Atrial Fibrillation, Sick Sinus Syndrome, and Mitral Regurgitation in a Patient with Malignant Rheumatoid Vasculitis.	Intern Med	58(21)	3093-3098	2019
Shimizu M, Umebayashi H, Mori M.	Tocilizumab modifies clinical and laboratory features of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis.	Pediatr Rheumatol	18	2-8	2020
Matsumoto T, Matsui T, Hirano F, Tohma S, Mori M.	Disease activity, treatment and long-term prognosis of adult juvenile idiopathic arthritis patients compared with rheumatoid arthritis patients.	Mod Rheumatol	30(1)	78-84	2020
Tanaka Y, Kuwana M, Fujii T, Kamada H, Muro Y, Fujio K, Itoh Y, Yasuoka H, Fukaya S, Ashihara K, Hirano D, Ohmura K, Tabuchi Y, Hasegawa H, Matsumiya R, Shirai Y, Ogura T, Tsuchida Y, Ogawa-Momohara M, Narazaki H, Inoue Y, Miyagawa I, Nakanishi K, Hirata S, Mori M.	2019 Diagnostic criteria for mixed connective tissue disease (MCTD): From the Japan research committee of the ministry of health, labor, and welfare for systemic autoimmune diseases.	Mod Rheumatol		Online ahead of print	2019

Kobayashi I, Akioka S, Kobayashi N, Iwata N, Takazaki S, Nakaseko H, Sato S, Nishida Y, Nozawa T, Yamasaki Y, Yamazaki K, Arai S, Nishino I, Mori M.	Clinical practice guidance for juvenile dermatomyositis (JDM) 2018 Update.	Mod Rheumatol	30(3)	411-423	2019
Yamazaki S, Shimbo A, Akutsu Y, Takase H, Morio T, Mori M.	Importance of pediatric rheumatologists and transitional care for juvenile idiopathic arthritis-associated uveitis: a retrospective series of 9 cases.	Pediatr Rheumatol.	18(1)	26	2020
Kizawa T, Umebayashi H, Mori M.	Clinical Guidance for Abatacept of Juvenile Idiopathic Arthritis.	Mod Rheumatol			2020
Yamazaki K, Mori M.	External validation of the EULAR/ACR idiopathic inflammatory myopathies classification criteria with Japanese paediatric cohort.	Rheumatology			2020
Okamoto N, Yokota S, Takei S, Okura Y, Kubota T, Shimizu M, Nozawa T, Iwata N, Umebayashi H, Kinjo N, Kunishima T, Yasumura J, Mori M.	Clinical practice guidance for juvenile idiopathic arthritis (JIA) 2018.	Mod Rheumatol	29(1)	41-59	2019

Yasumura J, Yashiro M, Okamoto N, Shabana K, Umebayashi H, Iwata N, Okura Y, Kubota T, Shimizu M, Tomiita M, Nishikagishi Y, Nishimura K, Hara R, Mizuta M, Yasumi T, Yamaide F, Wakiguchi H, Kobayashi M, Mori M.	Clinical features and characteristics of uveitis associated with juvenile idiopathic arthritis in Japan: first report of the pediatric rheumatology association of Japan (PRAJ).	Pediatr Rheumatol	17(1)	15-24	2019
Hara R, Umebayashi H, Takei S, Okamoto N, Iwata N, Yamasaki Y, Nishikagishi Y, Kizawa T, Kobayashi I, Imagawa T, Kinjo N, Amano N, Takahashi Y, Mori M, Itoh Y, Yokota S.	Intravenous abatacept in Japanese patients with polyarticular-course juvenile idiopathic arthritis: results from a phase III open-label study.	Pediatr Rheumatol Online J.	17(1)	17	2019
Miyamae T, Hanaya A, Kawamoto M, Tani Y, Kawaguchi Y, Yamanaka H.	Diagnostic Rate of Autoinflammatory Diseases Evaluated by Fever Patterns in Pediatric and Adult-Onset Patients.	J Clin Rheumatol.	26(2)	60-62	2020
Tani Y, Kishi T, Miyamae T, Kawamoto M, Kawaguchi Y, Taniguchi A, Yamanaka H.	The evaluation of gene polymorphisms associated with autoinflammatory syndrome in patients with palindromic rheumatism complicated by intermittent hydrarthrosis.	Clin Rheumatol.	39	841-845	2020
Miyamae T, Tani Y, Kishi T, Yamanaka H, Singh G.	Updated version of Japanese Childhood Health Assessment Questionnaire (CHAQ).	Mod Rheumatol.	19	1-5	2019

Murakami I, Murakami K, Hashimoto M, Tanaka M, Ito H, Fujii T, Torii M, Ikeda K, Kuwabara A, Tanaka K, Yoshida A, Akizuki S, Nakashima R, Yoshifuji H, Ohmura K, Usui T, Morita S, and Mimori T	Intake frequency of vegetables or seafoods negatively correlates with disease activity of rheumatoid arthritis	PLoS One	15 (2)		2020
Kojima T, Ishikawa H, Tanaka S, Haga N, Nishida K, Yukioka M, Hashimoto J, Miyahara H, Niki Y, Kimura T et al.	Relationship between the physician-based clinical scale for foot and ankle surgery and patient-reported outcomes in patients with long-standing rheumatoid arthritis: Results from a multicenter prospective observational cohort study.	Modern rheumatology	Online ahead of print.	1-7	2020
Kida D, Takahashi N, Kaneko A, Hirano Y, Fujibayashi T, Kanayama Y, Hanabayashi M, Yabe Y, Takagi H, Oguchi T et al.	retrospective analysis of the relationship between anti-cyclic citrullinated peptide antibody and the effectiveness of abatacept in rheumatoid arthritis patients.	Scientific reports	10 (1)	19717	2020
Honda S, Harigai M.	The safety of baricitinib in patients with rheumatoid arthritis.	Expert Opin Drug Saf.	19 (5)	545-551	2020
山崎 晋、森 雅亮.	IgA血管炎の病態、診断と治療.	リウマチ科	64	736-743	2020

Tanaka Y, Kuwana M, Fujii T, Kamieda H, Muro Y, Fujio K, Itoh Y, Yasuoka H, Fukaya S, Ashihara K, Hirano D, Ohmura K, Tabuchi Y, Hasegawa H, Matsumiya R, Shirai Y, Ogura T, Tsuchida Y, Ogawa-Momohara M, Narazaki H, Inoue Y, Miyagawa I, Nakano K, Hirata S, Mori M.	2019 Diagnostic criteria for mixed connective tissue disease (MCTD): From the Japanese research committee of the ministry of health, labor, and welfare for systemic autoimmune diseases.	Mod Rheumatol.	31(1)	29-33	2020
Yamaguchi A, Hirata S, Kubo S, Fukukuyo S, Hanami K, Nakano K, Nakayama S, Saito K, Tanaka Y.	5-year remission rate after the discontinuation of adalimumab in patients with rheumatoid arthritis: Long-term follow-up results of the HONOR study	Mod Rheumatol	30(5)	799-806.	2020
Oh K, Furuya T, Inoue E, Tanaka E, Ikari K, Taniguchi A, Yamanaka H, Okazaki K, Harigai M.	A simple screening test to assess risk of falls in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study.	Mod Rheumatol.	31(2)	506-509	2021
Nakabo S, Ohmura K, Akizuki S, Murakami K, Nakashima R, Hashimoto M, Yoshifuji H, Tanaka M, Mimori T.	Activated neutrophil carbamylates albumin via the release of myeloperoxidase and reactive oxygen species regardless of NETosis.	Modern rheumatology	30(2)	345-9	2020
Nakayama M, Furuya T, Inoue E, Tanaka E, Ikari K, Taniguchi A, Yamanaka H, Harigai M.	Adherence to denosumab for the treatment of osteoporosis in Japanese patients with rheumatoid arthritis: Results from the IORRA cohort study.	Mod Rheumatol.	31(2)	510-513	2021

Utsunomiya M, Dobashi H, Odani T, Saito K, Yokogawa N, Nagasaka K, Takenaka K, Soejima M, Sugihara T, Hagiwara H, Hirata S, Matsui K, Nonomura Y, Kondo M, Suzuki F, Nawata Y, Tomita M, Kihara M, Yokoyama-Kokuryo W, Hirano F, Yamazaki H, Sakai R, Nanki T, Koike R, Miyasaka N, Harigai M.	An open-label, randomized controlled trial of sulfamethoxazole-trimethoprim for <i>Pneumocystis</i> prophylaxis: results of 52-week follow-up.	Rheumatol Adv Pract.	4(2)	rkaa029	2020
Kaneko Y, Sato M, Cai Z, Sato M.	Assessment of discordance of treatment satisfaction between patients with rheumatoid arthritis in low disease activity or in remission and their treating physicians: A cross-sectional survey.	Mod Rheumatol	31(2)	326-333	
Kondo-Ishikawa S, Fujii T, Ishigooka N, Murakami K, Nakashima R, Hashimoto M, Yoshifuji H, Tanaka M, Ohmura K, Mimori T.	Association of anti-NC2 and U1RNP antibodies with neurotoxic inflammatory mediators in cerebrospinal fluid from patients with neuropsychiatric systemic lupus erythematosus.	Lupus	29(13)	1673-82	2020
Honda S, Sakai R, Inoue E, Majima M, Konda N, Takada H, Kihara M, Yajima N, Nanki T, Yamamoto K, Takeuchi T, Harigai M.	Association of methotrexate use and lymphoproliferative disorder in patients with rheumatoid arthritis: Results from a Japanese multi-institutional retrospective study.	Mod Rheumatol.	Online ahead of print.		2021
Shirai Y, Honda S, Ikari K, Kanai M, Takeda Y, Kitamatani Y, Morisaki T, Tanaka E, Kumanogoh A, Harigai M, Okada Y.	Association of the <i>IRFPA3-UMAD1</i> locus with interstitial lung diseases complicated with rheumatoid arthritis in Japanese.	Ann Rheum Dis.	79(10)	1305-1309	2020

Yamada H, Kaneko Y, Tamai H, Takeuchi T.	Biomarkers for disease flare in patients with adult-onset Still's disease undergoing treatment with tocilizumab.	Rheumatology (Oxford).	59 (2)	440-442	2020
Inai R, Nakahara R, Morimitsu Y, Akagi N, Marukawa Y, Matsushita T, Tanaka T, Tamada A, Hiraki T, Nasu Y, Nishida K, Ozaki T, Kanazawa S.	Bone microarchitectural analysis using ultrahigh-resolution CT in tiger vertebra and human tibia	Eur Radiol Exp	4		2020
Ito Y, Matsuzaki T, Ayabe F, Mokuuda S, Kurimoto R, Matsushima T, Tabata Y, Inotsume M, Tsutsumi H, Liu L, Shinohara M, Tanaka Y, Nakamichi R, Nishida K, Lotz MK, Asahara H	Both microRNA-455-5p and -3p repress hypoxia-inducible factor-2 α expression and coordinately regulate cartilage homeostasis	Nature Communications	in press		
Takanashi S, Kaneko Y, Takeuchi T.	CDAI and DAS28 in the management of rheumatoid arthritis in clinical practice.	Ann Rheum Dis	79 (5)	671-674	2020
Nishisho R, Kushi S, Sotani N, Kim KW, Katsuyama-Yoshikawa A, Matsumiya W, Akashi K, Morinobu A, Nakamura M.	Changes in choroidal imaging parameters following adalimumab therapy for refractory noninfectious uveitis.	Graefes Arch Clin Exp Ophthalmol.	Online ahead of print.		2021
Kay J, Harigai M, Rancourt J, Demickson C, Melby T, Issa M, de la Torre I, Isaka Y, Cardoso A, Saifan C, Keystone EC, van Vollenhoven RF, Giles JT, Huizinga TW, Kremer JM.	Changes in selected dermatological parameters associated with JAK1/JAK2 inhibition observed in patients with rheumatoid arthritis treated with baricitinib.	RMD Open.	6 (3)	e001370	2020

Asai S, Takahashi N, Asai N, Yamashita S, Terabe K, Matsumoto T, Sobue Y, Nishiume T, Suzuki M, Ishiguro N et al.	Characteristics of patients with rheumatoid arthritis undergoing primary total joint replacement: A 14-year trend analysis (2004-2017).	Modern rheumatology	30 (4)	657-663	2020
Kuramoto N, Saito S, Fujii T, Kaneko Y, Saito R, Tanaka M, Takada H, Nakano K, Saito K, Sugimoto N, Sasaki S, Harigai M, and Suzuki Y	Characteristics of rheumatoid arthritis with immunodeficiency-associated lymphoproliferative disorders to regress spontaneously by the withdrawal of methotrexate and their clinical course: A retrospective, multicenter, case control study	Mod Rheumatol	[Epub ahead of print]		2021
Kuramoto K, Saito S, Fuji T, Kaneko Y, Saito R, Tanaka M, Takada H, Nakano K, Saito K, Sugimoto M, Sasaki S, Harigai M, Suzuki Y.	Characteristics of rheumatoid arthritis with immunodeficiency-associated lymphoproliferative disorders to regress spontaneously by the withdrawal of methotrexate and their clinical course: A retrospective, multicenter, case- control study	Mod Rheumatol	Online ahead of print	1-16.	2021
Kobayashi I, Akioka S, Kobayashi N, Iwata N, Takazaki S, Nakaseko H, Sato S, Nishida Y, Nozawa T, Yamasaki Y, Yamazaki K, Arai S, Nishino I, Mori M.	Clinical practice guideline for juvenile dermatomyositis (JDM) 2018 Update.	Mod Rheumatol.	30 (3)	411-423	2020
Tomiita M, Kobayashi I, Mori M.	Clinical practice guideline for Sjögren's syndrome in pediatric patients (2018) - summarized and updated.	Mod Rheumatol.	Online ahead of print.	1-11	2020

Takada H, Kaneko Y, Nakano K, Tanaka M, Fuji T, Saito K, Sugimoto N, Sasaki S, Shimo S, Saito R, Kuramoto N, Harigai M, Suzuki Y	Clinicopathological Characteristics of Lymphoproliferative Disorders in 232 Patients with Rheumatoid Arthritis in Japan: A Retrospective, Multicenter, Descriptive Study	Mod Rheumatol	Online ahead of print		2021
Kadoba K, Watanabe R, Hashimoto M, Morinobu A, Terao C, Yoshifuji H.	Comment on: Different treatment options for Takayasu arteritis patients with moderate-to-severe aortic regurgitation: long-term outcomes.	Rheumatology (Oxford)	Online ahead of print.		2021
Jinno S, Onishi A, Dubreuil M, Akashi K, Hashimoto M, Yamamoto W, Murata K, Takeuchi T, Kotani T, Maeda Y, Ebina K, Son Y, Amuro H, Hara R, Katayama M, Saegusa J, Morinobu A.	Comparison of the efficacy and safety of biologic agents between elderly-onset and young-onset RA patients: the ANSWER cohort study.	Rheumatol Int.	40 (12)	1987-1995	2020
Ito H, Murata K, Sobue Y, Kojima T, Nishida K, Matsushita I, Kawahito Y, Kojima M, Hirata S, Kaneko Y, Kishimoto M, Kohno M, Mori M, Morinobu A, Murashima A, Sentou Y, Sugihara T, Tanaka E, Nakayama T, Harigai M.	Comprehensive risk analysis of postoperative complications in patients with rheumatoid arthritis for the 2020 update of the Japan college of rheumatology clinical practice guidelines for the management of rheumatoid arthritis.	Mod Rheumatol.	Online ahead of print.		2021
Watanabe R, Hashimoto M, Morinobu A.	Correspondence on 'The use of tocilizumab and tofacitinib in patients with resolved hepatitis B infection: a case series'.	Ann Rheum Dis.	Online ahead of print.		2020

森 雅亮.	COVID-19第2波に備えて出来ること. 新型コロナウイルス感染症と川崎病.	臨床とウイルス	48	269-274	2020
Okazaki Y, Furumatsu T, Kamatsuki Y, Nishida K, Nasu Y, Nakahara R, Saito T, Ozaki T	Differences between the root and horn cells of the human medial meniscus from the osteoarthritic knee in cellular characteristics and responses to mechanical stress	J Orthop Sci.	26 (2)	230-236	2020
Asai S, Hayashi M, Hanabayashi M, Kanayama Y, Takemoto T, Yabe Y, Shioura T, Ishikawa H, Yoshiohka Y, Kato T et al.	Discontinuation of concomitant methotrexate in Japanese patients with rheumatoid arthritis treated with tocilizumab: An interventional study.	Modern rheumatology	30 (3)	434-441	2020
Matsumoto T, Matsui T, Hirano F, Tohma S, Mori M.	Disease activity, treatment and long-term prognosis of adult juvenile idiopathic arthritis patients compared with rheumatoid arthritis patients.	Mod Rheumatol.	30 (1)	78-84	2020
Asai S, Takahashi N, Asai N, Yamashita S, Terabe K, Matsumoto T, Sobue Y, Nishiume T, Suzuki M, Ishiguro N et al.	Does Abatacept Increase Postoperative Adverse Events in Rheumatoid Arthritis Compared with Conventional Synthetic Disease-modifying Drugs?	J Rheumatol	47	502-9	2020
Sobue Y, Kojima T, Ito H, Nishida K, Matsushita I, Kaneko Y, Kishimoto M, Kohno M, Sugihara T, Saneto Y, Tanaka E, Nakayama T, Hirata S, Murashima A, Morinobu A, Mori M, Kojima M, Kawahito Y, Harigai M.	Does exercise therapy improve patient-reported outcomes in rheumatoid arthritis? A systematic review and meta-analysis for the update of the 2020 JCR guidelines for the management of rheumatoid arthritis	Mod Rheumatol	Online ahead of print.		2021

Kida T, Umemura A, Kaneshita S, Sagawa R, Inoue T, Toyama S, Wada M, Kohno M, Oda R, Inaba T, Itoh Y, Kawahito Y.	Effectiveness and safety of chronic hepatitis C treatment with direct-acting antivirals in patients with rheumatic diseases: A case-series.	Mod Rheumatol.	30(6)	1009-1015	2020
Takahiko Sugihara, Tatsuro Ishizaki, Wataru Onoguchi, Hiroyuki Baba, Takumi Matsumoto, Shoko Igawa, Kanae Kubo, Myari Kamiya, Fumio Hirano, Tadashi Hosoya, Nobuyuki Miyasaka, Masayoshi Harigai.	Effectiveness and safety of treat-to-target strategy in elderly-onset rheumatoid arthritis: a 3-year prospective observational study.	Rheumatology (Oxford, England)	Online ahead of print.		2021
Kaneko Y, Kawahito Y, Kojima M, Nakayama T, Hirata S, Kishimoto M, Endo H, Seto Y, Ito H, Nishida K, Matsushita I, Kojima T, Kamatani N, Tsutani K, Igarashi A, Hasegawa M, Miyasaka N, Yamahara H.	Efficacy and safety of tacrolimus in patients with rheumatoid arthritis - A systematic review and meta-analysis.	Mod Rheumatol.	31(1)	61-69	2021
Hattori K, Hirano Y, Kanayama Y, Hattori Y, Kato T, Takahashi N, Ishiguro N, Kojima T.	Efficacy of add-on iguratimod in patients with rheumatoid arthritis who inadequately respond to either tocilizumab or tumor necrosis factor alpha inhibitors.	Modern rheumatology	31(1)	80-87	2021
Pile K, Norager R, Skillecorn M, Gibson KA, Elderston S, Favorito W, Li Z, Mu R, Nakahara H, Kishimoto M, Hirata S, Kaneko Y, Lau CS, Tam LS, Chen YH, Chen P, Wahking B, Furtner D.	Elevating the role of carers in rheumatoid arthritis management in the Asia-Pacific region.	Int J Rheum Dis.	23(7)	898-910	2020

Yamazaki K, Akio ka S, Mori M.	External validation of the EULAR/ACR idiopat hic inflammatory myopa thies classification c riteria with Japanese paediatric cohort.	Rheumatology (Oxford).	Online ahead of print.		2020
Nakayama M, Fur uya T, Inoue E, Tanaka E, Ikari K, Taniguchi A, Yamanaka H, Hari gai M.	Factors associated wit h osteoporosis medicat ion use in Japanese pa tients with rheumatoid arthritis: Results fr om the Institute of Rh eumatology Rheumatoid Arthritis cohort stud y.	Osteoporos Sarcopenia	6(2)	82-87	2020
Ichise Y, Saegusa J, Tanaka-Nats ui S, Naka I, Ha yashi S, Kuroda R, Morinobu A.	Fibroblast-Like Synovi al Cells via Toll-Like Receptor 4.	Cells.	9 (7)	1689	2020
Asai S, Takemoto T, Takahashi N, Oguchi T, Ishig uro N, Kojima T.	Fifteen-year trends in the number and age of patients with rheumat oid arthritis undergoi ng total knee and hip arthroplasty: A compar ison study with osteoa rthritis.	Modern rheumatology	Online ahead of print.	1-4	2020
Murata K, Ito H, Hashimoto M, Mu rakami K, Watana be R, Tanaka M, Yamamoto W, Mats uda S.	Fluctuation in anti-cy clitic citrullinated pro tein antibody level pr edicts relapse from re mission in rheumatoid arthritis: KURAMA coh ort.	Arthritis research & therapy	22(1)	268	2020
Ayako Nakajima, Ryoko Sakai, Eis uke Inoue, Masay oshi Harigai	Geographic variations in rheumatoid arthriti s treatment in Japan: A nationwide retrospec tive study using the n ational database of he alth insurance claims and specific health ch eckups of Japan	Modern Rheumatology	Online ahead of print		2021

Suzuki M, Kojima T, Takahashi N, Asai S, Terabe K, Kaneko A, Hirano Y, Hanabayashi M, Oguchi T, Takagi H et al.	Higher doses of methotrexate associated with discontinuation of oral glucocorticoids after initiation of biological DMARDs: A retrospective observational study based on data from a Japanese multicenter registry study.	Modern rheumatology	Online ahead of print.	1-12	2021
Tokunaga T, Hashimoto H, Yoshida Y, Sugimoto T, Mokuda S, Kosaka Y, Shimizu R, Hirata S, Kumagai T, Komoto K, Wada H, Sugiyama E.	Immunoglobulin D-kappa multiple myeloma in a patient with rheumatoid arthritis: a case report and review of the literature	Mod Rheumatol Case Rep	5(1)	22-28	2021
Yamazaki S, Shimbo A, Akutsu A, Takase H, Morio T, Mori M.	Importance of pediatric rheumatologists and transitional care for juvenile idiopathic arthritis-associated uveitis: a retrospective series of 9 cases.	Pediatr Rheumatol Online J.	18(1)	26	2020
Minamino H, Katsushima M, Yoshida T, Hashimoto M, Fujita Y, Shitayama M, Yamamoto W, Murakami K, Murata K, Nishitani K, Tanaka M, Ito H, Inagaki N, Matsuda S.	Increased circulating adiponectin is an independent disease activity marker in patients with rheumatoid arthritis: A cross-sectional study using the KURAMA database.	PloS one	15(3)	e0229998	2020
Ohtsuki T, Hatipoglu OF, Asano K, Inagaki J, Nishida K, Hirohata S	Induction of CEMIP in chondrocytes by inflammatory cytokines: underlying mechanisms and potential involvement in osteoarthritis	Int J Mol Sci	21(9)	3140	2020

Winthrop KL, Harigai M, Genovese MC, Lindsey S, Takeuchi T, Fleischmann R, Bradley JD, Byers NL, Hyslop DL, Issa M, Nishikawa A, Rooney TP, Witt S, Dickson CL, Smolen JS, Dougados M.	Infections in baricitinib clinical trials for patients with active rheumatoid arthritis.	Ann Rheum Dis.	79(10)	1290-1297	2020
Murakami I, Murakami K, Hashimoto M, Tanaka M, Ito H, Fujii T, Torii M, Ikeda K, Kuwabara A, Tanaka K, Yoshida A, Akizuki S, Nakashima R, Yoshifuji H, Ohmura K, Usui T, Morita S, Mimori T.	Intake frequency of vegetables or seafoods negatively correlates with disease activity of rheumatoid arthritis.	PloS one	15(2)	e0228852	2020
Igarashi T, Takei S, Tanaka E, Kaneko U, Kubota T, Okamoto K, Ohshima S, Mori M.	Investigation of dual-energy X-ray absorptiometry units necessary for pediatric rheumatologists in Japan and a proposal for shared access to equipment among hospitals.	J Nippon Med Sch.	Online ahead of print.		2020
Kobayashi S, Inui A, Tsunoda T, Umetsu S, Sogata T, Mori M, Shinkai M, Fujisawa T.	Liver cirrhosis in a child associated with Castleman's disease: A case report.	World J Clin Cases.	8(9)	1656-1665	2020
Mori T, Saburi M, Hagihara M, Mori M, Yamazaki R, kato J.	Long-term remission of cryopyrin-associated periodic syndrome after allogeneic hematopoietic stem cell transplantation.	Ann Rheum Dis.	Online ahead of print.		2020

<p>Tsuji H, Nakashima R, Hosono Y, Imura Y, Yagita M, Yoshifuji H, Hirata S, Nojima T, Sugiyama E, Hatta K, Taguchi Y, Katayama M, Tanizawa K, Handa T, Uozumi R, Akizuki S, Murakami K, Hashimoto M, Tanaka M, Ohmura K, Mimori T.</p>	<p>Multicenter Prospective Study of the Efficacy and Safety of Combined Immunosuppressive Therapy With High-Dose Glucocorticoid, Tacrolimus, and Cyclophosphamide in Interstitial Lung Diseases Accompanied by Anti-Melanoma Differentiation-Associated Gene 5-Positive Dermatomyositis.</p>	<p>Arthritis & Rheumatology (Hoboken, NJ)</p>	<p>72 (3)</p>	<p>488-98</p>	<p>2020</p>
<p>Saito R, Tanaka M, Ito H, Kuraoto N, Fuji T, Saito S, Kaneko Y, Nakano K, Saito K, Takada H, Sugimoto N, Sasaki S, Harigai M, Suzuki Y</p>	<p>Overall survival and post-spontaneous relapse-free survival of patients with lymphoproliferative disorders associated with rheumatoid arthritis: a multi-center retrospective cohort study</p>	<p>Mod Rheumatol</p>	<p>Online ahead of print</p>	<p>1-16.</p>	<p>2021</p>
<p>Sobue Y, Kojima M, Kojima T, Ito H, Nishida K, Matsushita I, Hirata S, Kaneko Y, Kishimoto M, Kohno M, Murashima A, Morinobu A, Mori M, Nakayama T, Sugihara T, Seto Y, Tanaka E, Hasegawa M, Kawahito Y, Harigai M.</p>	<p>Patient satisfaction with total joint replacement surgery for rheumatoid arthritis: a questionnaire survey for the 2020 update of the Japan college of rheumatology clinical practice guidelines</p>	<p>Mod Rheumatol</p>	<p>Online ahead of print.</p>		<p>2021</p>

Masayo Kojima , Mieko Hasegawa , Shintaro Hirata , Hiromu Ito , Yuko Kaneko , Mi tsumasa Kishimoto o , Masataka Koh no , Toshihisa Ke ojima , Isao Mat sushita , Masaak i Mori, Akio Mor inobu, Atsuko Mu rashima, Keiichi ro Nishida, Yohe i Seto, Yasumori Sobue, Takahiko Sugihara, Eiich i Tanaka, Takeo Nakayama, Yutaka Kawahito, Masayo shi Harigai.	Patients' perspectives of rheumatoid arthrit is treatment: a questi onnaire survey for the 2020 update of the Ja pan College of Rheumat ology clinical practic e guidelines.	Mod Rheumatol.	Online ahead of print.		2021
Asai S, Takahash i N, Terabe K, Ste obue Y, Nishiume T, Suzuki M, Yo kota Y, Ishiguro N, Kojima T.	Periarticular osteophy te formation protects against total knee art hroplasty in rheumatoi d arthritis patients w ith advanced joint dam age.	Clinical rheumatology	39(11)	3331-3339	2020
Tsuji H, Hashimo to M, Harada T, Tanaka M, Ito H, Murakami K, Ohm ura K, Fujii T, Mimori T.	Persistent anemia and hypoalbuminemia in rhe umatoid arthritis pati ents with low serum tr iiodothyronine level.	Modern rheumatology	30(4)	640-7	2020
Suzuki Y, Hirose T, Sugiyama N, Nomura K, Campo s-Alberto E	Post-marketing surveil lance of high-dose met hotrexate (>8mg/ wee k) in Japanese patient s with rheumatoid arth ritis: A post hoc suba nalysis of Patients ac cording to duration of prior methotrexate use	Mod Rheumatol	Online ahead of print		2020
Ishigooka N, Fuj ii T, Abe H, Mur akami K, Nakashi ma R, Hashimoto M, Yoshifuji H, Tanaka M, Ito H, Ohmura K, Morit a S, Mimori T.	Predicting factors for disappearance of anti mutated citrullinated vimentin antibodies i n sera of patients wit h rheumatoid arthriti s. Modern rheumatolog y.	Modern rheumatology	30(3)	450-7	2020

Kato M, Kaneko Y, Tanaka Y, Inoue M, Kobayashi-Haraoka H, Amano K, Miyata M, Muraakawa Y, Yasuoka H, Hirata S, Nagasawa H, Tanaka E, Miyasaka N, Yamanaka H, Yamamoto K, Yokota I, Atsumi T, Takeuchi T.	Predictive value of serum amyloid A levels for requirement of concomitant methotrexate in tocilizumab initiation: A post hoc analysis of the SURPRISE study.	Mod Rheumatol	30(3)	442-449	2020
Takahashi N, Asai S, Kobayakawa T, Kaneko A, Watanabe T, Kato T, Nishiume T, Ishikawa H, Yoshioka Y, Kanayama Y et al.	Predictors for clinical effectiveness of baricitinib in rheumatoid arthritis patients in routine clinical practice: data from a Japanese multicenter registry.	Scientific reports	10(1)	21907	2020
Asai S, Takahashi N, Hayashi M, Hanabayashi M, Kanayama Y, Takemoto T, Yabe Y, Sekioura T, Ishikawa H, Yoshioka Y et al.	Predictors of disease flare after discontinuation of concomitant methotrexate in Japanese patients with rheumatoid arthritis treated with tocilizumab.	Joint bone spine	87(6)	596-602	2020
Hayashi N, Uto K, Imanishi A, Saegusa D, Morinobu A, Saegusa J.	Prevalence of anti-dense fine speckled antibodies in healthy individuals and patients with antinuclear antibody-associated autoimmune rheumatic diseases in Japan.	Medicine (Baltimore)	100	e24556	2021
Itaya T, Torii M, Hashimoto M, Tanigawa K, Urayama Y, Kinoshita A, Nin K, Jindai K, Watanabe R, Murakami K, Murakami K, Tanaka M, Ito H, Matsuda S, Morinobu A.	Prevalence of anxiety and depression in patients with rheumatoid arthritis before and during the COVID-19 pandemic.	Rheumatology (Oxford, England)	60(4)	2023-2024	2021

Nakajima A, Sakai R, Inoue E, Harigai M.	Prevalence of patients with rheumatoid arthritis and age-stratified trends in clinical characteristics and treatment, based on the National Database of Health Insurance Claims and Specific Health Checkups of Japan.	Int J Rheum Dis.	23(12)	1676-1684	2020
Tsuji H, Yoshifuji H, Shindo T, Hishizawa M, Ishida A, Fujimoto M, Kitagori K, Akizuki S, Murakami K, Nakashima R, Hashimoto M, Tanaka M, Ohmura K.	Primary hepatic lymphoma as other iatrogenic immunodeficiency-related lymphoproliferative disorders: a case report and review of the literature.	Modern rheumatology case reports	5(1)	172-7	2021
Matsumoto T, Mori M.	Questionnaire survey on transitional care for patients with juvenile idiopathic arthritis (JIA) and families.	Mod Rheumatol.	Online ahead of print.	1-6	2020
Tanaka E, Mori M.	Refractory secondary thrombotic microangiopathy with kidney injury associated with systemic lupus erythematosus in a pediatric patient: a case report.	CEN Case Rep	9(4)	301-307	2020
Sobue Y, Kojima T, Funahashi K, Okui N, Takahashi N, Asai S, Terabe K, Nishiume T, Suzuki M, Yokota Y et al	Relationship between disease activity of rheumatoid arthritis and development of locomotive syndrome: A five-year longitudinal cohort study.	Modern rheumatology	31(1)	101-107	2021
Tanaka Y, Kameda H, Saito K, Kaneko Y, Tanaka E, Yasuda S, Tamura N, Fujio K, Fujii T, Kojima T, Anzai T, Hamada C, Fujino Y, Matsuda S, and Kohsaka H	Response to tocilizumab and work productivity in patients with rheumatoid arthritis: 2-year followup of FIRST ACT-SC study	Mod Rheumatol	31(1)	42-52	2020

Kaneshita S, Kidaga T, Yokota I, Nagahara H, Takahiro Seno T, Wada M, Kohno M, Kawahito Y	Risk Factors for cytomegalo-virus disease with cytomegalovirus reactivation in patients with rheumatic disease.	Mod Rheumatol.	30(1)	109-115	2020
Okita S, Ishikawa H, Abe A, Ito S, Nakazono K, Murasawa A, Nishida K, Ozaki T.	Risk factors of postoperative delayed wound healing in patients with rheumatoid arthritis treated with a biological agent	Modern Rheumatol	31(3)	587-592	2020
Harigai M, Honda S.	Selectivity of Janus Kinase Inhibitors in Rheumatoid Arthritis and Other Immune-Mediated Inflammatory Diseases: Is Expectation the Root of All Headache?	Drugs.	80(12)	1183-1201	2020
Yukawa K, Mokuda S, Kohno H, Oikawa K, Kuranobu T, Terakunaga T, Yoshida Y, Yamana J, Iwahashi M, Hirata S, Yamana S, Sugiyama E.	Serum CXCL10 levels are associated with better responses to abatacept treatment of rheumatoid arthritis	Clin Exp Rheumatol	38(5)	956-963.	2020
Tetsunaga T, Tetsunaga T, Nishida K, Misawa H, Takigawa T, Yamane K, Tsuji H, Takai Y, Ozaki T	Short-term outcomes of gabapentin in patients with peripheral neuropathic pain: a retrospective study	J Orthop Surg Res	15(1)	191	2020
Okahata A, Ito H, Furu M, Ishikawa M, Fujii T, Hashimoto M, Tanaka M, Morita Y, Azukizawa M, Tomizawa T, Doi K, Nishitani K, Murata K, Yoshitomi H, Mimori T, Matsuda S.	Soluble Lectin-like Oxidized Low-Density Lipoprotein Receptor 1 Predicts the Changes of Rheumatoid Factor Titers in Rheumatoid Arthritis.	Journal of clinical rheumatology	26(7)	295-300	2020

Ochiai M, Tanaka E, Sato E, Inoue E, Abe M, Sakai K, Sugano E, Sugitani N, Higuchi Y, Yamaguchi R, Sugimoto N, Ikari K, Nakajima A, Yamanaka H, Harigai M.	Successful discontinuation of biological disease-modifying antirheumatic drugs in patients with rheumatoid arthritis in real-world settings.	Mod Rheumatol.	Online ahead of print.		2021
Tanaka Y, Oba K, Koike T, Miyasaka N, Mimori T, Takeuchi T, Hirayata S, Tanaka E, Yasuoka H, Kaneko Y, Murakami K, Koga T, Nakano K, Amano K, Ushiro K, Atsumi T, Inoo M, Hatta K, Mizuki S, Nagaoka S, Tsunoda S, Dobashi H, Horie N, Sato N.	Sustained discontinuation of infliximab with a raising-dose strategy after obtaining remission in patients with rheumatoid arthritis: the RRRR study, a randomised controlled trial.	Ann Rheum Dis	79(1)	94-102	2020
Tanaka E, Kawahito Y, Kohno M, Hirata S, Kishimoto M, Kaneko Y, Tamai H, Seto Y, Morinobu A, Sugihara T, Murashima A, Kojima M, Mori M, Ito H, Kojima T, Sobue Y, Nishida K, Matsushita I, Nakayama T, Yamanaka H, Harigai M.	Systematic review and meta-analysis of biosimilar for the treatment of rheumatoid arthritis informing the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis.	Modern Rheumatology	2021 Mar 12	1-27	2021

Takahiko Sugihar a, Yutaka Kawahi to, Akio Morinob u, Yuko Kaneko, Yohei Seto, Tosh ihisa Kojima, Hi romu Ito, Masata ka Kohno, Takeo Nakayama, Yasumo ri Sobue, Keiich iro Nishida, Isa o Matsushita, At suko Murashima, Masaaki Mori, Ei ichi Tanaka, Shi ntaro Hirata, Mi tsumasa Kishimot o, Hisashi Yaman aka, Masayo Koji ma, Masayoshi Ha rigai	Systematic review for the treatment of older rheumatoid arthritis patients informing the 2020 update of the Ja pan College of Rheumat ology clinical practic e guidelines for the m anagement of rheumatoi d arthritis	Mod Rheumatol.	Online ahead of print		2021
Hirata S, Kohno H, Watanabe H, Tu okunaga T, Yoshi da Y, Sugimoto T, Mokuda S, Oda K, Nojima T, Su giyama E.	Tapering and discontin uation of oral glucoco rticoids without deter ioration of disease st atus in patients with rheumatoid arthritis u nder a stable treatmen t	Mod Rheumatol	Online ahead of print.		2021
Murata K, Hashim oto M, Yamamoto W, Son Y, Amuro H, Nagai K, Take uchi T, Katayama M, Maeda Y, Ebi na K, Hara R, Ji nno S, Onishi A, Murakami K, Tan aka M, Ito H, Mi mori T, Matsuda S.	The family history of rheumatoid arthritis i n anti-cyclic citrulli nated peptide antibody -positive patient is n ot a predictor of poor clinical presentation and treatment respons e with modern classifi cation criteria and tr eatment strategy: the ANSWER cohort study.	Rheumatology international	40(2)	217-25	2020
Shimizu M , Mizu ta M, Okamoto N, Yasumi T, Iwata N, Umebayashi H, Okura Y, Kinj o N, Kubota T, N akagishi Y, Nish imura K, Mohri M, Yashiro M, Ya sumura J, Wakigu chi H and Mori M.	Tocilizumab modifies c linical and laboratory features of macrophag e activation syndrome complicating systemic juvenile idiopathic ar thritis.	Pediatr Rheumatol Online J.	18(1)	2	2020

Nakano K, Tanaka Y, Saito K, Kaneko Y, Saito S, Tanaka M, Saito R, Fuji T, Kuramoto N, Sugimoto N, Takada H, Harigai M, Sasaki S, Suzuki Y	Treatment of rheumatoid arthritis after regression of lymphoproliferative disorders in patients treated with methotrexate: a retrospective, multi-center descriptive study	Mod Rheumatol	Online ahead of print		2020
Lau CS, Chia F, Dans L, Harrison A, Hsieh TY, Jain R, Jung SM, Kishimoto M, et al	Update of the APLAR recommendations for treatment of rheumatoid arthritis.	Int J Rheum Dis	22(3)	357-375	2019
Iwata N, Tomiita M, Kobayashi I, Inoue Y, Nonaka Y, Okamoto N, Umebayashi H, Hara R, Ito Y, Sato Y, Mori M.	Utility of the EULAR Sjögren syndrome disease activity index in Japanese children: A retrospective multicenter cohort study.	Pediatr Rheumatol Online J.	18(1)	73	2020
Mori M.	What are the main revised points in the 6th diagnostic guidelines for Kawasaki disease?	Pediatr Int.	62(10)	1133-1134.	2020
藤井隆夫	ウイルス媒介関節炎	日本医師会雑誌	149	S321-S323	2020
西田圭一郎、宮澤慎一	炎症と運動器疼痛	Bone Joint Nerve	10(4)	529-534	2021
川人 豊	ゲノム医療と分子標的治療の最新情報 -関節リウマチ-	臨床と研究	97(4)	425-430	2020
鉄永倫子、鉄永智紀、西田圭一郎	疼痛の集学的治療	Bone Joint Nerve	10(4)	643-650	2021
西田圭一郎	リウマチ整形外科手術のいま	リウマチ看護サポートマガジン RA ナーシング		1-6	2020
西田圭一郎	リウマチ整形外科手術のこれから～患者さんの満足度向上をめざして～	リウマチ看護サポートマガジン RA ナーシング		7-9	2020

藤井隆夫	関節リウマチにおけるウパダシチニブの有効性と安全性	リウマチ科	63	449-455	2020
松下 功	関節リウマチの疫学・診断・診療ガイドライン	Jap Journal Rehab Med	57	1005-10	2020
西田圭一郎	関節リウマチ診療における見逃し・誤診. 誤診と見逃しを防ぐ	関節外科	39	132-140	2020
藤井隆夫	関節リウマチ診療における自己抗体の臨床的意義	Pharma Medica	39	13-17	2021
森 雅亮.	公的支援制度. 免疫・炎症疾患のすべて.	日本医師会雑誌	149	S357-361	2020
森 雅亮.	治療法の再整理とアップデートのために 専門家による私の治療ー若年性特発性関節炎ー.	日本医事新報	5047	42-43.	2021
小橋靖子、西田圭一郎	周術期の看護のポイント	リウマチ看護サポートマガジン RA ナーシング		10-13	2020
植田真司、井上真一郎、西田圭一郎	処方エキスパートへの道. 高齢者の睡眠薬の使い方	Loco cure	6	258-260	2020
森 雅亮.	小児リウマチ性疾患の最近のトピック2020.	小児科臨床	73	1253-1262	2020
森 雅亮.	小児重症病態治療におけるアフェレシス治療の位置づけ. 難治性川崎病.	日本アフェレシス学会雑誌	39	154-159	2020
横田俊平、名古屋実、金田宜子、土田博和、森 雅亮.	新型コロナウイルス感染症(SARS-CoV-2)と小児: 新生児から思春期まで~抗リウマチ薬治療下にある小児リウマチ性疾患児は治療変更が必要か~.	臨床リウマチ	32(2)	98-107	2020
松下 功	診療ガイドライン作成におけるGRADEシステム	Clin Rheumatol Rel Res	32	177-80	2020

西田圭一郎	整形外科からみたtreat to target 一何を重視するかー	整形・災害外科	64	131-140	2020
森 雅亮.	特集 “顔の赤み”鑑別・治療アトラス. 小児・顔の赤み① -小児発症全身性エリテマトーデス-	Derma	294	213-218	2020
森 雅亮.	特集 “顔の赤み”鑑別・治療アトラス. 小児・顔の赤み② -若年性皮膚筋炎-	Derma.	294	219-224	2020
毛利万里子、森雅亮.	特集 思い込みにご用心！小児科診療ピットフォール. 発熱が持続する小児に対する診療のピットフォール.	Modern Physician	40	24-37	2020
森 雅亮.	特集 難病を取り巻く様々な環境. 指定難病制度の現状について.	難病と在宅ケア	26	5-9	2020
森 雅亮.	特集 免疫難病における小児から成人へのtransitionの課題と対策. 若年性特発性関節炎 vs. 関節リウマチ.	炎症と免疫	28	32-37	2020
川人 豊	病態に基づいた治療戦略 -関節リウマチ-	Current Therapy	38 (5)	8月13日	2020
宮澤慎一、西田圭一郎	変形性関節症. 骨・関節・カルシウム代謝疾患. 2. 免疫・炎症・アレルギーおよび骨・関節の病気とくすり	病気とくすり 2020 基礎と実践 Expert's Guide	71	328-338	2020