

研究成果の刊行に関する一覧表(2020-21)

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Terakura S, Konuma T, Tanaka M, Ozawa Y, Onizuka M, Nanno S, Onishi Y, Aotsuka N, Kondo T, Kawakita T, Kato J, Kobayashi T, Nishida T, Yamaguchi T, <u>Kuwatsuka Y</u> , <u>Takahashi S</u> .	A randomized control trial of conditioning regimen for cord blood transplantation for adult myeloid malignancies comparing high-dose cytarabine/cyclophosphamide/total body irradiation with versus without G-CSF priming: G-CONCORD study protocol.	BMJ Open.	10(12):e040467. doi: 10.1136/bmjopen-2020-04046		2020
Kanda J, Kawase T, Tanaka H, Kojima H, Morishima Y, Uchida N, Nagafuji K, Matsuhashi Y, Ohta T, Onizuka M, <u>Sakura T</u> , <u>Takahashi S</u> , Miyakoshi S, Kobayashi H, Eto T, Tanaka J, Ichinohe T, <u>Atsuta Y</u> , Morishima S	HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation. Effects of Haplotype Matching on Outcomes after Adult Single-Cord Blood Transplantation.	Biol Blood Marrow Transplant.	26(3)	509-518.	2020
Kanda J, Hayashi H, Ruggeri A, Kimura F, Volt F, <u>Takahashi S</u> , Labopin M, Kako S, Tozatti M, Maio K, Yano S, Santuz G, Uchida N, Van Liemt MT, Kato S, Mohty M, Forcade E, Kanamori H, Sierra J, Ohno Y, Saccardi R, Fukuda T, Ichinohe T, <u>Takanashi M</u> , Rocha V, Okamoto S, Nagler A, <u>Atsuta Y</u> , Gluckman E	Prognostic factors for adult single cord blood transplantation among European and Japanese populations: the Eurocord/ALWP-EBMT and JSHCT/JDCHCT collaborative study.	Leukemia.	34(1)	128-137	2020
Suzuki S, Kimura T, Hara S, Ishimaru F, <u>Takanashi M</u> .	Factors associated with umbilical cord blood collection quality in Japan.	J Hematol.	9	9-12	2020

<p>Konuma T, Kanda J, Iimamoto Y, Hayashi H, Kobayashi S, Uchida N, Sugio Y, Tanaka M, Kobayashi H, Kouzai Y, <u>Takahashi S</u>, Etou T, Mukae J, Matsuhashi Y, Fukuda T, <u>Takahashi M</u>, Kanda Y, <u>Atsuta Y</u>, Kimura F.</p>	<p>Improvement of early mortality in single-unit cord blood transplantation for Japanese adults from 1998 to 2017.</p>	<p>Am J Hematol</p>	<p>95</p>	<p>343-353</p>	<p>2020</p>
<p>Yokoyama H, Kanda J, Kawahara Y, Uchida N, Tanaka M, <u>Takahashi S</u>, Onizuka M, Noguchi Y, Ozawa Y, Katsuoka Y, Ohtsuka S, Ohta T, Kimura T, Kanda Y, Ichinohe T, <u>Atsuta Y</u>, Nakasone H, Morishima S.</p>	<p>Reduced leukemia relapse through cytomegalovirus reactivation in killer cell immunoglobulin-like receptor-ligand-mismatched cord blood transplantation</p>	<p>Bone Marrow Transplantation</p>			<p>in press</p>
<p>Kawahara Y, Morimoto A, Inagaki J, Kohno K, Noguchi M, Gotou H, Yoshida N, Chou Y, Hori T, Hiwatari M, Kato K, Ogawa A, Hashii Y, Inoue M, Kato K, <u>Atsuta Y</u>, Kimura F, Kato M</p>	<p>Unrelated cord blood transplantation with myeloablative conditioning for pediatric acute lymphoblastic leukemia in remission: prognostic factors</p>	<p>Bone Marrow Transplantation</p>	<p>56(2)</p>	<p>357-67</p>	<p>2021</p>
<p>Yanada M, Takami A, Yamasaki S, Arai Y, Konuma T, Uchida N, Najima Y, Fukuda T, Tanaka M, Ozawa Y, Ikegame K, <u>Takanashi M</u>, Ichinohe T, Okamoto S, <u>Atsuta Y</u>, Yano S</p>	<p>Allogeneic hematopoietic cell transplantation for adults with acute myeloid leukemia conducted in Japan during the past quarter century</p>	<p>Ann Hematol</p>	<p>99(6)</p>	<p>1351-60.</p>	<p>2020</p>
<p>Yokoyama H, Takenaka K, Nishida T, Seo S, Shinohara A, Uchida N, Tanaka M, <u>Takahashi S</u>, Onizuka M, Kozai Y, Yatsushiro S, Ozawa Y, Katsuoka Y, Doki N, Sawa M, Kimura T, Kanda J, Fukuda T, <u>Atsuta Y</u>, Nakasone H; Japan Society for Hematopoietic Cell Transplantation Transplantation-Related Complication Working Group.</p>	<p>Favorable Effect of Cytomegalovirus Reactivation on Outcomes in Cord Blood Transplant and Its Differences Among Disease Risk or Type.</p>	<p>Biol Blood Marrow Transplant</p>	<p>26(7)</p>	<p>1363-70</p>	<p>2020</p>

Kanda J, Umeda K, Kato K, Murata M, Sugita J, Adachi S, Koh K, Noguchi M, Goto H, Yoshida N, Sato M, Koga Y, Hori T, Cho Y, Ogawa A, Inoue M, Hashii Y, <u>Atsuta Y</u> , Teshima T; JSHCT GVHD Working Group.	Effect of graft-versus-host disease on outcomes after pediatric single cord blood transplantation.	Bone Marrow Transplantation	55(7)	1430-7	2020
<u>Kuwatsuka Y</u> , <u>Atsuta Y</u> , Hirakawa A, Uchida N, Inamoto Y, Najima Y, Ikegame K, Eto T, Ozawa Y, Ichinohe T, Inoue M, Kimura T, Okamoto S, Miyamura K, Fukuda T	Use of unapproved or off-label drugs in Japan for the treatment of graft-versus-host disease and post-transplant viral infection.	Int J Hematol.	112(6)	841-850	2020
Terakura S, <u>Kuwatsuka Y</u> , Sugita J, Takahashi S, Ozawa Y, Ozeki K, Yoshioka S, Nakamae H, Kawakita T, Sawa M, Morishige S, Najima Y, Katsuoka Y, Sakaida E, Kouzai Y, Kimura T, Ichinohe T, Fukuda T, <u>Atsuta Y</u> , Murata M, Teshima T.	Effect of methotrexate dose in graft-versus-host disease prophylaxis after single-unit cord blood transplantation in adult acute myeloid leukemia.	Int J Hematol.	doi: 10.1007/s12185-021-03097-8.		2021
<u>Yabe H</u> , Tabuchi K, Uchida N, <u>Takahashi S</u> , Onishi Y, Aotsuka N, Sugio Y, Ikegame K, Ichinohe T, <u>Takanashi M</u> , Kato K, <u>Atsuta Y</u> , Kanda Y	Could the minimum number of hematopoietic stem cells to obtain engraftment exist in unrelated, single cord blood transplantation?	Br J Haematol	doi: 10.1111/bjh.16465	PMID: 32108331	2020