

別紙 4

研究成果の刊行に関する一覧表

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書 籍 名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|-------------------|------------------|------------|---------|-----|------|------------|
| 松井康素 | ロコモティブシンドロームと転倒予防 | 武藤芳照, 鈴木みずえ, 原田敦 | 転倒予防白書2019 | 日本医事新報社 | 東京都 | 2019 | p. 305-313 |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|-----------------------|----------|----------|------|
| Yamada M, Kimura Y, Ishiyama D, Otobe Y, Suzuki M, Koyama S, Kikuchi T, Kusumi H, Arai H. | The influence of the COVID-19 pandemic on physical activity and new incidence of frailty among initially non-frail older adults in Japan: one-year follow-up online survey. | J Nutr Health Aging | in press | in press | 2021 |
| Morita SS, Tanikawa T, Satake S, Okura M, Tokuda H, Arai H | Microvascular complications and frailty can predict adverse outcomes in older patients with diabetes | Geriatr Gerontol Int. | 21(4) | 359-363 | 2021 |
| Satake S, Kinoshita K, Arai H | More active participation in voluntary exercise of older users of information and communicative technology even during the COVID-19 pandemic, independent of frailty status | J Nutr Health Aging. | 25(4) | 516-519 | 2021 |
| Osawa A, Maeshima S, Kondo I, Arai H. | Balancing infection control and frailty prevention during and after the COVID-19 pandemic: Introduction of the National Center for Geriatrics and Gerontology Home Exercise Program for Older People Home Exercise Program for Older People 2020. | Geriatr Gerontol Int. | 20 | 846-848. | 2020 |

| | | | | | |
|--|---|-------------------------------|--------|-----------|---------|
| Ruiz JG, Dent E, Morley JE, Merchant RA, Beilby J, Beard J, Tripathy C, Sorin M, Andrieu S, Aprahamian I, Arai H, Aubertin-Leheudre M, Bauer JM, Cesari M, Chen LK, Cruz-Jentoft AJ, De Souto Barreto P, Dong B, Ferrucci L, Fielding R, Flicker L, Lundy J, Reginster JY, Rodriguez-Mañas L, Rolland Y, Sanford AM, Sinclair AJ, Viña J, Waters DL, Won Won C, Woo J, Vellas B. | Screening for and Managing the Person with Frailty in Primary Care: ICFSR Consensus Guidelines. | J Nutr Health Aging. | 24(9) | 920-927 | 2020 |
| Shimazaki Y, Nonoyama T, Tsushita K, Arai H, Matsushima K, Uchibori N. | Oral hypofunction and its association with frailty in community-dwelling older people | Geriatr Gerontol Int. | 20(10) | 917-926. | 2020 |
| Huang ST, Tange C, Otsuka R, Nishita Y, Peng LN, Hsiao FY, Tomida M, Shimokata H, Arai H, Chen LK. | Subtypes of Physical Frailty and Their Long-Term Outcomes: a Longitudinal Cohort study J Cachexia Sarcopenia Muscle. 11(5):1223-1231 2020 | J Cachexia Sarcopenia Muscle. | 11(5) | 1223-1231 | 2020 |
| Yamada M, Arai H | Effect of the COVID-19 epidemic on physical activity in community-dwelling older adults in Japan: A cross-sectional online survey | J Nutr Health Aging. | 24(9) | 948-950 | 2020 |
| 松井康素 | 第3章フレイルが高齢者にもたらす疾患・問題とその対応 4.転倒・転落 | 看護技術 | 66巻5号 | 60-65 | 2020.4 |
| 松井康素 | ロコモとフレイル | Loco Cure | 6巻4号 | 14-20 | 2020.12 |
| 松井康素 | ロコモとフレイルの違いと予防法 | 季刊栄養教諭 | 62号 | 32-39 | 2021.1 |
| Tanaka T, Hirano H, Ohara Y, Nishimoto M, Iijima K. | Oral Frailty Index-8 in the risk assessment of new-onset oral frailty and functional disability among community-dwelling older adults. | Arch Geront Geriatr. | 94 | 104340 | 2021 |
| Nishimoto M, Tanaka T, Iijima K | Is oral frailty related to meal satisfaction? | J Aging Science. | 9 | 245 | 2021 |

| | | | | | |
|--|---|---|----------|------------|------|
| Tanaka T, Kawahara T, Aono, H, Yamada, S, Ishizuka S, Takahashi K, Iijima K. | A comparison of sarcopenia prevalence between former Tokyo 1964 Olympic athletes and general community-dwelling older adults. | The Journal of Cachexia, Sarcopenia and Muscle. | 12 | 339–349 | 2021 |
| Cherbuin N, Iijima K, Kalula S, Malothra R, Rasmussen LJ, Chan A, Lafortune L, Harper S, Zheng X, Lindeman D | Societal need for interdisciplinary ageing research. An International Association of Research Universities “Ageing, Longevity, and Health” Stream (IARU-ALH) position statement. | Biomed Hub | 6 | 42–47 | 2021 |
| Umeda-Kameyama U, Kameyama M, Tanaka T, Son BK, Kojima T, Fukasawa M, Iizuka T, Ogawa S, Iijima K, Akishita M | Screening of Alzheimer's Disease by Facial Complexion Using Artificial Intelligence. | Aging | 13 | 1765-1772. | 2021 |
| Kuzuya M, Aita K, Katayama Y, Katsuya T, Nishikawa M, Hirahara S, Miura H, Yanagawa M, Arai H, Iijima K, Okochi J, Kozaki K, Yamaguchi Y, Rakugi H, Akishita M | The Japan Geriatrics Society Consensus Statement “Recommendations for older persons to receive the best medical and long-term care during the COVID-19 outbreak—considering the timing of Advance Care Planning implementation. | Geriatr Gerontol Int. | 20 | 1112-1119 | 2020 |
| Makizako H, Nishita Y, Jeong S, Otsuka R, Shimada H, Iijima K, Obuchi S, Kim H, Kitamura A, Ohara Y, Awata S, Yoshimura N, Yamada M, Toba K, Suzuki T. | Trends in prevalence of frailty in Japan: A meta-analysis from the ILSA-J. | J Frailty Aging | In press | In press | 2020 |
| Lim WS, Liang CK, Assantachai P, Auyeung TW, Kang L, Lee WJ, Lim JY, Sugimoto K, Akishita M, Chia SL, Chou MY, Ding YY, Iijima K, Jang HC, Kawashima S, Kim M, Kojima T, Kuzuya M, Lee J, Lee SY, Lee Y, Peng LN, Wang NY, Wang YW, Won CW, Woo J, Chen LK, Arai H | COVID-19 and Older People in Asia: AWGS Calls to Actions. | Geriatr Gerontol Int. | 20 | 547-558 | 2020 |
| Nomura K, Eto M, Ogawa S, Kojima T, Iijima K, Nakamura T, Araki A, Ouchi Y, Akishita M. | Association between low muscle mass and metabolic syndrome in elderly Japanese women. | PLoS One. | 15 | e0243242 | 2020 |

| | | | | | |
|---|--|-----------------------|--------|-----------|------|
| Takahashi K, Murayama H, Tanaka T, Takase M, Suthutvoravut U, Iijima K. | A qualitative study on the reasons for solitary eating habits of older adults living with family. | PLoS One. | 15 | e0234379. | 2020 |
| Murakami M, Iijima K, Watanabe Y, Tanaka T, Iwasa Y, Edahiro A, Ohara Y, Motokawa K, Shirobe M, Hirano H. | Development of a simple method to measure masseter muscle mass. | Gerodontology | 37 | 383-388 | 2020 |
| Suzuki T, Nishita Y, Jeong S, Shimada H, Otsuka R, Kondo K, Kim H, Fujiwara Y, Awata S, Kitamura A, Obuchi S, Iijima K, Yoshimura N, Watanabe S, Yamada M, Toba K, and Makizako H | Are Japanese Older Adults Rejuvenating? Changes in Health-Related Measures Among Older Community Dwellers in the Last Decade | Rejuvenation Research | 24 | 37-48 | 2021 |
| Fujisaki-Sueda-Sakai M, Takahashi K, Yoshizawa Y, Iijima K. | Frailty checkup Supporters' intentions to participate in human-resource development and training activities. | J Frailty Aging | 9 | 238-243 | 2020 |
| 西本美紗、田中友規、高橋競、Suthutvoravut U、藤崎万裕、吉澤裕世、飯島勝矢 | オーラルフレイルと食事の満足度の関連: 地域在住高齢者による横断検討 (柏スタディ) | 日本老年医学会雑誌 | 57 | 273-281 | 2020 |
| Okura M, Ogita M, Arai H. | Are Self-Reported Masticatory Ability and Regular Dental Care Related to Mortality? | J Nutr Health Aging | 24 (3) | 262-268 | 2020 |
| Satake S, Kinoshita K, Matsui Y, Arai H | Physical Domain of the Kihon Checklist: A Possible Surrogate for Physical Function Tests. | Geriatr Gerontol Int | 20(6) | 644-646 | 2020 |
| Bhasin S, Travison TG, Manini TM, Patel S, Pencina KM, Fielding RA, Magaziner JM, Newman AB, Kiel DP, Cooper C, Guralnik JM, Cauley JA, Arai H, Clark BC, Landi F, Schaap LA, Pereira SL, Rooks D, Woo J, Woodhouse LJ, Binder E, Brown T, Shardell M, Xue QL, D'Agostino RB Sr, Orwig D, Gorsicki G, Correa-De-Araujo R, Cawthon PM. | Sarcopenia Definition: The Position Statements of the Sarcopenia Definition and Outcomes Consortium | J Am Geriatr Soc | 68(7) | 1410-1418 | 2020 |

| | | | | | |
|---|--|----------------------|--------|---------------|----------|
| Chen LK, Woo J, Assantachai P, Auyeung TW, Chou MY, Iijima K, Jang HC, Kang L, Kim M, Kim S, Kojima T, Kuzuya M, Lee JSW, Lee SY, Lee WJ, Lee Y, Liang CK, Lim JY, Lim WS, Peng LN, Sugimoto K, Tanaka T, Won CW, Yamada M, Zhang T, Akishita M, Arai H. | Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment. | J Am Med Dir Assoc | 21(3) | 300-307.e2 | 2020 |
| Sampaio RAC, Sampaio PY, Uchida MC, Arai H. | Management of Dynapenia, Sarcopenia, and Frailty: The Role of Physical Exercise. | J Aging Res | | | In press |
| Auyeung TW, Arai H, Chen LK, Woo J. | Letter to the editor: Normative data of handgrip strength in 26344 older adults - a pooled dataset from eight cohorts in Asia. | J Nutr Health Aging | 24(1) | 125-126 | 2020 |
| Nishita Y, Nakamura A, Kato T, Otsuka R, Iwata K, Tange C, Ando F, Ito K, Shimokata H, Arai H. | Links Between Physical Frailty and Regional Gray Matter Volumes in Older Adults: A Voxel-Based Morphometry Study. | J Am Med Dir Assoc. | 20(12) | 1587-1592.e7. | 2019 |
| Kawashima K, Hirashiki A, Nomoto K, Kokubo M, Shimizu A, Sakurai T, Kondo I, Washimi Y, Arai H, Toba K, Murohara T. | Peak Work Rate during Exercise Could Detect Frailty Status in Elderly Patients with Stable Heart Failure. | Int Heart J | 60(6) | 1366-1372 | 2019 |
| Ishihara M, Saito T, Sakurai T, Osawa A, Ueda I, Kamiya M, Arai H. | Development of the Positive Photo Appreciation for Dementia (PPA-D) program for people with mild cognitive impairment (MCI) and early-stage Alzheimer's disease: a feasibility study | Geriatr Gerontol Int | 19(10) | 1064-1066 | 2019 |
| Dent E, Morley JE, Cruz-Jentoft AJ, Woodhouse L, Rodríguez-Mañas L, Fried LP, Woo J, Aprahamian I, Sanford A, Lundy J, Landi F, Beilby J, Martin FC, Bauer JM, Ferrucci L, Merchant RA, Dong B, Arai H, Hoogendijk EO, Won CW, Abbatecola A, Cederholm T, Strandberg T, Gutiérrez Robledo LM, Flicker L, Bhasin S, Aubertin-Leheudre M, Bischoff-Ferrari HA, Guralnik JM, Muscedere J, Pahor M, Ruiz J, Negm AM, Reginster JY, Waters DL, Vellas B. | Physical Frailty: ICFSR International Clinical Practice Guidelines for Identification and Management. | J Nutr Health Aging | 23(9) | 771-787 | 2019 |

| | | | | | |
|---|--|---------------------------------|------------|-------------------|------|
| Shimada H, Lee S, Doi T, Bae S, Tsutsumimoto K, Arai H. | Prevalence of Psychological Frailty in Japan: NCGG-SGS as a Japanese National Cohort Study. | J Clin Med. | 8 | 1554 | 2019 |
| Shimada H, Lee S, Doi T, Bae S, Makino K, Chiba I, Arai H. | Study protocol of the self-monitoring activity program: Effects of activity on incident dementia. | Alzheimers Dement | 5 | 303-307 | 2019 |
| Nishida MM, Okura M, Ogita M, Aoyama T, Tsuboyama T, Arai H. | Two-Year Weight Loss but Not Body Mass Index Predicts Mortality and Disability in an Older Japanese Community-Dwelling Population. | J Am Med Dir Assoc | 20(12) | 1654.e11-1654.e18 | 2019 |
| Yuki A, Otsuka R, Tange C, Nishita Y, Tomida M, Ando F, Shimokata H, Arai H. | Daily Physical Activity Predicts Frailty Development Among Community-Dwelling Older Japanese Adults. | J Am Med Dir Assoc. | 20 | 1032-1036 | 2019 |
| Otsuka R, Tange C, Tomida M, Nishita Y, Kato Y, Yuki A, Ando F, Shimokata H, Arai H. | Dietary factors associated with the development of physical frailty in community-dwelling older adults. | J Nutr Health Aging. | 23(1) | 89-95 | 2019 |
| Okura M, Ogita M, Arai H. | Self-Reported Cognitive Frailty Predicts Adverse Health Outcomes for Community-Dwelling Older Adults Based on an Analysis of Sex and Age. | J Nutr Health Aging. | 23 | 654-664 | 2019 |
| Otsuka R, Kato Y, Tange C, Nishita Y, Tomida M, Imai T, Ando F, Shimokata H, Arai H | Protein intake per day and at each daily meal and skeletal muscle mass declines among older community dwellers in Japan. | Public Health Nutr | 23(6) | 1090-1097 | 2019 |
| Chou MY, Nishita Y, Nakagawa T, Tange C, Tomida M, Shimokata H, Otsuka R, Chen LK, Arai H. | Role of Gait Speed and Grip Strength in Predicting 10-year Cognitive Decline among Community-dwelling Older People | BMC Geriatr | 5;19(1) | 186 | 2019 |
| Arai H, Kozaki K, Kuzuya M, Matsui Y, Satake S. | Clinical guide for frailty, Chapter 2 Frailty concepts. | Geriatr Gerontol Int | Vol.20(1). | | 2020 |
| Yamada K, Yoichi Ito Y, Akagi M, Chosa E, Fuji T, Hirano K, Ikeda S, Ishibashi H, Ishibashi Y, Ishijima M, Ito E, Iwasaki N, Izumida R, Kadoya K, Kamimura M, Kanaji A, Kato H, Kishida S, Ohe T. | Reference values for the locomotive syndrome risk test quantifying mobility of 8681 adults aged 20–89 years: A cross-sectional nationwide study in Japan. | Journal of Orthopaedic Science. | 25(6) | 1084-1092 | 2020 |
| Kuroda N, Hamada S, Sakata N, Jeon B, Iijima K, Yoshie S, Ishizaki T, Jin X, Watanabe T, Tamiya N. | Antipsychotic use and related factors among people with dementia aged 75 years or older in Japan: a comprehensive population-based estimation using medical and long-term care data. | Int J Geriatr Psychiatry | 34(3) | 472-479 | 2019 |
| Suthutvoravut U, Tanaka T, Takahashi K, Akishita M, Iijima K. | Living with family yet eating alone is associated with frailty in community-dwelling older adults: the Kashiwa study. | J Frailty Aging | 8 (4) | 198-204 | 2019 |

| | | | | | |
|--|---|---------------------------------|---------|-----------|------|
| Mori T, Hamada S, Yoshie S, Jeon B, Jin X, Takahashi H., Iijima K, Ishizaki T, Tamiya N. | The Associations of multimorbidity with the sum of annual medical and long-term care expenditures in Japan. | BMC Geriatrics | 19 (1) | 69 | 2019 |
| Adomi M, Iwagami M, Kawahara T, Hamada S, Iijima K, Yoshie S, Ishizaki T, Tamiya N. | Factors associated with long-term urinary catheterisation and its impact on urinary tract infection among older people in the community: A population-based observational study in a city of Japan | BMJ Open | 9 (6) | e028371 | 2019 |
| Noguchi-Watanabe M, Maruyama-Sakurai K, Yamamoto-Mitani N, Matsumoto Y, Yoshie S, Iijima K, Yamanaka T, Akishita M | A community-based program promotes interprofessional collaboration among home healthcare professionals: A non-randomized controlled study | Geriatr Gerontol Int | 19 (7) | 660-666 | 2019 |
| Suthutvoravut U, Takahashi K, Murayama H, Tanaka T, Akishita M, Iijima K. | Association Between Traditional Japanese Diet Washoku and Sarcopenia in Community-Dwelling Older Adults: Findings from the Kashiwa Study | J Nutr Health Aging | 24 (3) | 282-289 | 2020 |
| Iwagami M, Taniguchi Y, Jin X, Adomi M, Mori T, Hamada S, Shinozaki T, Suzuki M, Uda K, Ueshima H, Iijima K, Yoshie S, Ishizaki T, Ito T, Tamiya N | Association between recorded medical diagnoses and incidence of long-term care needs certification: A case control study using linked medical and long-term care data in two Japanese cities | Annals of Clinical Epidemiology | 1 (2) | 56-68 | 2019 |
| Hamada S, Takahashi H, Sakata N, Jeon B, Mori T, Iijima K, Yoshie S, Ishizaki T, Tamiya N | Associations of household income with health services utilization and health care expenditures in people aged 75 years or older in Japan: a population-based study using medical and long-term care insurance claims data | Journal of Epidemiology | 29 (10) | 377-383 | 2019 |
| Son BK, Akishita M, Uchiyama E, Imaeda S, Taniguchi S, Sumikawa Y, Unyaporn S, Matsubara T, Tanaka S, Tanaka T, Otsuki T, Okata J, Iijima K | Multiple turns: potential risk factor for falls on the way to the toilet | Geriatr Gerontol Int | 12 | 1293-1295 | 2019 |
| 吉澤裕世、田中友規、高橋競、藤崎万裕、飯島勝矢 | 地域在住高齢者における身体・文化・地域活動の重複実施とフレイルとの関係 | 日本公衆衛生雑誌 | 66 (6) | 306-316 | 2019 |
| 村山洋史、小宮山恵美、平原佐斗司、野中久美子、飯島勝矢、藤原佳典 | 在宅医療推進のための多職種連携研修プログラム参加者におけるソーシャルキャピタル醸成効果：都市部での検証 | 日本公衆衛生雑誌 | 66 (6) | 317-326 | 2019 |
| 西本美紗、田中友規、高橋競、Suthutvoravut U、藤崎万裕、吉澤裕世、飯島勝矢 | オーラルフレイルは残存歯数減少よりも口腔関連QOL低下と強く関連する：地域在住高齢者による横断検討(柏スタディ) | 日本未病システム学会雑誌 | 25 (3) | 48-52 | 2019 |

| | | | | | | |
|--|--|-------------------------------|----------|---------|--|----------|
| Suzuki M, Koyama S, Kimura Y, Ishiyama D, Ohji S, Otobe Y, Nishio N, Kunieda Y, Ichikawa T, Ito D, Ogawa H, Yamada M. | Relationship between tongue muscle quality and swallowing speed in community-dwelling older women | Aging Clin Exp Res. | | | | In press |
| Watanabe Y, Yamada Y, Yoshida T, Yokoyama K, Miyake M, Yamagata E, Yamada M, Yoshinaka Y, Kimura M; for Kyoto-Kameoka Study Group. | Comprehensive geriatric intervention in community-dwelling older adults: a cluster-randomized controlled trial. | J Cachexia Sarcopenia Muscle. | 11(1) | 26-37 | | 2020 |
| Kimura Y, Ohji S, Ishiyama D, Nishio N, Otobe Y, Suzuki M, Ogawa H, Ichikawa T, Taguchi R, Shino S, Tanaka S, Yamada M. | Factors associated with functional recovery in Japanese patients with convalescent stroke stratified by age: a multicenter observational study. | Int J Rehabil Res. | 42(3) | 249-255 | | 2019 |
| Misu S, Asai T, Doi T, Sawa R, Ueda Y, Murata S, Saito T, Sugimoto T, Isa T, Tsuboi T, Yamada M, Ono R. | Development and validation of the Comprehensive Gait Assessment using Inertial Sensor score (C-GAITS score) derived from acceleration and angular velocity data at heel and lower trunk among community-dwelling older adults. | J Neuroeng Rehabil. | 28;16(1) | 62 | | 2019 |
| Kimura Y, Yamada M, Ohji S, Ishiyama D, Nishio N, Otobe Y, Koyama S, Suzuki M, Ichikawa T, Ito D, Maehori N, Nagae H. | Presence of sarcopenic obesity and evaluation of the associated muscle quality in Japanese older men with prostate cancer undergoing androgen deprivation therapy. | J Geriatr Oncol. | 10(5) | 835-838 | | 2019 |
| Ohji S, Kimura Y, Otobe Y, Nishio N, Ito D, Taguchi R, Ogawa H, Yamada M. | Measurement of self-propulsion distance of wheelchair using cycle computer excluding assistance distance by touch switch: A pilot study. | Spinal Cord Med. | 11 | 1-5 | | 2019 |
| Uemura K, Yamada M, Okamoto H. | Association of bioimpedance phase angle and prospective falls in older adults. | Geriatr Gerontol Int. | 19(6) | 503-507 | | 2019 |
| Yamada M, Kimura Y, Ishiyama D, Nishio N, Otobe Y, Tanaka T, Ohji S, Koyama S, Sato A, Suzuki M, Ogawa H, Ichikawa T, Ito D, Arai H. | Synergistic effect of body-weight resistance exercise and protein supplementation on skeletal muscle in sarcopenic or dynapenic older adults. | Geriatr Gerontol Int. | 19(5) | 429-437 | | 2019 |