

## 別添4

## 研究成果の刊行に関する一覧表レイアウト

## 書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|---------|-----------|-----|------|-----|-----|-----|
| 該当なし |         |           |     |      |     |     |     |

## 雑誌

| 発表者氏名  | 論文タイトル名   | 発表誌名                                   | 巻号  | ページ     | 出版年  |
|--|---|--|-----|---------|------|
| Kikuchi M, Hara N, Hasegawa H, Miyashita A, Kuwano R, Ikeuchi T, Nakaya A.   | The impact of non-coding variants associated with Alzheimer's disease via chromatin higher-order structure.               | BMC Medical Genomics                   | 12  | 128     | 2019 |
| Yano K, Hirayama S, Misawa N, Ueno T, Motoi Y, Seino U, Ebinuma H, Ikeuchi T, Schneider WJ, Bujo H, Miida T.           | Soluble LR11 competes with amyloid $\beta$ for binding to cerebrospinal high-density lipoprotein.                         | Clinica Chimica Acta                   | 489 | 29-34   | 2019 |
| Kawazoe T, Abe K, Ikeuchi T, Miura T, Mezaki N, Tsukamoto T, Takahashi Y.  | A sporadic case of young-onset rapidly progressive dementia with a novel frameshift mutation in exon 3 of the CSF1R gene. | Neurology Clinical Neuroscience        | 7   | 103-104 | 2019 |
| Sakuma M, Kitamura K, Endo N, Yokoseki A, Oinuma T, Onodera O, Ikeuchi T, Wakasugi M, Nakamura K, Narita I.            | Low serum 25-hydroxyvitamin D increases cognitive impairment in the elderly people  | Journal of Bone and Mineral Metabolism | 37  | 368-375 | 2019 |
| Tanaka H, Toyosima Y, Kawakatsu S, Yokota O, Kuroda S, Miura T, Sanpei K, Ikeuchi T, Onodera O, Kakita A, Takahashi H. | Globular glial tauopathy Type II: Clinicopathological study of two autopsy cases.   | Neuropathology                         | 39  | 111–119 | 2019 |

|   |  |                                     |    |         |      |
|---|--|-------------------------------------|----|---------|------|
| Choi KY, Lee JJ, Gunasekaran TI, Kang S, Lee W, Jeong J, Zhang X, Zhu C, Choi YY, Lim HJ, Seo EH, Lee SC, Gim J, Chung JY, Chong A, Byun MS, Seo S, Ko P-W, Han J-W, Farrell J, Lunetta KL, Won S, Choi S-M, Ha J-M, Jeong JH, Song MK, An SSA, Lee YM, Park KW, Lee H-W, Choi SH, Rhee S, Song WK, Lee JS, Mayeux R, Haines JL, Pericak-Vance MA, Choo IH, Nho K, Kim K-W, Lee DY, Kim SY, Kim BC, Kim H, Jun GR, Schellenberg GD, Ikeuchi T, Farrer LA, Lee KH. | APOE promoter polymorphism -218T/G is an effect modifier of the association of <i>APOE</i> ε4 with Alzheimer's disease.  | <i>Journal of Clinical Medicine</i> | 8  | E1236   | 2019 |
| Funayama M, Sugihara M, Takata T, Mimura M, Ikeuchi T.  | Remarkable behavioral signs and progressive non-fluent aphasia in a patient with adult-onset leukoencephalopathy with axonal spheroids and pigmented gliosis (ALSP). | <i>Psychogeriatrics</i>             | 19 | 282-285 | 2019 |
| Hata S, Omori C, Kimura A, Saito H, Kimura N, Gupta V, Pedrini S, Nonne E, Chatterjee P, Taddei K, Kasuga K, Ikeuchi T, Waragai M, Nishimura M, Hu A, Meijer L, Maeda M, Masters CL, Rowe C, Ames D, Martins RN, Yamamoto K, Suzuki T.  | Changes of p3-Alc β37 and 40, products of Alcadein β generated by native γ-secretase cleavages, in aged monkey and Alzheimer's patients.                             | <i>Alzheimer Dementia</i>           | 5  | 740-750 | 2019 |
| Murakami H, Toku da T, Ohmichi T, El-Agnaf OMA, Mi ki A, Ohashi H, Owan Y, Saito Y, Yano S, Tsukie T, Ikeuchi T, Ono K.   | Correlated levels of cerebrospinal fluid pathogenic proteins in drug-naïve Parkinson's disease.  | <i>BMC Neurology</i>                | 19 | 113     | 2019 |

|  |  |  |     |        |      |
|--|--|--|-----|--------|------|
| Hamaguchi T, Komatsu J, Sakai K, Noguchi-Shinohara M, Aoki S, Ikeuchi T, Yamada M.   | Cerebral hemorrhagic stroke associated with cerebral amyloid angiopathy in young adults about 3 decades after neurosurgeries in their infancy.                                   | <i>Journal of Neurological Science</i>     | 399 | 3-5    | 2019 |
| Asanomi Y, Shigemizu D, Miyashita A, Mitsumori R, Mori T, Hara N, Ito K, Niida S, Ikeuchi T, Ozaki K.  | A functional rare variant of SHARPIN associated with the risk of late-onset Alzheimer's disease in Japanese.   | <i>Molecular Medicine</i>                  | 25  | 20     | 2019 |
| Nakamura M, Shiozawa S, Tsuboi D, Amano M, Watanabe H, Maeda S, Kimura T, Yoshimatsu S, Kisa F, Miyasaka T, Takashima A, Sahara N, Karach C, Hisanaga S, Ikeuchi T, Kaibuchi K, Okano H. | Pathological progression induced by the frontotemporal dementia-associated R406W tau mutation in patient-derived iPSCs.  | <i>Cell Stem Cell</i>                      | 13  | 1-16   | 2019 |
| Sato K, Mano T, Matsuda H; Senda M, Ihara R, Suzuki K, Arai H, Ishii K, Ito K, Ikeuchi T, Kuwano R, Toda T, Iwatsubo T, Iwata A.   | Visualizing modules of coordinated structural brain atrophy during the course of Alzheimer's disease conversion by applying methodology from gene co-expression analysis.        | <i>NeuroImage Clinical</i>                 | 24  | 101957 | 2019 |
| Miki T, Yokota O, Haraguchi T, Ikeuchi T, Zhu B, Takenoshita S, Terada S, Yamada N.  | Young adult-onset, very slowly progressive cognitive decline with spastic paraparesis in Alzheimer's disease with cotton wool plaques due to a novel presenilin1 G417S mutation. | <i>Acta Neuropathologica Communication</i> | 7   | 19     | 2019 |

|   |  |  |     |         |      |
|---|--|--|-----|---------|------|
| Sato K, Mano T, I hara R, Suzuki K, Tomita N, Arai H, Ishii K, Senda M, Ito K, Ikeuchi T, Kuwano R, Matsuda H, Iwatsubo T, T oda T, Iwata A; Alzheimer's Disease Neuroimaging Initiative, and Japanese Alzheimer's Disease Neuroimaging Initiative.   | Lower serum calcium as a potentially associated factor for conversion of mild cognitive impairment to early Alzheimer's disease in the Japanese Alzheimer's Disease Neuroimaging Initiative. | <i>Journal of Alzheimer Disease.</i>               | 68: | 777-788 | 2019 |
| Piatnitskaia S, Takahashi M, Kitaura H, Katsuragi Y, Kakihana T, Zhang L, Kakita A, Iwakura Y, Nawa H, Miura T, Ikeuchi T, Harata T, Fujii M.   | USP10 is a critical factor for Tau-positive stress granule formation in neuronal cells.  | <i>Scientific Report</i>                           | 9   | 10591   | 2019 |
| Vollstedt EJ, Kasten M, Klein C; MJFF Global Genetic Parkinson's Disease Study Group (Ikeuchi T).   | Using global team science to identify genetic Parkinson's disease worldwide.   | <i>Annals of Neurology</i>                         | 86  | 153-157 | 2019 |
| Barthelemy N, Li Y, Joseph-Mathurin N, Gordon BA, Hassens tab J, Benzinger TL S, Buckles V, Fagan AM, Perrin R, Goat e AM, Morris JC, K arch C, Xiong C, Allegri R, Berman SB, Ikeuchi T, Shimada H, Shoji M, Suzuki K, Noble J, Ringma n J, Ghetti B, Farlow M, Chhatwal J, Graff-Radford NR, Sall oway S, Shofield P R, Masters C, Martin s R, Rossor NM, Fo x NC, Levin J, Jucker M, Sato C, Bateman RJ, McDade E, Dominantly Inherited Alzheimer Network. | A soluble phosphorylated tau signature links tau, amyloid and the evolution of stages of dominantly inherited Alzheimer's disease.   | <i>Nature Medicine</i>                             | 26  | 398-407 | 2020 |
| Watanabe Y, Hirao Y, Kasuga K, Tokutake T, Kitamura K, Niida S, Ikeuchi T, Nakamura K, Yamamoto T.  | Apolipoprotein C3 Is a potential biomarker for Alzheimer's disease   | <i>Dementia Geriatrics Cognition Disease Extra</i> | 10  | 94-104  | 2020 |

|   |  |                                |         |          |      |
|---|--|--------------------------------|---------|----------|------|
| Noguchi-Shinohara M, Domoto C, Yoshi da T, Niwa K, Yuki -Nozaki S, Samuraki- Yokohama M, Sakai K, Hamaguchi T, O no K, Iwasa K, Mat sunari I, Komai K, Nakamura H, <u>Yamada M.</u>   | A new computerized assessment battery for cognition (C-ABC) to detect mild cognitive impairment and dementia around 5 min.   | <i>PLoS One.</i>               | 15(12)  | e0243469 | 2020 |
| Ninomiya T, Nakaji S, Maeda T, Yamada M, Mimura M, Nakashima K, Mori T, Takebayashi M, Ohara T, Hata J, Kokubo Y, Uchida K, Taki Y, Kumagai S, Yonemoto K, Yoshida H, Muto K, Momozawa Y, Akiyama M, Kubo M, Ikeda M, Kanba S, Kiyoohara Y; JPSFC-AD Study Group. | Study design and baseline characteristics of a population-based prospective cohort study of dementia in Japan: the Japan Prospective Studies Collaboration for Aging and Dementia (JPSC-AD). | <i>Environ Health Prev Med</i> | 25(1)   | 64       | 2020 |
| Noguchi-Shinohara M, Ono K, Hamaguchi T, Nagai T, Kobayashi S, Komatsu J, Samuraki-Yokohama M, Iwasa K, Yokoyama K, Nakamura H, <u>Yamada M.</u>  | Safety and efficacy of <i>Melissa officinalis</i> extract containing rosmarinic acid in the prevention of Alzheimer's disease progression.   | <i>Sci Rep.</i>                | 10(1):  | 18627    | 2020 |
| Yamada M, Komatsu J, Nakamura K, Sakai K, Samuraki-Yokohama M, Nakajima K, Yoshita M.   | Diagnostic criteria for dementia with Lewy bodies: Updates and future directions.  | <i>J Mov Disord</i>            | 13      | 1-10     | 2020 |
| Kawabe Y, Mori K, Yamashita T, Gotoh S, Ikeda M.  | The RNA exosome complex degrades expanded hexanucleotide repeat RNA in C9orf72 FTLD/ALS.   | <i>EMBO J.</i>                 | 39(19): | e102700. | 2020 |
| Mihara A, Ohara T, Hata J, Honda T, Chen S, Sakata S, Oishi E, Hirakawa Y, Nakao T, Kitazono T, Ninomiya T.   | Association between serum glycated albumin and risk of cardiovascular disease in a Japanese community: The Hisayama Study.   | <i>Atherosclerosis</i>         | 311     | 52-59    | 2020 |

|   |   |                                     |       |           |      |
|---|---|-------------------------------------|-------|-----------|------|
| Yoshida D, Ohara T, Hata J, Shibata M, Hirakawa Y, Honda T, Furuta Y, Oishi E, Sakata S, Kanba S, Kitazono T, Ninomiya T  | Lifetime cumulative incidence of dementia in a community-dwelling elderly population in Japan.                          | <i>Neurology.</i>                   | 95(5) | e508-e518 | 2020 |
| Chen S, Honda T, Ohara T, Hata J, Hirakawa Y, Yoshi da D, Shibata M, Sakata S, Oishi E, Furuta Y, Kitazono T, Ninomiya T.   | Serum homocysteine and risk of dementia in Japan.   | <i>Neurol Neurosurg Psychiatry.</i> | 91(5) | 540-546   | 2020 |
| Suzuki K, Hirakawa A, Ihara R, Iwata A, Ishii K, Ikeuchi T, Sun CK, Donohue M, Iwatsubo T; Alzheimer's Disease Neuroimaging Initiative, Japanese Alzheimer's Disease Neuroimaging Initiative. | Effect of apolipoprotein E ε4 allele on the progression of cognitive decline in the early stage of Alzheimer's disease. | <i>Alzheimers Dement (NY)</i>       | 6(1): | e12007.   | 2020 |