

研究成果の刊行に関する一覧表：

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|--|-----------------------|-----------|-----------------------------|----------------|-----|-----------|---------------|
| 前田 健 | 「動物由来ウイルス感染症としてのSFTS」 | 西條政幸 | グローバル時代のウイルス感染症 | 日本医事新報社 | 東京 | 2019/1/25 | 123-128 |
| 前田 健 | 「重症熱性血小板減少症候群(SFTS)」 | 辻本元 | SA Medicine BOOKS『検査・手技ガイド』 | インターズー | 東京 | 2019 | 460-461 |
| 前田 健 | 「重症熱性血小板減少症候群（人獣）」 | 明石 博臣、他 | 動物の感染症 | 近代出版 | 東京 | 2019 | 234-235 |
| 前田 健 | 「E型肝炎」 | 明石 博臣、他 | 動物の感染症 | 近代出版 | 東京 | 2019 | 171 |
| 前田 健 | ペットと野生動物におけるCOVID-19 | | 動物用ワクチン-ニュースレター | 動物用ワクチン-バイ | 神奈川 | 2020 | 22:32-39 |
| 石嶋慧多、朴ウンシル、松鶴 彩、早坂大輔、桐野有美、岡林環樹、森川 茂、水谷哲也、松野啓太、前田 健 | 国内ではこれまで経験のない脅威：SFTS | | ヒトと動物の共通感染症研究会ニュースレター | ヒトと動物の共通感染症研究会 | 東京 | 2020 | P15-17 |
| 前田 健 | 重症熱性血小板減少症候群(SFTS) | 石田卓夫 | 犬の内科診療Part 2 | 緑書房 | 東京 | 2020 | |
| 前田 健 | ズーノーシス（人獣共通感染症） | | 衛生動物の事典 | 朝倉書店 | 東京 | 2020 | P12-13 |
| 前田 健 | Globalizationと人獣共通感染症 | | 日本臨牀 | 日本臨牀社 | 東京 | 2021 | 79(2)：124-132 |
| 前田 健 | 人獣共通感染症：動物から学ぶ | | 実験医学 | 羊土社 | 東京 | 2021 | 39(2)：56-64 |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 | |
|---|--|-------------------------------|----|--|-----|------|
| Shimoda H, Hayasaka D, Yoshii K, Yokoyama M, Suzuki K, Kodera Y, Takeda T, Mizuno J, Noguchi K, Yonemitsu K, Minami S, Kuwata R, Takano A, Maeda K. | Detection of a novel tick-borne flavivirus and its serological surveillance. | Ticks and Tick-Borne Diseases | | https://doi.org/10.1016/j.ttbdis.2019.03.006 | | 2019 |

| | | | | | |
|--|--|--------------------------------|-------------|------------|-------|
| Yonemitsu K, Minami S, Noguchi K, Kuwata R, Shimoda H, Maeda K | Detection of anti-viral antibodies from meat juice of wild boars. | Journal of Veterinary Science. | 81(1) | 155-159. | 2019 |
| Kuwata R, Shimoda H, Phichitraslip T, Prasertsincharoen N, Noguchi K, Yonemitsu K, Minami S, Supriyono, Tran NTB, Takano A, Suzuki K, Nemoto M, Bannai H, Yokoyama M, Takeda T, Jitapalapong S, Rerkamnuaychoke W, Maeda K | Getah virus epizootic among wild boars in Japan around 2012. | Archives of Virology. | 163(10) | 2817-2821. | 2018 |
| Kamimura K, Yonemitsu K, Maeda K, Sakaguchi S, Setsuda A, Varcasia A, Sato H. | An unexpected case of a Japanese wild boar (<i>Sus scrofa leucomystax</i>) infected with the giant thorny-headed worm (<i>Macracanthorhynchus hirudinaceus</i>) on the mainland of Japan (Honshu). | Parasitol Research. | 117(7) | 2315-2322. | 2018. |
| Matsuno K, Nonoue N, Noda A, Kasajima N, Noguchi K, Takano A, Shimoda H, Orba Y, Muramatsu M, Sakoda Y, Takada A, Minami S, Une Y, Morikawa S, Maeda K. | Fatal cases of endemic tick-borne phlebovirus infection in captive cheetahs 3 (<i>Acinonyx jubatus</i>). | Emerging Infectious Diseases. | 24(9) | 1726-1729. | 2018 |
| Kobayashi T, Murakami S, Yamamoto T, Mineshita K, Sakuyama M, Sasaki R, Maeda K, Horimoto T. | Detection of bat hepatitis E virus RNA in microbats in Japan. | Virus Genes. | 54(4) | 599-602. | 2018 |
| 森川 茂、前田 健 | 重症熱性血小板減少症候群 (SFTS) | 日本獣医師会誌 | 71 | 474-477 | 2018. |
| 前田 健 | 重症熱性血小板減少症候群 (SFTS) | 獣医学雑誌 | 第22巻 第1号 | 51-52 | 2018 |
| 高野 愛、前田 健 | 動物における重症熱性血小板減少症候群 (SFTS) ウイルスの検出とマダニ対策について | 日本鹿研究 | 9号 | 31-34 | 2018 |
| 前田 健 | 重症熱性血小板減少症候群(SFTS)～感染経路はマダニからだけではない～ | Infection Front | 43 | 7-10 | 2018 |
| 高野 愛、前田 健 | 重症熱性血小板減少症候群 (SFTS) について | 獣医公衆衛生研究 | 20-2 | 33-38 | 2018 |
| 前田 健 | 獣医師が知らなければいけない重症熱性血小板減少症候群 | NJK | 199 | 15-20 | 2018 |
| 前田 健 | SFTSウイルスに関する最近の知見 | 獣医アトピー・アレルギー・免疫学雑誌 | 2 | 4-9. | 2018 |

| | | | | | |
|--|---|---|-------|------------|-------|
| Sato H, Murai H, Ishida S, Fujita H, Andoh M, Ando S. | Three human cases of tick bite associated with spotted fever group <i>Rickettsia</i> in Akita Prefecture, the northern part of Honshu, Japan. | Med Entomol Zool. | 69(2) | 49-54 | 2018. |
| Yada Y, Talactac RM, Kusakisako K, Hernandez PE, Galay LR, Andoh M, Fujisaki K, Tanaka T. | Hemolymph defensin from the hard tick <i>Haemaphysalis longicornis</i> attacks Gram-positive bacteria. | J Invertebrate Pathology | 156 | 14-18 | 2018 |
| Kubota R, Matsubara K, Tamukai K, Ike K, Tokiwa T. | Molecular and histopathological features of <i>Cryptosporidium ubiquitum</i> infection in imported chinchillas in Japan. | Parasitology International. | 68 | 9-13. | 2019 |
| Tokiwa T, Ohnuki A, Kubota R, Tamukai K, Ike K. | Morphological and molecular characterization of <i>Cystoisospora</i> from Asian small-clawed otters. | International Journal for Parasitology PAW. | 7 | 268-273. | 2018 |
| Ito A, Eckardt W, Stoinski TS, Gillespie TR, Tokiwa T. | Three new <i>Troglodytella</i> and a new <i>Goriloflasca ciliates</i> from mountain gorillas in Rwanda. | European Journal of Protistology. | 65 | 42-56. | 2018 |
| Taira K, Nakamura S, Tokiwa T, Une Y. | Larva migrans of <i>Baylisascaris potosius</i> in experimental animals. | Journal of Parasitology. | 104 | 424-428. | 2018 |
| Taira K, Nakamura S, Tokiwa T, Une Y. | Larva migrans of <i>Baylisascaris potosius</i> in experimental animals. | Journal of Parasitology. | 104 | 424-428 | 2018. |
| Ito A, Tokiwa T | Infraciliature of <i>Opisthotrichum janus</i> , <i>Epidinium ecaudatum</i> , and <i>Ophryoscolex purkynjei</i> . | European Journal of Protistology. | 62 | 1-10. | 2018. |
| Tokiwa T, Kobayashi T, Ike K, Morishima Y, Sugiyama H. | Detection of anisakid larvae in marinated mackerel sushi in Tokyo, Japan. | Japanese Journal of Infectious Diseases. | 71: | 88-89. | 2018. |
| 猪又明日香、村越稔泰、齊藤健、上杉晶、大関桂子、阿部久司、町田章生、村中幹宏、常盤俊大、井上智。 | 新潟県における動物由来感染症サーベイランス体制の整備に向けた取り組み。 | 獣医畜産新報. | 71 | 270-272. | 2018. |
| 井上智、常盤俊大、森嶋康之 | 知っておきたい感染動物等への侵淫と医療と協働した健康危害防止 | 動物由来感染症 | 2061 | 17-21. | 2018 |
| Yamazaki A, Honda M, Kobayashi N, Ishizaki N, Asakura H, Sugita-Konishi Y. | The sensitivity of commercial kits in detecting the genes of pathogenic bacteria in venison. | J Vet Med Sci. | 80(4) | 706-709. | 2018 |
| Honda M, Sawaya M, Taira K, Yamazaki A, Kamata Y, Shimizu H, Kobayashi N, Sakata R, Asakura H, Sugita-Konishi Y. | Effects of temperature, pH and curing on the viability of <i>Sarcocystis</i> , a Japanese sika deer (<i>Cervus Nippon centralis</i>) parasite, and the inactivation of their diarrheal toxin. | J Vet Med Sci. | 80(8) | 1337-1344. | 2018 |

| | | | | | |
|--|---|---|---------|------------|-------|
| Irie T, Ichii O, Nakamura T, Ikeda T, Ito T, Yamazaki A, Takai S, Yagi K. | Molecular characterization of three <i>Sarcocystis</i> spp. from wild sika deer (<i>Cervus nippon yesoensis</i>) in Hokkaido, Japan. | Vet. Parasitol.: Regional Studies and Reports | Dec;18: | 100327. | 2019 |
| Kadohira M, Phiri BJ, Hill G, Yoshizaki R, Takai S. | Game Meat Consumption and Food borne Illness in Japan: A Web-Based Questionnaire Survey. | J Food Prot. | 24 | 1224-1232. | 2019 |
| 高井伸二 | 野生動物の疾病とジビエ（野生獣肉）の安全確保対策 | 公衆衛生 | 83 (1) | 40-45. | 2019. |
| Kida K, Matsuoka Y, Shimoda T, Matsuoka H, Yamada H, Saito T, Imataki O, Kadowaki N, Noguchi K, Maeda K, Mochizuki Y, Kishimoto T. | A case report of cat-to-human transmission of severe fever with thrombocytopenia syndrome virus. | Japanese Journal of Infectious diseases. | 72(5) | 356-358. | 2019 |
| Matsuu A, Momoi Y, Nishiguchi A, Noguchi K, Yabuki M, Hamakubo E, Take M, Maeda K. | Natural severe fever with thrombocytopenia syndrome virus infection in domestic cats in Japan. | Vet Microbiol. | 236 | 108346 | 2019 |
| Park E, Shimojima M, Nagata N, Ami Y, Yoshikawa T, Iwata-Yoshikawa N, Fukushi S, Watanabe S, Kurosu T, Kataoka M, Okutani A, Kimura M, Imaoka K, Hanaaki K, Suzuki T, Hasegawa | Severe fever with thrombocytopenia syndrome phlebovirus causes lethal viral hemorrhagic fever in cats. | Sci Rep | 9(1) | 11990 | 2019 |
| Ogawa H, Hirayama H, Tanaka S, Yata N, Namba H, Yamashita N, Yonemitsu K, Maeda K, Mominoki K, Yamada M. | Risk assessment for hepatitis E virus infection from domestic pigs introduced into an experimental animal facility in a medical school. | J Vet Med Sci. | 81(8) | 1191-1196. | 2019 |
| Shimoda H, Hayasaka D, Yoshii K, Yokoyama M, Suzuki K, Koderu Y, Takeda T, Mizuno J, Noguchi K, Yonemitsu K, Minami S, Kuwata R, Takano A, Maeda K* | Detection of a novel tick-borne flavivirus and its serological surveillance. | Ticks Tick Borne Dis. | 10(4) | 742-748. | 2019 |

| | | | | | |
|--|---|------------------------|----------|----------|-------|
| 前田 健 | 「人獣共通感染症: One Healthの時代」 | 臨床とウイルス. | 47(4) | 218-229. | 2019 |
| 前田 健、野口慧多、立本完吾 | 「国内に蔓延するダニ媒介感染症の脅威」 | 生活と環境（日本環境衛生センター） | 64 (6) | 11-17. | 2019 |
| 前田 健、野口慧多、立本完吾 | 「SFTSに関する最近の知見」 | 動薬研究（バイエル薬品株式会社） | 74:1-12. | 74:1-12. | 2019. |
| Sugita-Konishi Y, Kobayashi N, Takasaki K, Kanno T, Itoh M, Riztyan, Futo S, Asakura H, Taira K, Kawakami Y. | Detection of <i>Sarcocystis</i> spp. and Shiga toxin-producing <i>Escherichia coli</i> in Japanese sika deer meat using a loop-mediated isothermal amplification- lateral flow strip. | J Vet Med Sci. | 81(4) | 586-592. | 2019 |
| Irie T., Uruguchi K., Ito T., Yamazaki A., Takai S., Yagi K. | First report of <i>Sarcocystis pilosa</i> sporocysts in feces from red fox, <i>Vulpes vulpes schrencki</i> , in Hokkaido, Japan | Parasites and Wildlife | 11 | 29-31 | 2020 |
| Lin TL, Ou SC, Maeda K, Shimoda H, Chan JP, Tu WC, Hsu WL, Chou CC. | The First Discovery of Severe Fever with Thrombocytopenia Syndrome Virus in Taiwan. | Emerg Microbes Infect. | 9(1) | 148-151. | 2020 |
| Takahashi T, Kabeya H, Sato S, Yamazaki A, Kamata Y, Taira K, Asakura H, Sugiyama H, Takai S, Maruyama S. | Prevalence of <i>Yersinia</i> Among Wild Sika Deer (<i>Cervus nippon</i>) and Boars (<i>Sus scrofa</i>) in Japan. | J Wildl Dis. | 56(2) | 270-277. | 2020 |
| Irie T., Uruguchi K., Ito T., Yamazaki A., Takai S., Yagi K. | First report of <i>Sarcocystis pilosa</i> sporocysts in feces from red fox, <i>Vulpes vulpes schrencki</i> , in Hokkaido, Japan | Parasites and Wildlife | 11 | 29-31 | 2020 |

| | | | | | |
|--|---|-----------------------|--------------|------------------------------------|------|
| Suzuki Y, Hisaya K, Ono Y, Shimojim. H, Kubot, R, Kato, T, Kakuda, S, Hirose, Dong-Liang. Hu, A, Nakan e, S, Takai, K, Sadamasu | A novel staphylococcal enterotoxin SE02 involved in a staphylococcal food poisoning outbreak that occurred in Tokyo in 2004. | Food Microbiol. 92 | 92 | December 2020, 103588 | 2020 |
| Suzuki Y, K. Takahashi, F. Takase, N. Sawada, S. Nakao, A. Toda, Y. Sasaki, T. Kakuda and S. Takai | Serological epidemiological surveillance for vapN-harboring <i>Rhodococcus equi</i> infection in goats in Okinawa, Japan | CIMID | 73 | 2020, 101540 | 2020 |
| Takai, S., N. Sawada, Y. Nakayama, S. Ishizuka, R. Nakagawa, G. Kawashima, N. Sangkanjanavanich, Y. Sasaki, T. Kakuda, and Y. Suzuki | Reinvestigation of the virulence of <i>Rhodococcus equi</i> isolates from patients with and without AIDS. | Lett Appl Microbiol. | 71(6) | 679-683 | 2020 |
| Kawase J, Hirai S, Yokoyama E, Hayashi F, Kurosaki M, Kawakami Y, Fukuma A, Sakai T, Kotani M, Asakura H. | Phylogeny, prevalence, and Shiga toxin (Stx) production of clinical <i>Escherichia coli</i> O157 clade 2 strains isolated in Shimane prefecture, Japan. | Curr Microbiol. | 78 : | 265–273. | 2021 |
| Rattanatunhi K, Prasertsinchaoen N, Naimon N, Kuwata R, Shimoda H, Ishijima K, Yonemitsu K, Minami S, Supriyono, Tran NTB, Kuroda Y, Tatemoto K, Virhuez Mendoza M, Hondo F, R | A serological survey and characterization of Getah virus in domestic pigs in Thailand, 2017-2018. | Transbound Emerg Dis. | 2021 Feb 22. | doi: 10.1111/tbed.14042 | 2021 |
| Kirino Y, Ishijima K, Miura M, Nomachi T, Mazimpaka E, Sudaryatma PE, Yamana A, Maeda K, Sugimoto T, Saito A, Mekata H, Okabayashi T. | Seroprevalence of Severe Fever with Thrombocytopenia Syndrome Virus in Small-Animal Veterinarians and Nurses in the Japanese Prefecture with the Highest Case Load. | Viruses | 13(2): | doi: 10.3390/v13020229 | 2021 |
| Tsuru M, Suzuki T, Murakami T, Matsui K, Maeda Y, Yoshikawa T, Kurosu T, Shimojima M, Shimada T, Hasegawa H, Maeda K, Morikawa S, Saijo M. | Pathological Characteristics of a Patient with Severe Fever with Thrombocytopenia Syndrome (SFTS) Infected with SFTS Virus through a Sick Cat's Bite. | Viruses. | 13(2):204 | doi: 10.3390/v13020204 | 2021 |
| Morikawa M, Mitarai S, Kojima I, Okajima M, Hatai H, Takano A, Shimoda H, Maeda K, Matsuu A, Yoshida A, Hayashi K, Ozawa M, Masatani T. | Detection and molecular characterization of <i>Babesia</i> sp. in wild boar (<i>Sus scrofa</i>) from western Japan. | Ticks Tick Borne Dis. | 12(4):101695 | doi: 10.1016/j.ttbdis.2021.101695. | 2021 |

| | | | | | |
|---|--|---------------------------|-----------|------------|------|
| Sakai Y, Kuwabara Y, Ishijima K, Kagimoto S, Mura S, Tatemoto K, Kuwata R, Yonemitsu K, Minami S, Kuroda Y, Baba K, Okuda M, Shimoda H, Sakurai M, Morimoto M, Maeda K | Histopathological Characterization of Cases of Spontaneous Fatal Feline Severe Fever with Thrombocytopenia Syndrome, Japan. | Emerg Infect Dis. | 27(4): | 1068-1076. | 2021 |
| Park ES, Fujita O, Kimura M, Hotta A, Imaoka K, Shimojima M, Saijo M, Maeda K, Morikawa S. | Diagnostic system for the detection of severe fever with thrombocytopenia syndrome virus RNA from suspected infected animals. | PLoS One. | 28;16(1): | e0238671. | 2021 |
| Tomino Y, Andoh M, Horiuchi Y, Shin J, Ai R, Nakamura T, Toda M, Yonemitsu K, Takano A, Shimoda H, Maeda K, Kodera Y, Oshima I, Takayama K, Inadome T, Shioya K, Fukazawa | Surveillance of Shiga toxin-producing <i>Escherichia coli</i> and <i>Campylobacter</i> spp. in wild Japanese deer (<i>Cervus nippon</i>) and boar (<i>Sus scrofa</i>). | J Vet Med Sci. | 82(9): | 1287-1294 | 2020 |
| Masatani T, Hayashi K, Morikawa M, Ozawa M, Kojima I, Okajima M, Takano A, Shimoda H, Maeda K, Matsuu A, Yoshida A. | Molecular detection of tick-borne protozoan parasites in sika deer (<i>Cervus nippon</i>) from western regions of Japan. | Parasitol Int. | 79: | 102161. | 2020 |
| Ishida-Kuroki K, Takeshita N, Nitta Y, Chuma T, Maeda K, Shimoda H, Takano A, Sekizaki T. | 16S rRNA Gene Amplicon Sequence Data from Feces of Five Species of Wild Animals in Japan. | Microbiol Resour Announc. | 9(22): | e00368-20. | 2020 |
| Ishida-Kuroki K, Takeshita N, Nitta Y, Chuma T, Maeda K, Shimoda H, Takano A, Sekizaki T. 1 | 16S rRNA Gene Amplicon Sequence Data from Feces of Wild Deer (<i>Cervus nippon</i>) in Japan. | Microbiol Resour Announc. | 9(22) | e00346-20. | 2020 |
| Lin TL, Ou SC, Maeda K, Shimoda H, Chan JP, Tu WC, Hsu WL, Chou CC. | The first discovery of severe fever with thrombocytopenia syndrome virus in Taiwan. | Emerg Microbes Infect. | 9(1): | 148-151. | 2020 |
| Mizukami M, Sato S, Nabeshima K, Kabeya H, Ueda D, Suzuki K, Maruyama S. | Molecular survey of <i>Bartonella rochalimae</i> in Japanese raccoon dogs (<i>Nyctereutes procyonoides viverrinus</i>). | J Wildl Dis. | 56(3) | 560-567 | 2020 |

| | | | | | |
|---|---|------------------------------------|--------|---------|------|
| Nabeshima K, Sato S, Kabeya H, Kato C, Suzuki K, Maruyama S. | Isolation and genetic properties of <i>Bartonella</i> in eastern bent-wing bats (<i>Miniopterus fuliginosus</i>) in Japan. | Infect Genet Evol | 83: | 104354. | 2020 |
| Nabeshima K, Sato S, Kabeya H, Komine N, Nanashima R, Takano A, Shimoda H, Maeda K, Suzuki K, Maruyama S. | Detection and phylogenetic analysis of <i>Bartonella</i> species from bat flies on eastern bent-wing bats (<i>Miniopterus fuliginosus</i>) in Japan. | Comp Immunol Microbiol Infect Dis. | 73: | 101570. | 2020 |
| Sato S, Kabeya H, Ishiguro S, Shibasaki Y, Maruyama S. | <i>Lipoptena fortisetosa</i> as a vector of <i>Bartonella</i> bacteria in Japanese sika deer (<i>Cervus nippon</i>). | Parasit Vectors | 14(1): | 73 | 2021 |
| 杉山 広、森嶋康之、児玉文宏 | 北海道札幌市において2019年に発生した旋毛虫集団食中毒事例 | Clin Parasitol | 31: | 49-51. | 2020 |
| Banzai A, Sugiyama H, Hasegawa M, Morishima Y, Kawakami Y. | <i>Paragonimus westermani metacercariae</i> in two freshwater crab species in Kagoshima Prefecture, Japan, as a possible source of infection in wild boars and sika deer. | J Vet Med Sci, | 83(3): | 412-418 | 2021 |