

研究成果の刊行に関する一覧表

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書 籍 名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|---------|-----------|-------|------|-----|-----|-----|
| | | | | | | | |

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|--|--|----------------------|---------|-----------|------|
| Ono R, Yoshioka Y, Furukawa Y, Naruse M, Ku wagata M, Ochiya T, Kitajima S, <u>Hirabayashi Y</u> | Novel hepatotoxicity biomarkers of extracellular vesicle (EV)-associated miRNAs induced by CCl4 | Toxicol Rep. | 7 | 685-692 | 2020 |
| Tsuboi I, Harada T, <u>Hirabayashi Y</u> , Aizawa S | Dynamics of hematopoiesis is disrupted by impaired hematopoietic microenvironment in a mouse model of hemophagocytic lymphohistiocytosis | Annals of Hematology | 99(7) | 1515-1523 | 2020 |
| Oka SI, Chin A, Park JY, Ikeda S, Mizushima W, Ralda G, Zhai P, Tong M, Byun J, Tang F, Einaga Y, Huang CY, Kashihara T, Zhao M, Nah J, Tian B, <u>Hirabayashi Y</u> , Yodoi J, Sadoshima J. | Thioredoxin-1 maintains mitochondrial function via mechanistic target of rapamycin signalling in the heart | Cardiovasc Res. | 116(10) | 1742-1755 | 2020 |

| | | | | | |
|---|---|-----------------------------|--------|---------|------|
| 矢野恒夫, 長谷川功紀, 佐藤龍彦, 巽光朗, 渡部直史, 藤井博史, 角永悠一郎, 樺山一哉, 深瀬浩一, 米倉義晴, 蜂須賀暁子, 平林容子. | アルファ線核医学治療のための薬剤開発の考察 (その 4) – First-in-Human臨床に向けた要件– | 医薬品医療機器レギュラトリーサイエンス | 51 (8) | 364-377 | 2020 |
| Kato Y, Yamamoto N, Hiramatsu N, Sato A, <u>Kojima H</u> | Inhouse Fabrication of a Reconstructed Human Cornea Epithelium Model for Use in Testing for Eye Irritation Potential | Applied in Vitro Toxicology | 6 | 99-106 | 2020 |
| 山田 隆志, 足利太可雄, 小島 肇, 広瀬 明彦 | AOP (Adverse Outcome Pathway; 有害性発現経路) に基づいた化学物質の安全性評価へ向けたチャレンジ | Yakugaku Zasshi | 140(4) | 481-484 | 2020 |
| 小島 肇 | OECD試験法ガイドライン開発におけるCERIの国際貢献 | CERI NEWS | 90 | 2-3 | 2020 |
| 小島 肇 | AOP及びIATAに基づく安全性評価手法の進捗 | JETOC 40周年記念誌 | | 71-101 | 2020 |
| Mizoi K, Arakawa H, Yano K, Koyama S, <u>Kojima H</u> , Ogihara T | Utility of Three-Dimensional Cultures of Primary Human Hepatocytes (Spheroids) as Pharmacokinetic Models | JBiomedicines | 8(10) | 374 | 2020 |
| Ide T, Mizuta Y, Akagi JI, Masumoto N, Sugimoto N, Sato K, <u>Ogawa K</u> , <u>Cho YM</u> | A 90-day repeated oral dose toxicity study of four stereoisomers of 2,4-dimethyl-4-phenyltetrahydrofuran, a synthetic flavoring substance, in F344 rats | Regul Toxicol Pharmacol | 114 | 104664 | 2020 |

| | | | | | |
|---|--|------------------|-----|-----------|------|
| Jacobs M, Colacci A, Corvi R, Vaccari M, Aguila MC, Corvaro M, Delrue N, Desaulniers D, Ertych N, Jacobs A, Luijten M, Madia F, <u>Nishikawa A</u> , <u>Ogawa K</u> , <u>Ohmori K</u> | Paparella M, Sharma AK, Vasseur P. Chemical carcinogen safety testing: OECD expert group international consensus on the development of an integrated approach for the testing and assessment of chemical non-genotoxic carcinogens | Arch Toxicol | 94 | 2899-2923 | 2020 |
| Takasu S, Ishii Y, Kijima A, <u>Ogawa K</u> , Umemura T | Furan induced characteristic glutathione S-transferase placental form-positive foci in terms of cell kinetics and gene expression. | Toxicol Pathol | 48 | 756-765 | 2020 |
| Nakamura, K, Ishii Y, Takasu S, Nohmi T, Shibusaki M, <u>Ogawa K</u> | Lack of <i>in vivo</i> mutagenicity of acetamide in a 13-week comprehensive toxicity study using F344 <i>gpt</i> delta rats | Toxicol Sci | 177 | 431-440 | 2020 |
| Tajima Y, <u>Toyoda T</u> , Hirayama Y, <u>Matsushita K</u> , Yamada T, <u>Ogawa K</u> , Watanabe K, Takamura-Enya T, Totsuka Y, Wakabayashi K, Miyoshi N | A novel <i>o</i> -toluidine metabolite in rat urine associated with urinary bladder carcinogenesis. | Chem Res Toxicol | 33 | 1907-1914 | 2020 |
| Suzuki S, Gi M, <u>Toyoda T</u> , Kato H, Naiki-Ito A, Kakehashi A, <u>Ogawa K</u> , Takahashi S, Wanibuchi H | Role of γ -H2AX as a biomarker for detection of bladder carcinogens in F344 rats | J Toxicol Pathol | 33 | 279-285 | 2020 |
| <u>Matsushita K</u> , <u>Toyoda T</u> , Yamada T, Morikawa T, <u>Ogawa K</u> | Comprehensive expression analysis of mRNA and microRNA for investigation of compensatory mechanisms in the rat kidney after unilateral nephrectomy | J Appl Toxicol | 40 | 1373-1383 | 2020 |

| | | | | | |
|--|--|---|---------|-----------|------|
| Yamada T, <u>Toyoda T</u> , <u>Matsushita K</u> , Morikawa T, <u>Ogawa K</u> | Dose dependency of γ -H2AX formation in the rat urinary bladder treated with genotoxic and nongenotoxic bladder carcinogens | J Appl Toxicol | 40 | 1219-1227 | 2020 |
| Furihata C, You X, <u>Toyoda T</u> , <u>Ogawa K</u> , Suzuki T | Using FFPE RNA-Seq with 12 marker genes to evaluate genotoxic and non-genotoxic rat hepatocarcinogens | Genes Environ. | 42 | 15 | 2020 |
| Kimura Y, Yasuno R, Watanabe M, Kobayashi M, Iwaki T, Fujimura C, Ohmiya Y, Yamakage K, Nakajima Y, Kobayashi M, Mashimo N, Takagi Y, Omori T, Corsini E, Germolec D, Inoue T, Rogen EL, Kojima H, <u>Aiba S</u> | An international validation study of the IL-2 Luc assay for evaluating the potential immunotoxic effects of chemicals on T cells and a proposal for reference data for immunotoxic chemicals | Toxicol In Vitro | 66 | 104832 | 2020 |
| Kimura Y, Fujimura C, Imagawa T, Lupisan SP, Saito-Obata M, Saito M, Oshitani H, <u>Aiba S</u> | Development of a novel in vitro assay to evaluate environmental water using an IL-8 reporter cell line | EXCLI J | 19 | 1054-1063 | 2020 |
| Iyama Y, Sato H, Seto Y, <u>Onoue S</u> | Strategic photosafety screening system consisting of in chemico photoreactivity and in vitro skin exposure for quinolone derivatives | European Journal of Pharmaceutical Sciences | 146(15) | 105257 | 2020 |
| Seto Y, Ohtake H, Sato H, <u>Onoue S</u> | Phototoxic risk assessment of dermally-applied chemicals with structural variety based on photoreactivity and skin deposition | Regulatory Toxicology and Pharmacology | 113 | 104619 | 2020 |
| 尾上誠良 | 薬剤性光線過敏症：光生物学的特徴とリスク評価 | 医薬品安全性学 | 6(1) | 1 | 2020 |

| | | | | | |
|---|--|-----------------------------|-------|---------|------|
| 尾上誠良 | 薬剤性光線過敏症の原因薬剤と発生機序 | 薬局 | 71(8) | 30 | 2020 |
| Shigeta Y, Iso T, Inoue K, <u>Yamada T</u> , Hirose A, Matsumoto M | Summary information of human health hazard assessment of existing chemical substances (VI) | Bull. Natl Inst. Haelth Sci | 138 | 33-39 | 2020 |
| Kawashima A, Inoue K, Yoshizaki Y, Ushida K, Kai K, Suzuki H, Takano M, Fujii S, Yabe K, Matsumoto M, <u>Yamada T</u> , Hirose A | Combined repeated-dose and reproductive/developmental oral toxicity of 3-methylpentane, isooctane, and isononane in rats | Fundam. Toxicol. Sci | 7 | 259-279 | 2020 |
| Yamazoe Y, <u>Yamada T</u> , Nagata K. | Prediction and Characterization of CYP3A4-mediated metabolisms of azole fungicides: an application of the fused-grid template system | Food Saf (Tokyo) | 8 | 34-51 | 2020 |
| Rovida C, Barton-Maclaren T, Benfenati E, Caloni F, Chandrasekera PC, Chesné C, Cronin MTD, De Knecht J, Dietrich DR, Escher SE, Fitzpatrick S, Flannery B, Herzler M, Hougaard Bennekou S, Hubesch B, Kamp H, Kisitu J, Kleinstreuer N, Kovarich S, Leist M, Maertens A, Nugent K, Pallocca G, Pastor M, Patlewicz G, Pavan M, Presgrave O, Smirnova L, Schwarz M, <u>Yamada T</u> , Hartung T | Internationalization of read-across as a validated new approach method (NAM) for regulatory toxicology | ALTEX | 37 | 579-606 | 2020 |

| | | | | | |
|---|--|-------------------------|----------|----------|------|
| 山田隆志 | IATAの実践および毒性データベースと <i>in silico</i> ツールの利用から学んだ知見 | フロンティア | 2(3) | 133-139 | 2020 |
| 尾上誠良, 上月裕一, 豊田明美, 笛木修, 細井一弘, 小島肇, 足利太可雄, 小野寺博志 | 光毒性評価の現状と課題 | Yakugaku Zasshi | 141 | 111-124 | 2021 |
| Imamura M, Wanibuchi S, Yamamoto Y, <u>Kojima H</u> , Ono A, Kasahara T, Fujita M | Improving predictive capacity of the Amino acid Derivative Reactivity Assay test method for skin sensitization potential with an optimal molar concentration of test chemical solution | J Appl Toxicol. | 41(2) | 303-329 | 2021 |
| <u>Nishikawa A</u> , Nagano K, <u>Kojima H</u> , <u>Ogawa K</u> | A comprehensive review of mechanistic insights into formaldehyde-induced nasal cavity carcinogenicity | Regul Toxicol Pharmacol | 123 | 104937 | 2021 |
| Ishii Y, Takasu S, Grúz P, Masumura K, <u>Ogawa K</u> , Nohmi T, Umemura T | The Role of DNA Polymerase ζ in Benzo[a]pyrene-induced Mutagenesis in the Mouse Lung. | Mutagenesis | In press | In press | 2021 |
| Nakamura K, Ishii Y, Takasu S, <u>Ogawa K</u> | A 90-day subchronic toxicity study of 5-methyl-2-phenyl-2-hexenal in F344 rats. | Food Chem Toxicol. | In press | In press | 2021 |
| Ide T, Cho YM, Oishi Y, <u>Ogawa K</u> | Spontaneous adenolipoma of the mammary gland in a male F344 rat | J Toxicol Pathol | In press | In press | 2021 |

| | | | | | |
|--|---|-------------------|-----|---------|------|
| Yasui M, Fukuda T, Ukai A, Maniwa J, Imamura T, Hashizume T, Yamamoto H, Shibuya K, Narumi K, Fujiishi Y, Okada E, Fujishima S, Yamamoto M, Otani N, Nakamura M, Nishimura R, Ueda M, Mishima M, Matsuzaki K, Takeiri A, Tanaka K, Okada Y, Nakagawa M, Hamada S, Kajikawa A, Honda H, Adachi J, Misaki K, <u>Ogawa K</u> , Honma M. | Weight of evidence approach using a TK gene mutation assay with human TK6 cells for follow-up of positive results in Ames tests: a collaborative study by MMS/JEMS. | Genes Environ. | 43 | 7 | 2021 |
| Yamamoto E, Taquahashi Y, Kuwagata M, Saito H, <u>Matsushita K</u> , <u>Toyoda T</u> , Sato F, Kitajima S, <u>Ogawa K</u> , Izutsu K-i, Saito Y, <u>Hirabayashi Y</u> , Iimura Y, Honma M, Okuda H, Goda Y | Visualizing the spatial localization of ciclesonide and its metabolites in rat lungs after inhalation of 1- μ m ciclesonide aerosol by desorption electrospray ionization-time of flight mass spectrometry imaging. Int | J Pharm | 595 | 120241 | 2021 |
| Kobayashi T, <u>Toyoda T</u> , Tajima Y, Kishimoto S, Tsunematsu Y, Sato M, <u>Matsushita K</u> , Yamada T, Shimamura Y, Masuda S, Ochiai M, <u>Ogawa K</u> , Watanabe K, Takamura-Enya T, Totsuka Y, Wakabayashi K, Miyoshi N. | <i>o</i> -Anisidine Dimer, 2-Methoxy- <i>N</i> ⁴ -(2-methoxyphenyl) Benzene-1,4-diamine, in Rat Urine Associated with Urinary bladder Carcinogenesis | Chem Res Toxicol. | 34 | 912-919 | 2021 |

| | | | | | |
|---|--|---------------------|-------|---------|------|
| <u>Matsushita K</u> , Ishii Y, Kijima A, Takasu S, Kuroda K, Takagi H, Nohmi T, <u>Ogawa K</u> , Umemura T. | Background data of 2-year-old male and female F344 <i>gpt</i> delta rats | J Toxicol Pathol | 34 | 23-31 | 2021 |
| Yamada T, <u>Toyoda T</u> , <u>Matsushita K</u> , <u>Cho YM</u> , Akagi J, Morikawa T, Mizuta Y, <u>Ogawa K</u> | Expression of stem cell markers as useful complementary factors in the early detection of urinary bladder carcinogens by immunohistochemistry for γ -H2AX | Arch Toxicol | 95 | 715-726 | 2021 |
| Yamada T, <u>Toyoda T</u> , Ide T, <u>Matsushita K</u> , Morikawa T, <u>Ogawa K</u> | Neuromuscular and vascular hamartoma of the small intestine in an F344 rat | J Toxicol Pathol | 34 | 113-117 | 2021 |
| <u>Matsushita K</u> , <u>Toyoda T</u> , Yamada T, Morikawa T, <u>Ogawa K</u> | Specific expression of survivin, SOX9, and CD44 in renal tubules in adaptive and maladaptive repair processes after acute kidney injury in rats | J Appl Toxicol | 41 | 607-617 | 2021 |
| Kimura Y, Fujimura C, <u>Aiba S</u> | The modified IL-8 Luc assay, an in vitro skin sensitisation test, can significantly improve the false-negative judgment of lipophilic sensitizers with $\log K_{ow}$ values > 3.5 | Arch Toxicol | 95(2) | 749-758 | 2021 |
| Rovida C, Escher SE, Herzler M, Hougaard Bennekou S, Kamp H, Kroese, DE, Maslankiewicz L, Moné MJ, Patlewicz G, Sipes, N, van Aerts L, White A, <u>Yamada T</u> , van de Water B. | NAM-supported read-across: From case studies to regulatory guidance in safety assessment | ALTEX | 38 | 140-150 | 2021 |

| | | | | | |
|---|---|---------------------|---|-------|------|
| Yamazoe Y, <u>Yamada T</u> , Hirose A, Murayama N. | Deciphering key interactions of ligands with CYP3A4-Template system | Food Saf (Tokyo) | 9 | 10-21 | 2021 |
| <u>Yamada T</u> , Kurimoto M, Hirose A, Yang C, Rathman J. | Development of a new threshold of toxicological concern database of non-cancer toxicity endpoints for industrial chemicals | Front. Toxicol | 3 | 1-9 | 2021 |