

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の	書籍名	出版社名	出版地	出版年	ページ
		編集者名					
小久保喜弘	脳卒中の動向	日本循環器病予防学会 監修／三浦克之・大久保孝義編	循環器病予防エビデンスブック Vol.1	医歯薬出版	東京	2021年	100-110

雑誌（原著論文）

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ 識別子	出版年
1	Imai Y, Mizuno Tanaka S, Satoh M, Hirata T, <u>Murakami Y</u> , Miura K, Waki T, Hirata A, Sairenchi T, Irie F, Sata M, Ninomiya T, Ohkubo T, Ishikawa S, Miyamoto Y, Ohnishi H, Saitoh S, Tamakoshi A, Yamada M, Kiyama M, Iso H, Sakata K, Nakagawa H, Okayama A, Ueshima H, Okamura T; Evidence for Cardiovascular Prevention From Observational Cohorts in Japan (EPOCH - Japan) Research Group.	Prediction of Lifetime Risk of Cardiovascular Disease Deaths Stratified by Sex in the Japanese Population	J Am Heart Assoc		doi: 10.1161/ JAHA.1 21.0217 53	2021

2	Li Y, Yatsuya H, Tanaka S, Iso H, Okayama A, Tsuji I, Sakata K, Miyamoto Y, Ueshima H, Miura K, <u>Murakami Y</u> , Okamura T.	Estimation of 10-Year Risk of Death from Coronary Heart Disease, Stroke, and Cardiovascular Disease in a Pooled Analysis of Japanese Cohorts: EPOCH-JAPAN	J Atheroscler Thromb	28(8)	816-825	2021
3	Satoh M, Ohkubo T, Asayama K, <u>Murakami Y</u> , Sugiyama D, Waki T, Tanaka-Mizuno S, Yamada M, Saitoh S, Sakata K, Irie F, Sairenchi T, Ishikawa S, Kiyama M, Okayama A, Miura K, Imai Y, Ueshima H, Okamura T; Evidence for Cardiovascular Prevention from Observational Cohorts in Japan (EPOCH-JAPAN) Research Group.	A Combination of Blood Pressure and Total Cholesterol Increases the Lifetime Risk of Coronary Heart Disease Mortality: EPOCH-JAPAN.	J Atheroscler Thromb	28(1)	6-24	2021
4	Nakazawa T, et al.	Multiple-region grey matter atrophy as a predictor for the development of dementia in a community: the Hisayama Study	J Neurol Neurosurg Psychiatry	93	263-271	2022
5	Honda T, et al.	Development and validation of a risk prediction model for atherosclerotic cardiovascular disease in Japanese adults: the	J Atheroscler Thromb	29	345-361	2022

		Hisayama Study				
6	Honda T, et al.	Changes in body weight and concurrent changes in cardiovascular risk profiles in community residents in Japan: the Hisayama Study	J Atheroscler Thromb	29	252-267	2022
7	Honda T, et al.	Development of a dementia prediction model for primary care: the Hisayama Study	Alzheimers Dement (Amst)	13	e12221	2021
8	Oishi E, et al.	Development of a risk prediction model for incident hypertension in Japanese individuals: the Hisayama Study	Hypertens Res	44	1221-1229	2021
9	Sasaki T, et al.	N-terminal pro-B-type natriuretic peptide and incident CKD	Kidney Int Rep	6	976-985	2021
10	Yoshinari M, et al.	Comparison of the contributions of impaired beta cell function and insulin resistance to the development of type 2 diabetes in a Japanese community: the Hisayama Study	Diabetologia	64	1775-1784	2021

11	Sasaki T, et al.	Serum NT-proBNP levels and histopathological myocardial fibrosis in autopsied cases from a Japanese community: the Hisayama Study	J Cardiol	78	237-243	2021
12	Yamasaki K, et al.	Urinary N-terminal pro-B-type natriuretic peptide as a biomarker for cardiovascular events in a general Japanese population: the Hisayama Study	Environ Health Prev Med	26	47	2021
13	Nakamura K, et al.	Midlife and late-life diabetes and sarcopenia in a general older Japanese population: the Hisayama Study	J Diabetes Investig	12	1899-1907	2021
14	Hata J, et al.	Risk prediction model for incident atrial fibrillation in a general Japanese population: the Hisayama Study	Circ J	85	1373-1382	2021
15	Yoshikawa T, et al.	Serum high-sensitivity C-reactive protein levels and the development of atrial fibrillation in a general Japanese population: the Hisayama Study	Circ J	85	1365-1372	2021
16	Chen S, et al.	High serum folate concentrations are associated with decreased risk of mortality among Japanese adults	J Nutr	151	657-665	2021

17	Shibata M, et al.	Emotional loneliness is associated with a risk of dementia in a general Japanese older population: the Hisayama Study	J Gerontol B Psychol Sci Soc Sci	76	1756-1766	2021
18	Kimura Y, et al.	Dietary fiber intake and risk of type 2 diabetes in a general Japanese population: the Hisayama Study	J Diabetes Investig	12	527-536	2021
19	Nakamura K, et al.	Prevalence and mortality of sarcopenia in a community-dwelling older Japanese population: the Hisayama Study	J Epidemiol	31	320-327	2021
20	Higashioka M, et al.	The Association of Small Dense Low-Density Lipoprotein Cholesterol and Coronary Heart Disease in Subjects at High Cardiovascular Risk	J Atheroscler Thromb	28	79-89	2021
21	Ohi T, Murakami T, Komiyama T, Miyoshi Y, Endo K, Hiratsuka T, Satoh M, Asayama K, Inoue R, Kikuya M, Metoki H, Hozawa A, Imai Y, Watanabe M, <u>Ohkubo T</u> , Hattori Y.	Oral health-related quality of life is associated with the prevalence and development of depressive symptoms in older Japanese individuals: The Ohasama Study	Gerodontology		doi: 10.1111/ger.12557	2021

22	Nakayama S, Satoh M, Metoki H, Murakami T, Asayama K, Hara A, Hirose T, Kanno A, Inoue R, Tsubota-Utsugi M, Kikuya M, Mori T, Hozawa A, Imai Y, <u>Ohkubo T.</u>	Lifetime risk of stroke stratified by chronic kidney disease and hypertension in the general Asian population: the Ohasama study	Hypertens Res	44(7)	866-873	2021
23	Nishikawa T, Akiguchi I, Satoh M, Hara A, Hirano M, Hosokawa A, Metoki H, Asayama K, Kikuya M, Nomura K, Hozawa A, Miyamatsu N, Imai Y, <u>Ohkubo T.</u>	The association of disproportionately enlarged subarachnoid space hydrocephalus with cognitive deficit in a general population: the Ohasama study	Scientific Reports	11(1)	17061	2021
24	Yamada H, Suzuki K, Fujii R, Kawado M, Hashimoto S, Watanabe Y, <u>Iso H</u> , Fujino Y, Wakai K, Tamakoshi A.	Circulating miR-21, miR-29a, and miR-126 are associated with premature death risk due to cancer and cardiovascular disease: the JACC Study.	Sci Rep.	11(1)	5298	2021
25	Kushima T, Yamagishi K, Kihara T, Tamakoshi A, <u>Iso H</u> ; JACC Study Group.	Physical Activity and Risk of Mortality from Heart Failure among Japanese Population.	J Atheroscler Thromb		in press	2021

26	Takada M, Yamagishi K, Tamakoshi A, <u>Iso H</u> ; JACC Study Group.	Height and Mortality from Aortic Aneurysm and Dissection.	J Atheroscler Thromb		in press	2021
27	Tang J, Dong JY, Eshak ES, Cui R, Shirai K, Liu K, Sakaniwa R, Tamakoshi A, <u>Iso H</u> , On Behalf Of The Jacc Study Group.	Supper Timing and Cardiovascular Mortality: The Japan Collaborative Cohort Study	Nutrients	13(10)	3389	2021
28	Gao Q, Eshak ES, Muraki I, Shirai K, Yamagishi K, Tamakoshi A, <u>Iso H</u> .	The apparent inverse association between dietary carotene intake and risk of cardiovascular mortality disappeared after adjustment for other cardioprotective dietary intakes: The Japan collaborative cohort study	Nutr Metab Cardiovasc Dis	31(11)	3064- 3075	2021
29	Matsunaga M, Yatsuya H, Iso H, Li Y, Yamagishi K, Tanabe N, Wada Y, Ota A, Tamakoshi K, <u>Tamakoshi A</u> ; JACC Study Group.	Impact of Body Mass Index on Obesity-Related Cancer and Cardiovascular Disease Mortality; The Japan Collaborative Cohort Study	J Atheroscler Thromb		Online ahead of print.	2021
30	Arafa A, Eshak ES, Shirai K, Muraki I, <u>Tamakoshi A</u> , Iso H; JACC Study Group.	Dairy intake and the risk of esophageal cancer: the JACC Study	J Epidemiol		online ahead of print	2022
31	Yan F, Eshak ES, Shirai K, Dong JY, Muraki I, <u>Tamakoshi A</u> , Iso H.	Soy Intake and Risk of Type 2 Diabetes Among Japanese Men and Women: JACC Study	Front Nutr	8	813742	2022

32	Meishuo O, Eshak ES, Muraki I, Cui R, Shirai K, Iso H, <u>Tamakoshi A.</u>	Association between Dietary Manganese Intake and Mortality from Cardiovascular Disease in Japanese Population: The Japan Collaborative Cohort Study	J Atheroscler Thromb		online ahead of print	2022
33	Eshak ES, Noda H, <u>Tamakoshi A.</u> , Iso H.	Walking time, sports activity, job type, and body posture during work in relation to incident colorectal cancer: the JACC prospective cohort study	Cancer Causes Control	33(3)	473-481	2022
34	Teramoto M, Iso H, Wakai K, <u>Tamakoshi A.</u>	Secondhand Smoke Exposure during Childhood and Cancer Mortality in Adulthood among Never Smokers: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk	Am J Epidemiol		online ahead of print	2021
35	Arafa A, Eshak ES, Dong JY, Shirai K, Muraki I, Iso H, <u>Tamakoshi A.</u> ; JACC Study Group.	Dairy intake and the risk of pancreatic cancer: the Japan Collaborative Cohort Study (JACC Study) and meta-analysis of prospective cohort studies	Br J Nutr		online ahead of print	2021
36	Mikami K, Ozasa K, Miki T, Watanabe Y, Mori M, Kubo T, Suzuki K, Wakai K, Nakao M, <u>Tamakoshi A.</u> ; JACC Study Group.	Dairy products and the risk of developing prostate cancer: A large-scale cohort study (JACC Study) in Japan	Cancer Med	10(20)	7298-7307	2021

37	Adachi Y, Nojima M, Mori M, Himori R, Kubo T, Akutsu N, Lin Y, Kurozawa Y, Wakai K, <u>Tamakoshi A</u> ; Japan Collaborative Cohort Study.	Insulin-Like Growth Factor 2 and Incidence of Liver Cancer in a Nested Case-Control Study	Cancer Epidemiol Biomarkers Prev	30(11)	2130-2135	2021
38	Arafa A, <u>Kokubo Y</u> , Sheerah HA, Sakai Y, Watanabe E, Li J, Kohmo KH, Teramoto M, Nakao YM, Koga M.	Developing a Stroke Risk Prediction Model Using Cardiovascular Risk Factors: The Suita Study -- Stroke Risk in Urban Population	Cerebrovascular Diseases		In press	2021
39	Arafa A, <u>Kokubo Y</u> , Sheerah HA, Sakai Y, Watanabe E, Li J, Honda-Kohmo K, Teramoto M, Kashima R, Koga M.	Weight Change Since Age 20 and the Risk of Cardiovascular Disease Mortality: A Prospective Cohort Study	J Atheroscler Thromb		doi: 10.5551/jat.63191	2021
40	Kobayashi T, <u>Kokubo Y</u> , Higashiyama A, Watanabe M, Nakao YM, Kamakura S, Kusano K, Miyamoto Y.	Uric acid and incident atrial fibrillation of 14 years population-based cohort study: The Suita Study	J Arrhythm	37	1215-1219	2021
41	Kosaka T, Ono T, Kida M, Fushida S, Nokubi T, <u>Kokubo Y</u> , Watanabe M, Miyamoto Y, Ikebe K.	Deterioration of periodontal status affects declines in masticatory performance: The Suita study	J Clin Periodontol	48	1208-1215	2021

42	Higashiyama A, Wakabayashi I, Okamura T, <u>Kokubo Y</u> , Watanabe M, Takegami M, Kohmo KH, Okayama A, Miyamoto Y.	The Risk of Fasting Triglycerides and its Related Indices for Ischemic Cardiovascular Diseases in Japanese Community Dwellers: the Suita Study	J Atheroscler Thromb		doi: 10.5551/jat.62730	2021
43	Brouwers S, Sudano I, <u>Kokubo Y</u> , Sulaica EM.	Arterial hypertension	Lancet	398	249-261	2021
44	Hashimoto S, Kosaka T, Nakai M, Kida M, Fushida S, <u>Kokubo Y</u> , Watanabe M, Higashiyama A, Ikebe K, Ono T, Miyamoto Y.	A lower maximum bite force is a risk factor for developing cardiovascular disease: the Suita study.	Sci Rep	11	7671	2021
45	Hirata A, Okamura T, Hirata T, Sugiyama D, Ohkubo T, Okuda N, Kita Y, Hayakawa T, Kadota A, Kondo K, <u>Miura K</u> , Okayama A, Ueshima H.	Relationship between non-fasting triglycerides and cardiovascular disease mortality in a 20-year follow-up study of a Japanese general population: NIPPON DATA90	J Epidemiol		doi: 10.2188/jea.JE20200399	2021
46	Kogure M, Tsuchiya N, Narita A, Hirata T, Nakaya N, Nakamura T, Hozawa A, Hayakawa T, Okuda N, Miyagawa N, Kadota A, Ohkubo T, Murakami Y, Sakata K, <u>Miura K</u> , Okayama A, Okamura T,	Relationship Between Calcium Intake and Impaired Activities of Daily Living in a Japanese Population: NIPPON DATA90	J Epidemiol	31(2)	119-124	2021

	Ueshima H.					
47	Okami Y, Ueshima H, Nakamura Y, Kondo K, Kadota A, Okuda N, Ohkubo T, Miyamatsu N, Okamura T, <u>Miura K</u> , Okayama A; NIPPON DATA80 Research Group.	Risk Factors That Most Accurately Predict Coronary Artery Disease Based on the Duration of Follow-up - NIPPON DATA80	Circ J	85(6)	908-913	2021
48	Nagata H, <u>Miura K</u> , Tanaka S, Kadota A, Hayakawa T, Kondo K, Fujiyoshi A, Takashima N, Kita Y, Okayama A, Okamura T, Ueshima H.	Relationship of higher-level functional capacity with long-term mortality in Japanese older people: NIPPON DATA90	J Epidemiol		doi: 10.2188 /jea.JE2 0210077	2021
49	Liu Y, Hirata A, Okamura T, Sugiyama D, Hirata T, Kadota A, Kondo K, Ohkubo T, <u>Miura K</u> , Okayama A, Ueshima H.	Impact of resting heart rate on cardiovascular mortality according to serum albumin levels in a 24-year follow-up study on a general Japanese population: NIPPON DATA80	J Epidemiol		doi: 10.2188 /jea.JE2 0210114	2021

50	Furuhashi M, Higashiura Y, Sakai A, Koyama M, Tanaka M, Saitoh S, Shimamoto K, <u>Ohnishi H.</u>	Plasma Tsukushi Concentration Is Associated with High Levels of Insulin and FGF21 and Low Level of Total Cholesterol in a General Population without Medication	Metabolites	12(3)	doi: 10.3390 / metabo12030237	2022
51	Tanaka M, Takahashi S, Higashiura Y, Sakai A, Koyama M, Saitoh S, Shimamoto K, <u>Ohnishi H.</u> , Furuhashi M.	Circulating level of fatty acid-binding protein 4 is an independent predictor of metabolic dysfunction-associated fatty liver disease in middle-aged and elderly individuals	J Diabetes Investig		doi: 10.1111/jdi.13735	2021
52	Furuhashi M, Sakai A, Tanaka M, Higashiura Y, Mori K, Koyama M, <u>Ohnishi H.</u> , Saitoh S, Shimamoto K.	Distinct Regulation of U-ACE2 and P-ACE2 (Urinary and Plasma Angiotensin-Converting Enzyme 2) in a Japanese General Population	Hypertension	78	doi: 10.1161/HYPERTENSI ONAHA.121.17674	2021
53	Ito K, Tomata Y, Obuchi S, Kawai H, Zhang S, Sone T, Sugawara Y, <u>Tsuji I.</u>	Time spent walking and disability-free survival in older Japanese: the Ohsaki Cohort 2006 Study	Scandinavian Journal of Medicine and Science in Sports		doi: 10.1111/sms.14150	2022
54	Lu Y, Matsuyama S, Sugawara Y, Sone T, <u>Tsuji I.</u>	Dairy intake and incident functional disability among older Japanese adults: the Ohsaki Cohort 2006 Study	European Journal of Nutrition		doi: 10.1007 /s00394-022-02843-w	2022

55	Matsuyama S, Lu Y, Aida J, Tanji F, <u>Tsuji I.</u>	Association between number of remaining teeth and healthy aging in Japanese older people: The Ohsaki Cohort 2006 Study	Geriatrics & Gerontology International	22(1)	68-74	2022
56	Lu Y, Matsuyama S, Tanji F, Otsuka T, Tomata Y, <u>Tsuji I.</u>	Social Participation and Healthy Aging among the Elderly Japanese: the Ohsaki Cohort 2006 Study	Journal of Gerontology, Series A: Biological Sciences and Medical Sciences	77(1)	106-113	2022
57	Lu Y, Matsuyama S, Murakami Y, Sugawara Y, <u>Tsuji I.</u>	Sleep Duration and Disability-Free Life Expectancy Among Japanese Older Adults: The Ohsaki Cohort 2006 Study	Journal of the American Medical Directors Association	S1525-8610(21)01019-7	doi: 10.1016/j.jamda.2021.11.032	2021
58	Lu Y, Sugawara Y, Matsuyama S, Fukao A, <u>Tsuji I</u>	Association of dairy intake with all-cause, cancer, and cardiovascular disease mortality in Japanese adults: a 25-year population-based cohort	European Journal of Nutrition		doi: 10.1007/s00394-021-02734-6	2021
59	Matsuyama S, Murakami Y, Lu Y, Sone T, Sugawara Y, <u>Tsuji I</u>	Association between social participation and disability-free life expectancy in Japanese older people: the Ohsaki Cohort 2006 Study	Journal of Epidemiology		doi: 10.2188/jea.JE20200574	2021
60	Otsuka T, Tomata Y, Sugawara Y, <u>Tsuji I</u>	Association between weight loss since the age of 20 years and the risk of suicide death: A population-based cohort study	Journal of Affective Disorders	292	746-750	2021

61	Yamazaki T, Sugawara Y, Sone T, <u>Tsuji I</u>	Subgroup characteristics of the association between volunteering and the risk of functional disability among older Japanese people: The Tsurugaya project	Archives of Gerontology and Geriatrics	96	104465	2021
62	Sone T, Sugawara Y, Tanji F, Nakaya N, Tomita H, <u>Tsuji I</u>	The association between psychological distress and risk of incident functional disability in elderly survivors after the Great East Japan Earthquake: The mediating effect of lifestyle and bodily pain	Journal of Affective Disorders	295	552-558	2021
63	<u>Sakurai M</u> , Ishizaki M, Morikawa Y, Kido T, Naruse Y, Nakashima Y, Okamoto C, Nogawa K, Watanabe Y, Suwazono Y, Hozawa A, Yoshita K, Nakagawa H.	Frequency of consumption of balanced meals, body weight gain, and incident risk of glucose intolerance in Japanese men and women: a cohort study	J Diabetes Invest	12 (5)	763-770	2021
64	Yamasaki N, <u>Sakurai M</u> , Kobayashi J, Morikawa Y, Kido T, Naruse Y, Nogawa K, Suwazono Y, Ishizaki M, Nakagawa H.	The association between anthropometric indices of obesity and chronic kidney disease in middle-aged Japanese men and women: A cohort study	Intern Med	60 (13)	2007-2015	2021
65	<u>Yamada M</u> , Kato N, Kitamura H, Ishihara K, Hida A.	Cognitive function among elderly survivors prenatally exposed to atomic bombings	Am J Med	134(4)	e264-e267	2021

66	Yoshida K, Misumi M, Kusunoki Y, <u>Yamada M.</u>	Longitudinal changes in red blood cell distribution width decades after radiation exposure in atomic-bomb survivors	Br J Haematol	193(2)	406-409	2021
67	Nakamizo T, Cologne J, Cordova K, <u>Yamada M.</u> , Takahashi T, Misumi M, et al.	Radiation effects on atherosclerosis in atomic bomb survivors: a cross-sectional study using structural equation modeling	Eur J Epidemiol.	36(4)	401-414	2021
68	<u>Yamada M.</u> , Furukawa K, Tatsukawa Y, Marumo K, Funamoto S, Sakata R, Ozasa K, Cullings HM, Preston DL, Kurttio P.	Congenital Malformations and Perinatal Deaths among the Children of Atomic Bomb Survivors: A Reappraisal	Am J Epidemiol	190(11)	2323-2333	2021
69	<u>Yamada M.</u> , Furukawa K, Tatsukawa Y, Marumo K, Funamoto S, Sakata R, Ozasa K, Cullings HM, Preston DL, Kurttio P.	Respond to "Radiation and Reproductive Health"	Am J Epidemiol	190(11)	2337-2338	2021
70	Pasqual E, Boussin F, Bazyka D, Nordenskjold A, <u>Yamada M.</u> , Ozasa K, Pazzaglia S, Roy L, Thierry-Chef I, Vathaire F, Benotmane MA, Cardis E.	Cognitive effects of low dose of ionizing radiation - Lessons learned and research gaps from epidemiological and biological studies	Environ Int	147	106295	2021

71	Tatsukawa Y, Cordova KA,_ <u>Yamada M</u> , Ohishi W, Imaizumi M, Hida A, Sposto R, Sakata R, Fujiwara S, Nakanishi S, Yoneda M.	Incidence of diabetes in the atomic bomb survivors: 1969-2015	J Clin Endocrinol Metab		doi: 10.1210 /clinem/ dgab902	2021
72	Takahashi S, Tanno K, Yonekura Y, Ohsawa M, Kuribayashi T, Ishibashi Y, Omama S, Tanaka F, Onoda T, <u>Sakata K</u> , Koshiyama M, Itai K, Okayama A.	Low educational level increases functional disability risk subsequent to heart failure in Japan: On behalf of the Iwate KENCO study group	PLoS One	16(6)	e025301 7	2021
73	Kikuchi Y, Tanaka F, Nakamura M, Tanno K, Onoda T, Ohsawa M, <u>Sakata K</u> , Omama S, Ogasawara K, Yonekura Y, Itai K, Kuribayashi T, Ishigaki Y, Okayama A, Asahi K; Iwate- Kenco Study Group.	Utility of urinary albumin excretion as an index for stratifying the residual cardiovascular risk in patients undergoing antihypertensive agents treatment	J Hypertens	39(12)	2431- 2438	2021

74	Tanno K, Yonekura Y, Okuda N, Kuribayashi T, Yabe E, Tsubota-Utsugi M, Omama S, Onoda T, Ohsawa M, Ogasawara K, Tanaka F, Asahi K, Itabashi R, Ito S, Ishigaki Y, Takahashi F, Koshiyama M, Sasaki R, Fujimaki D, Takanashi N, Takusari E, <u>Sakata K</u> , Okayama A.	Association between milk intake and incident stroke among Japanese community dwellers: The Iwate-KENCO Study	Nutrients	13(11)	3781	2021
75	Aoki S, Yamagishi K, Maruyama K, Kishida R, Ikeda A, Umesawa M, Renzhe C, Kubota Y, Hayama-Terada M, Shimizu Y, Muraki I, Imano H, Sankai T, Okada T, Kitamura A, <u>Kiyama M</u> , Iso H.	Dietary intake of tocopherols and risk of incident disabling dementia	Sci Rep	11(1)	doi: 10.1038/s41598-021-95671-7	2021
76	Li Y, Cui R, Liu K, Eshak ES, Cui M, Dong J, Imano H, Muraki I, <u>Kiyama M</u> , Kitamura A, Okada T, Yamagishi K, Umesawa M, Ohira T, Iso H; CIRCS investigators.	Relationship between Endothelial Dysfunction and Prevalence of Chronic Kidney Disease: The Circulatory Risk in Communities Study (CIRCS)	J Atheroscler Thromb	28(6)	doi: 10.5551/jat.56424	2021

77	Jinnouchi H, Matsudaira K, Kitamura A, Kakihana H, Oka H, Hayama-Terada M, Yamagishi K, <u>Kiyama M</u> , Iso H; CIRCS Investigators.	Effects of brief self- exercise education on the management of chronic low back pain: A community- based, randomized, parallel-group pragmatic trial	Mod Rheumatol	31(4)	doi: 10.1080 /143975 95.2020. 1823603	2021
78	Kakihana H, Jinnouchi H, Kitamura A, Matsudaira K, _ <u>Kiyama M</u> , Hayama-Terada M, Muraki I, Kubota Y, Yamagishi K, Okada T, Imano H, Iso H.	Overweight and Hypertension in Relation to Chronic Musculoskeletal Pain Among Community- Dwelling Adults: The Circulatory Risk in Communities Study (CIRCS)	J Epidemiol	31(11)	doi: 10.2188 /jea.JE2 0200135	2021
79	Chichibu H, Yamagishi K, Kishida R, Maruyama K, Hayama-Terada M, Shimizu Y, Muraki I, Umesawa M, Cui R, Imano H, Ohira T, Tanigawa T, Sankai T, Okada T, Kitamura A, <u>Kiyama M</u> , Iso H.	Seaweed Intake and Risk of Cardiovascular Disease: The Circulatory Risk in Communities Study (CIRCS)	J Atheroscler Thromb	28(12)	doi: 10.5551 /jat.613 90	2021

80	Iso H, Cui R, Takamoto I, <u>Kiyama M</u> , Saito I, Okamura T, Miyamoto Y, Higashiyama A, Kiyohara Y, Ninomiya T, Yamada M, Nakagawa H, Sakurai M, Shimabukuro M, Higa M, Shimamoto K, Saito S, Daimon M, Kayama T, Noda M, Ito S, Yokote K, Ito C, Nakao K, Yamauchi T, Kadowaki T.	Risk Classification for Metabolic Syndrome and the Incidence of Cardiovascular Disease in Japan With Low Prevalence of Obesity: A Pooled Analysis of 10 Prospective Cohort Studies	J Am Heart Assoc	10(23)	doi: 10.1161/JAHA.121.020760	2021
81	Kudo A, Kitamura A, Imano H, Cui R, Umesawa M, Yamagishi K, Ohira T, Muraki I, Hayama-Terada M, <u>Kiyama M</u> , Iso H; for CIRCS Investigators.	Salt taste perception and blood pressure levels in population-based samples: the Circulatory Risk in Communities Study (CIRCS)	Br J Nutr	125(2)	doi: 10.1017/S000714520002640	2021
82	Tezuka K, Kubota Y, Ohira T, Muraki I, Hayama-Terada M, Shimizu Y, Imano H, Okada T, <u>Kiyama M</u> , Iso H.	Impact of Perceived Social Support on the Association Between Anger Expression and the Risk of Stroke: The Circulatory Risk in Communities Study (CIRCS)	J Epidemiol	Online ahead of print.	doi: 10.2188/jea.JE2020060	2021

83	Sato F, Nakamura Y, Kayaba K, <u>Ishikawa S.</u>	Hemoglobin concentration and the incidence of stroke in the general Japanese population: the Jichi Medical School Cohort Study	J Epidemiol	32	125-130	2022
84	Izumida T, Nakamura Y, Sato Y, <u>Ishikawa S.</u>	The Association between Sleeping Pill Use and Metabolic Syndrome in an Apparently Healthy Population in Japan: JMS-II Cohort Study	J Epidemiol	32	145-150	2022
85	Sakamaki T, Kayaba K, Kotani K, Namekawa M, Hamaguchi T, Nakaya N, <u>Ishikawa S.</u>	Coffee consumption and mortality in Japan with 18 years of follow-up: the Jichi Medical School Cohort Study	Public Health	191	23-30	2021
86	Kojo T, Ae R, Kosami K, <u>Ishikawa S.</u> , Innami I.	Prevention paradox between stroke and multiple potential risk factors using data from a population-based cohort study	Preventive Medicine	153	106857	2021
87	Terabe M, Kitajima T, Ota A, <u>Yatsuya H.</u> , Iwata N.	Association between long-term alcohol consumption and insomnia symptoms in civil servants: Aichi Workers' Cohort Study. Workers' Cohort Study	Fujita Med J		doi: 10.20407/fmj.2021-015	2021
88	Shimoda M, Kaneko K, Nakagawa T, et al.	Relationship between fasting blood glucose levels in middle age and cognitive function in later life: The Aichi Workers' Cohort Study -JAPAN	J Epidemiol		doi: 10.2188/jea.JE20210128	2021

89	Eshak ES, Baba S, <u>Yatsuya H</u> , et al.	Work and Family Conflicts, Depression, and "Ikigai": A Mediation Analysis in a Cross-Cultural Study Between Japanese and Egyptian Civil Workers	J Epidemiol		doi: 10.2188 /jea.JE2 0210338	2021
90	大庭真梨, 鈴木智子, <u>村上義孝</u> . EPOCH-JAPAN 研究グループ.	循環器疫学における経時曝露情報を用いたデータ解析法	日循協誌	57	35-41	2022