

### III. 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

雑 誌

Terui K, Furukawa T, Nagata K, Hayakawa M, Okuyama H, Amari S, Yokoi A, Masumoto K, Yamoto M, Okazaki T, Inamura N, Toyoshima K, Uchida K, Okawada M, Sato Y, Usui N	Best pre-ductal PaO <sub>2</sub> prior to extracorporeal membrane oxygenation as predictor of mortality in patients with congenital diaphragmatic hernia: a retrospective analysis of a Japanese database.	Pediatr Surg Int	37	1667-1673	2021
Terui K, Tazuke Y, Nagata K, Ito M, Okuyama H, Hayakawa M, Taguchi T, Sato M, Usui N,	Weight gain velocity and adequate amount of nutrition for infants with congenital diaphragmatic hernia.	Pediatr Surg Int	37	205-212	2021
Ito M, Terui K, Nagata K, Yamoto M, Shiraishi M, Okuyama H, Yoshida H, Urushihara N, Toyoshima K, Hayakawa M, Taguchi T, Usui N.	Clinical guidelines for the treatment of congenital diaphragmatic hernia: The Japanese Congenital Diaphragmatic Hernia Study Group”	Pediatr Int	64	371-390	2021
Kawanishi Y, Endo M, Fujii M, Masuda T, Usui N, Nagata K, Hayakawa M, Terui K, Amari S, Masumoto K, Okazaki T, Inamura N, Urushihara N, Toyoshima K, Uchida K, Furukawa T, Okawada M, Yokoi A, Taguchi T, Okuyama H	Optimal timing of delivery for prenatally diagnosed congenital diaphragmatic hernia: a propensity-score analysis using the inverse probability of treatment weighting	J Perinatol	41	1893-1900	2021
Fuyuki M, Usui N, Taguchi T, Hayakawa M, Masumoto K, Kanamori Y, Amari S, Yamoto M, Urushihara N, Inamura N, Yokoi A, Okawada M, Okazaki T, Toyoshima K, Furukawa T, Terui K, Ohfuji S, Tazuke Y, Uchida K, Okuyama H.	Prognosis of conventional vs. high-frequency ventilation for congenital diaphragmatic hernia: a retrospective cohort study	J Perinatol	41	814-823	2021
Yamoto M, Ohfuji S, Urushihara N, Terui K, Nagata K, Taguchi T, Hayakawa M, Amari S, Masumoto K, Okazaki T, Inamura N, Toyoshima K, Uchida K, Furukawa T, Okawada M, Yokoi A, Kanamori Y, Usui N, Tazuke Y, Saka R, Okuyama H, Japanese Congenital Diaphragmatic Hernia Study G	Optimal timing of surgery in infants with prenatally diagnosed isolated left-sided congenital diaphragmatic hernia: a multicenter, cohort study in Japan.	Surg Today	51	880-890	2021

Okawada M, Ohfuji S, Yamoto M, Urushihara N, Terui K, Nagata K, Taguchi T, Hayakawa M, Amari S, Masumoto K, Okazaki T, Inamura N, Toyoshima K, Inoue M, Furukawa T, Yokoi A, Kanamori Y, Usui N, Tazuke Y, Saka R, Okuyama H.	Thoracoscopic repair of congenital diaphragmatic hernia in neonates: findings of a multicenter study in Japan	Surg Today	51	1694-1702	2021
Aoki H, Miyazaki O, Irahara S, Okamoto R, Tsutsumi Y, Miyasaka M, Sago H, Kanamori Y, Suzuki Y, Morimoto N, Nosaka S.	Value of parametric indexes to identify tracheal atresia with or without fistula on fetal magnetic resonance imaging.	Pediatr Radiol.	51	2027-2037	2021
Morimoto N, Maekawa T, Kubota M, Kitamura M, Takahashi N, Kubota M	Challenge for management without tracheostomy tube after laryngo-tracheal separation in children with neurological disorders.	Laryngoscope Investigative Otolaryngology	6	332-339	2021
高橋 希, 奥羽 譲, 富里周大, 守本倫子	気管切開カニューレ抜去前に気管孔上部形成術を必要とした小児例の検討	日気食会報	72	115-123	2021
Mochizuki K, Yokoi A, Urushihara N, Yabe K, Nakashima H, Kitagawa N, Maeda K, Fukumoto K, Shinkai M.	Characteristics and treatment of congenital esophageal stenosis: A retrospective collaborative study from three Japanese children's hospitals.	J Pediatr Surg	56 (10)	1771-1775	2021
Fujieda Y, Morita K, Fukuzawa H, Maeda K.	Histological features of complete tracheal rings in congenital tracheal stenosis	Pediatr Surg Int	37 (2)	257-260	2021
Nozawa A, Ozeki M, Yasue S, Endo S, Noguchi K, Kanayama T, Tomita H, Aoki Y, Ohnishi H.	Characterization of kaposiform lymphangiomatosis tissue-derived cells.	Pediatr Blood Cancer		e29086	2021
Miyazaki T, Ozeki M, Sasai H, Ohnishi H.	Propranolol for infantile hemangiomas with hyperinsulinemic hypoglycemia.	Pediatr Int	63(6)	724-725	2021
Yasue S, Ozeki M, Endo S, Ishihara T, Nishiguchi-Kurimoto M, Jinnin M, Kawamura M, Seishima M, Ohnishi H.	Validation of measurement scores for evaluating vascular anomaly skin lesions.	J Dermatol	48(7)	993-998	2021

Nakamura F, Kato H, Ozeki M, Matsuo M.	CT and MRI Findings of Focal Splenic Lesions and Ascites in Generalized Lymphatic Anomaly, Kaposiform Lymphangiomatosis, and Gorham-Stout Disease.	J Clin Imaging Sci	14(11)	44-44	2021
Teizaburo Mori, Akihiro Fujino, Masataka Takahashi, Ryoya Furugane, Tamotsu Kobayashi, Motohiro Kano, Akihiro Yoneda, Yutaka Kanamori, Ryutarō Suzuki, Kentaro Nishi, Koichi Kamei, Masayuki Kitamura	Successful endoscopic surgical treatment of pleuropertitoneal communication in two infant cases	Surg Case Rep	7(1)	181	2021
Watanabe K, Yamaguchi T, Suzuki S, Suzuki T, Nakayama K, Demura S, Taniguchi Y, Yamamoto T, Sugawara R, Sato T, Fujiwara K, Murakami H, Akazawa T, Kakutani K, Hirano T, Yanagida H, Watanabe K, Matsumoto M, Uno K, Kotani T, Takeshita K, Ohara T, Kawakami N; Japan Spinal Deformity Institute Study Group.	Surgical Site Infection following Primary Definitive Fusion for Pediatric Spinal Deformity: A Multicenter Study of Rates, Risk Factors, and Pathogens.	Spine (Phila Pa 1976).	Aug 15;46(16)	1097-1104	2021
Taniguchi Y, Ohara T, Suzuki S, Watanabe K, Suzuki T, Uno K, Yamaguchi T, Yanagida H, Nakayama K, Kotani T, Watanabe K, Hirano T, Yamamoto T, Kawamura I, Sugawara R, Takeshita K, Demura S, Oku N, Sato T, Fujiwara K, Akazawa T, Murakami H, Kakutani K, Matsubayashi Y, Kawakami N	Incidence and Risk Factors for Unplanned Return to the Operating Room Following Primary Definitive Fusion for Pediatric Spinal Deformity: A Multicenter Study with Minimum Two-Year Follow-Up.	Spine (Phila Pa 1976).	Apr 15;46(8)	E498-E504	2021