

別添5

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
<u>Hirabayashi Y</u> , Maki K, Kinoshita K, Nakazawa T, Obika S, Naota M, Watanabe K, Suzuki M, Arato T, Fujisaka A, Fueki O, Ito K, Onodera H.	Considerations of the Japanese Research Working Group for the ICH S6 & Related Issues Regarding Nonclinical Safety Assessments of Oligonucleotide Therapeutics: Com-parison with Those of Biopharmaceuticals	<i>Nucleic Acid Ther</i>	31	114-125	2021
Yamamoto E, Taquahashi Y, Kuwagata M, Saito H, <u>Matsushita K</u> , <u>Toyoda T</u> , Sato F, Kitajima S, <u>Ogawa K</u> , Izutsu K, Saito Y, <u>Hirabayashi Y</u> , Iimura Y, Homma M, Okuda H, Goda Y.	Visualizing the spatial localization of ciclesonide and its metabolites in rat lungs after inhalation of 1- μ m ciclesonide aerosol by desorption electrospray ionization-time of flight mass spectrometry imaging	<i>Int J Pharm</i>	595	120241	2021
Harada T, Tsuboi I, Hino, H, Yuda M, <u>Hirabayashi Y</u> , Hirai S, Aizawa S.	Age-related exacerbation of hematopoietic organ damage induced by systemic hyper-inflammation in senescence-accelerated mice	<i>Scientific Reports</i>	11, Article number	23250	2021

Imamura M, Wanibuchi S, Yamamoto Y, <u>Kojima H</u> , Ono A, Kasahara T, Fujita M.	Improving predictive capacity of the Amino acid Derivative Reactivity Assay test method for skin sensitization potential with an optimal molar concentration of test chemical solution	<i>J Appl Toxicol.</i>	41(2)	303-329	2021
<u>Kojima H.</u>	Alternatives to animal testing	<i>Impact</i>		44-45	2021
<u>Nishikawa A,</u> <u>Nagano K,</u> <u>Kojima H, Ogawa</u> <u>K.</u>	A comprehensive review of mechanistic insights into formaldehyde-induced nasal cavity carcinogenicity	<i>Regul Toxicol</i> <i>Pharmacol</i>	123	104937	2021
<u>Nishikawa A</u>	Perspectives on the elimination of animal assays in the assessment of carcinogenicity	<i>Regul Toxicol</i> <i>Pharmacol</i>	126	105031	2021
Kobayashi T, <u>Toyoda T</u> , Tajima Y, Kishimoto S, Tsunematsu Y, Sato M, <u>Matsushita K</u> , Yamada T, Shimamura Y, Masuda S, Ochiai M, <u>Ogawa K</u> , Watanabe K, Takamura-Enya T, Totsuka Y, Wakabayashi K, Miyoshi N.	<i>o</i> -Anisidine dimer, 2-methoxy- <i>N</i> ⁴ -(2-methoxyphenyl) benzene-1,4-diamine, in rat urine associated with urinary bladder carcinogenesis	<i>Chem Res</i> <i>Toxicol.</i>	34	912-919	2021
<u>Matsushita K</u> , Takasu T, Ishii Y, <u>Toyoda T</u> , Yamada T, Morikawa T, <u>Ogawa K</u> .	<i>In vivo</i> mutagenicity and tumor-promoting activity of 1,3-dichloro-2-propanol in the liver and kidneys of <i>gpt</i> delta rats	<i>Arch Toxicol</i>	95	3117-3131	2021
Chen R, You X, Cao Y, Masumura K, Ando T, Hamada S, <u>Horibata K</u> , Wan J, Xi J, Zhang X, Honma M, Luan Y.	Benchmark dose analysis of multiple genotoxicity endpoints in <i>gpt</i> delta mice exposed to aristolochic acid I.	<i>Mutagenesis</i>	36(1)	87-94	2021

Kasamatsu T, Kitazawa A, Tajima S, Kaneko M, Sugiyama KI, Yamada M, Yasui M, Masumura K, <u>Horibata K</u> , Honma M.	Development of a new quantitative structure-activity relationship model for predicting Ames mutagenicity of food flavor chemicals using StarDrop™ auto-Modeller™.	<i>Genes Environ</i>	43(1)	16	2021
Honma M, Yamada M, Yasui M, <u>Horibata K</u> , Sugiyama KI, Masumura K.	In vivo and in vitro mutagenicity of perillaldehyde and cinnamaldehyde.	<i>Genes Environ</i>	43(1)	30	2021
Ambe K, Suzuki M, <u>Ashikaga T</u> , Tohkin M.	Development of quantitative model of a local lymph node assay for evaluating skin sensitization potency applying machine learning CatBoost.	<i>Regul Toxicol Pharmacol</i>	125	105019	2021
Nishida H, Ohtake T, <u>Ashikaga T</u> , Hirota M, Onoue S, Seto Y, Tokura Y, Kouzuki H.	In chemico sequential testing strategy for assessing the photoallergic potential.	<i>Toxicology in Vitro</i>	77	105245	2021
Narita K, Okutomi H, Kawakami K, Sui H, Basketter D, <u>Ashikaga T</u> .	Behavior of Chemical Respiratory Sensitizers in <i>in Vitro</i> Methods for Skin Sensitization.	<i>AATEX</i>	26(1)	9-18	2021
<u>Ashikaga T</u> , Ambe K, Suzuki M, Kurimoto M, <u>Yamada T</u> , Tohkin M.	Establishment of a Threshold of Toxicological Concern Concept for Skin Sensitization by <i>in Vitro/in Silico</i>	日本香粧品学会誌	45(4)	331-335	2021
Masumoto M, Fukuda I, Furihata S, Arai T, Kageyama T, <u>Ohmori K</u> , Shirakawa S, Fukuda J.	Deep neural network for the determination of transformed foci in Bhas 42 cell transformation assay.	<i>Sci. Rep</i>	11(1)	23344	2021
Nishida H, Ohtake T, Ashikaga T, Hirota M, <u>Onoue</u> S, Seto Y, Tokura Y, Kouzuki H.	In chemico sequential testing strategy for assessing the photoallergic potential.	<i>Toxicology in Vitro</i>	77	105245	2021

Seto Y, Tonami R, Iyama Y, Sato H, <u>Onoue S.</u>	An approach to evaluate metabolite-related phototoxicity with combined use of photochemical properties and skin deposition.	<i>Toxicology Letters</i>	350	91-97	2021
<u>Onoue S.</u>	Establishment and international harmonization of photosafety testing strategy.	<i>Yakugaku Zasshi</i>	141	807-812	2021
Taquahashi Y, <u>Saito H,</u> Kuwagata M, Kitajima S.	Development of an inhalation exposure system of a pressurized metered-dose inhaler (pMDI) formulation for small experimental animals.	<i>Fundam Toxicol Sci.</i>	8	169-175	2021
Sasaki T, <u>Saito H,</u> Hiradate Y, Hara K, Tanemura K.	Behavioural effects in mice orally exposed to domoic acid or ibotenic acid are influenced by developmental stages and sex differences.	<i>Biochem Biophys Res Commun</i>	558	175-182	2021
<u>Yamada T,</u> Miura M, Kawamura T, Ushida K, Inoue K, Kuwagata M, Katsutani N, Hirose A.	Constructing a developmental and reproductive toxicity database of chemicals (DART NIHs DB) for integrated approaches to testing and assessment	<i>J. Toxicol. Sci</i>	46	531-538	2021
<u>Yamada T,</u> Kawamura T, Maruyama T, Kurimoto M, Yamamoto H, Katsutani N, Hirose A.	Quantitative structure-activity relationship and a category approach to support algal toxicity assessment of human pharmaceuticals	<i>Fundam. Toxicol. Sci.</i>	8	195-204	2021
Iso T, Shigeta Y, Murata Y, Hirose N, Inoue K, <u>Yamada T,</u> Hirose A, Matsumoto M.	Summary information of human health hazard assessment of existing chemical substances (VII)	<i>Bull. Natl Inst. Health Sci.</i>	139	71-78	2021
Lee BM, Lee SH, <u>Yamada T,</u> Park S, Wang Y, Kim KB, Kwon S.	Read-across approaches: Current applications and regulatory acceptance in Korea, Japan, and China	<i>J. Toxicol. Environ. Health. A.</i>		1-14	2021

Tanabe S, Hirose A, <u>Yamada T.</u>	Adverse Outcome Pathway on Histone deacetylase inhibition leading to testicular atrophy	<i>OECD Series on Adverse Outcome Pathways No. 17</i>			2021
Fujita M, Yamamoto Y, Wanibuchi S, Watanabe S, Yamaga H, Wakabayashi K, Tahara Y, Horie N, Fujimoto K, Takeuchi K, Kamiya K, Kawakami T, Kojima K, Sozu T, <u>Kojima H.</u> , Kasahara T, Ono A.	The within- and between-laboratories reproducibility and predictive capacity of Amino acid Derivative Reactivity Assay using 4 mM test chemical solution: Results of ring study implemented at five participating laboratories	<i>Applied Toxicology</i>	42(2)	318-333	2022
Iso T, Natsume M, Murata Y, Shigeta Y, Hirose N, Umano T, <u>Horibata K.</u> , Masumura K, Sugiyama K, Matsumoto M, Hirose A.	Absence of in vivo mutagenicity of 4,4'-oxybis (benzenesulfonohydrazide) in liver and glandular stomach of Muta TM Mouse.	<i>Fundamental Toxicological Sciences.</i>	9(2)	31-36	2022
Grúz P, Yasui M, Ukai A, <u>Horibata K.</u> , Honma M, Sugiyama K.	Potent mutagenicity of an azide, 3-azido-1,2-propanediol, in human TK6 cells.	<i>Mutation Research</i>	876–877	503475	2022
Watanabe-Matsu moto S, Yoshida K, Meiseki Y, Ishida S, <u>Yamada T.</u>	A physiologically based kinetic modeling of ethyl tert-butyl ether in humans—An illustrative application of quantitative structure-property relationship and Monte Carlo simulation.	<i>J. Toxicol. Sci.</i>	47(2)	77-87	2022
山田 隆志	Cefic LRI/ILSI Europe Joint Workshopでの Carcinogen Dose Response Database for Threshold of Toxicological Concern (TTC) の概要ならびにTTCに関する近年の国際動向	イルシー	In press		2022

Imamura M, Yamamoto Y, Fujita M, Wanibuchi S, Nakashima N, <u>Kojima H</u> , Ono A, Kasahara T.	Applicability of ADRA (4 mM) for the prediction of skin sensitization by combining multiple alternative methods to evaluate key events	<i>J Appl Toxicol.</i>	in press		2022
Yamamoto Y, Fujita M, Watanabe S, Yamaga H, Wakabayashi K, Tahara Y, Horie N, Fujimoto K, Takeuchi K, Kamiya K, Kawakami T, Kojima K, Sozu T, <u>Kojima H</u> , Kasahara T, Ono A	Within- and between-laboratory reproducibility and predictive capacity of amino acid derivative reactivity assay (ADRA) using a 0.5 mg/mL test chemical solution: Results of the study for reproducibility confirmation implemented in five participating laboratories	<i>J Appl Toxicol</i>	in press		2022
Akane H, <u>Toyoda</u> <u>T</u> , Mizuta Y, Cho YM, Ide T, Kosaka T, Tajima H, Aoyama H, <u>Ogawa K</u> .	Histopathological and immunohistochemical evaluation for detecting changes in blood hormone levels caused by endocrine disruptors in a 28-day repeated-dose study in rats.	<i>J Appl Toxicol</i>	in press		2022