

## 研究成果の刊行に関する一覧表レイアウト

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
該当なし							

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Iida, T.; Nakamura, M.; Inazawa, M.; Munetsugu, T.; Nishida, M.; Fujimoto, T.; Sasaki, Y.; Ohshima, Y.; Nakazato, Y.; Namiki, T.; Yokozeki H.	Prognosis after steroid pulse therapy and seasonal effect in acquired idiopathic generalized anhidrosis.	The Journal of Dermatology	48	271-8	2021
Yokozeki H, Fujimoto T, Abe Y, Igarashi M, Ishikoh A, Omi T, Kanda H, Kitahara H, Kinoshita M, Nakasaku I, Hattori N, Horiuchi Y, Maruyama R, Mizutani H, Murakami Y, Watanabe C, Kume A, Hanafusa T, Hamaguchi M, Yoshioka A, Egami Y, Matsuo K, Matsuda T, Akamatsu M, Yoroizuya T, Takayama S.	A phase 3, multicenter, randomized, double-blind, vehicle-controlled, parallel-group study of 5% sofpironium bromide (BBI-4000) gel in Japanese patients with primary axillary hyperhidrosis.	J Dermatol.	48(3)	279-288	2021
Inazawa-Terada M, Namiki T, Omigawa C, Fujimoto T, Munetsugu T, Ugajin T, Shimomura Y, Ohshima Y, Yoshida K, Niizeki H, Hayashi R, Nakano H, Yokozeki H.	An epidemiological survey of anhidrotic/hypohidrotic ectodermal dysplasia in Japan: High prevalence of allergic diseases.	J Dermatol.	Apr;49(4):	422-431.	2022
Murota H, Fujimoto T, Oshima Y, Tamada Y, Yanagishita T, Murayama N, Inoue S, Okatsu H, Miyama H, Yokozeki H.	Cost-of-illness study for axillary hyperhidrosis in Japan.	J Dermatol.	Oct;48(10)	1482-1490	2021
Fujimoto T, Abe Y, Igarashi M, Ishikoh A, Omi T, Kanda H, Kitahara H, Kinoshita M, Nakasaku I, Hattori N, Horiuchi Y, Maruyama R, Mizutani H, Murakami Y, Watanabe C, Kume A, Hanafusa T, Hamaguchi	A phase III, 52-week, open-label study to evaluate the safety and efficacy of 5% sofpironium bromide (BBI-4000) gel in Japanese patients with primary axillary hyperhidrosis.	J Dermatol.	Aug;48(8)	1149-1161	2021

Yokozeki H, Fujimoto T, Abe Y, Igarashi M, Ishikoh A, Omi T, Kanda H, Kitahara H, Kinoshita M, Nakasu I, Hattori N, Horiuchi Y, Maruyama R, Mizutani H, Murakami Y, Watanabe C, Kume A, Hanafusa T, Hamaguchi M, Yoshioka A, Egami Y, Matsuo K, Matsuda T, Akamatsu M, Yorozyu T, Takayama S.	A phase 3, multicenter, randomized, double-blind, vehicle-controlled, parallel-group study of 5% sofipironium bromide (BBI-4000) gel in Japanese patients with primary axillary hyperhidrosis.	J Dermatol.	Mar;48(3)	279-288	2021
Yokozeki H, Fujimoto T, Wanatabe S, Ogawa S, Fujii C.	Topical glycopyrronium tosylate in Japanese patients with primary axillary hyperhidrosis: A randomized, double-blind, vehicle-controlled study.	J Dermatol.	Jan;49(1)	86-94	2022
Kato K, Al-Sobaihi S, Al-Busani H, Nishizawa A, Othmani M, Yokozeki H, Namiki T.	Analysis of sweating by optical coherence tomography in patients with palmo-plantar hyperhidrosis.	The Journal of Dermatology	48	333-43	2021
Wada S, Namiki T, Takahashi M, Miyazaki Y, Miura K, Yokozeki H.	Angiosarkom mit diffuser ödematöser Induration im Gesicht: ein seltenes und atypisches klinisches Merkmal.	Dtsch Dermatol Ges.	Jun;19(6)	892-895	2021
Eshiba S, Namiki T, Mohri Y, Aida T, Serizawa N, Shibata T, Morinaga H, Nishinaka D, Hiraoka Y, Tanaka K, Miura K, Tanaka M, Uhara H, Yokozeki H, Saikawa T, Nishimura EK.	Stem cell spreading dynamics intrinsically differentiate acral melanomas from normal skin.	Cell Rep.	36(5)	109492	2021
Satoh T, Yokozeki H, Murakami T, Tokura Y, Kabashima K, Takamori K, Shiohara T, Morita E, Aiba S, Aoyama Y, Hashimoto T, Kitayama I.	2020 guidelines for the diagnosis and treatment of pyoderma gangrenosum.	J Dermatol.	48(9)	e414-e431.	2021
Shinada Y, Hirose M, Munetsugu T, Sugiura R, Shimokata-Isoe M, Matsuo S, Ishikawa T, Fujimoto N, Satoh T.	Generalized pruritic erythema with neutrophils in a patient with relapsing polychondritis.	J Dermatol.	Apr;48(4)	e153-e154.	2021
Yamazaki Y, Matsuo S, Ishikawa T, Munetsugu T, Nishizawa A, Fujimoto N, Satoh T.	Pustular psoriasis with severe liver dysfunction: psoriasis-specific immune hepatitis?	Eur J Dermatol.	31(2)	277-279.	2021
Iwanaga A, Kuwatsuka Y, Murota H.	Molecular diagnosis of an atypical case of angiomatoid fibrous histiocytoma based on detection of the EWSR1 gene translocation.	J Dermatol.	48(5)	e215-e216.	2021

Mine T, Koike Y, Ehara D, Murota H.	A case of bilateral plantar pseudo-Kaposi sarcoma successfully treated with propranolol.	JAAD Case Reports	2021;18:	74-78.	2021
Murota H, Koike Y, Ishii K, Calimlim BM, Ludwikowska M, Toumi M, Kawaguchi I.	Evaluating the burden of pruritus due to atopic dermatitis in Japan by patient-reported outcomes.	J Med Econ.	24(1)	1280-1289.	2021
堀江 風野, 大嶋 雄一郎, 渡辺 瞳, 安藤 与里子, 高間 寛之, 柳下 武士, 永井 琢人, 渡辺 大輔.	無汗症から診断に至ったFabry病の1例.	皮膚科の臨床	63巻1号	97-100	2021
安藤 与里子, 大嶋 雄一郎, 渡辺 瞳, 石黒 暁寛, 柳下 武士, 渡辺 大輔, 玉田 康彦.	頭部・前額部多汗症におけるA型ボツリヌス毒素局注療法の有効性について.	臨床皮膚科	74巻10号	825-831	2020
Nakazato Y, Ikeda K, Ota K, Tamura N, Yamamoto T.	Idiopathic basal ganglia calcification may cause pathological conditions resembling Parkinson's disease.	Neurological Science	23;22:	100307	2020
Ota K, Nakazato Y, Yokoyama R, Kawasaki H, Tamura N, Ohtake A, Saito-Tsuruoka M, Yamamoto T.	A Japanese family with P102L Gerstmann-Sträussler-Scheinker disease with a variant Creutzfeldt-Jakob disease-like phenotype among the siblings: A case report.	Neurological Science	16;25:	100380	2021
Doi M, Ishizawa K, Ikeda K, Nakamichi K, Nakazato Y, Yamamoto T, Sasaki A.	Cytology of progressive multifocal leukoencephalopathy revisited: A case report with special reference to JC polyomavirus-infected oligodendrocytes and astrocytes.	Cytopathology.	Nov;32(6)	831-835.	2021
Araki N, Yamanaka Y, Poudel A, Fujinuma Y, Katagiri A, Kuwabara S, Asahina M.	Electrogastrography for diagnosis of early-stage Parkinson's disease.	Parkinsonism Related Disord.	86:	61-66.	2021
Liu W, Yamamoto T, Yamanaka Y, Asahina M, Uchiyama T, Hirano S, Shimizu K, Higuchi Y, Kuwabara S.	Neuropsychiatric Symptoms in Parkinson's Disease After Subthalamic Nucleus Deep Brain Stimulation.	Front Neurol.	4;12:	656041	2021
Sano K, Asahina M, Uehara T, Araki N, Yamanaka Y, Matsumoto K, Okuyama R.	Clear cell injury associated with reduced expression of carbonic anhydrase II in eccrine glands consistently occurs in patients with acquired idiopathic generalized anhidrosis.	J Dermatol.	Apr;48(4)	439-446	2021

Nishimura N, Iwase S, Takumi H, Yamamoto K.	Gravity-Induced Lower-Leg Swelling Can Be Ameliorated by Ingestion of $\alpha$ -Glucosyl Hesperidin Beverage.	Front Physiol.	23;12:	670640	2021
Suyama T, Shimomura Y, Yoshikawa S, Kamijo T, Komori S, Kusutani N, Yanagisawa H, Kiyohara Y.	Squamous cell carcinoma and keratoacanthoma on the neck in a patient with hypohidrotic ectodermal dysplasia.	Eur J Dermatol.	31(5):	664-66	2021
Oiwa T, Ishibashi M, Okuno T, Ohba M, Endo Y, Uozumi R, Ghazawi FM, Yoshida K, Niizeki H, Yokomizo T, Nomura T, Kabashima K.	Eicosanoid profiling in patients with complete form of pachydermoperiostosis carrying SLCO2A1 mutation.	J Dermatol.	Sep;48(9)	1442-1446	2021
Ishibashi M, Oiwa T, Nomura T, Yoshikawa Y, Niizeki H, Kabashima K.	Role of Prostaglandin E-Major Urinary Metabolite Levels in Identifying the Phenotype of Pachydermoperiostosis.	J Invest Dermatol.	Dec;141(12)	2973-2975.	2021
Ishizuka T, Fujioka K, Mori I, Takeda T, Fuwa M, Ikeda T, Taguchi K, Morita H, Nakabayashi K, Niizeki H.	Primary hypertrophic osteoarthropathy with severe arthralgia identified by gene mutation of SLCO2A1.	Mod Rheumatol Case Rep.	Jul;5(2):	404-408.	2021
Uchiyama T, Kawakami S, Masuda H, Yoshida K, Niizeki H, Mochizuki E, Edasawa K, Ishiguro A, Onodera M.	A Distinct Feature of T Cell Subpopulations in a Patient with CHARGE Syndrome and Omenn Syndrome.	J Clin Immunol.	Jan;41(1)	233-237	2021
Kikuchi N, Nakao H, Matsumoto Y, Yoshida K, Okamoto M, Kawai T, Kubota M, Ishiguro A.	Ecthyma gangrenosum in a newborn infant with neutropenia.	Int J Hematol.	Jan;113(1)	3-4	2021
Ogita H, Yamamoto-Hanada K, Yoshida K, Uehara O, Funaki Y, Kohta M, Ohya Y.	New skin barrier meter for assessing skin barrier functions: A pilot study in healthy human adults.	Skin Res Technol.	Sep;27(5):	982-984	2021
Uehara Y, Wada YS, Iwasaki Y, Yoneda K, Ikuta Y, Amari S, Maruyama H, Tsukamoto K, Isayama T, Sakamoto K, Shioda Y, Miyazaki O, Irie R, Yoshioka T, Mochimaru N, Yoshida K, Ito Y.	Neonatal systemic juvenile Xanthogranuloma with Hydrops diagnosed by Purpura skin biopsy: a case report and literature review.	BMC Pediatr.	;21(1)	161	2021
Uchiyama T, Kawakami S, Masuda H, Yoshida K, Niizeki H, Mochizuki E, Edasawa K, Ishiguro A, Onodera M.	A Distinct Feature of T Cell Subpopulations in a Patient with CHARGE Syndrome and Omenn Syndrome.	J Clin Immunol.	Jan;41(1)	233-237.	2021

Haque MN, Ohtsubo M, Nishina S, Nakao S, Yoshida K, Hosono K, Kurata K, Ohishi K, Fukami M, Saito M, Hotta Y, Azuma N, Minoshima S.	Correction to: Analysis of IKBKG/NEMO gene in five Japanese cases of incontinentia pigmenti with retinopathy: fine genomic assay of a rare male case with mosaicism.	J Hum Genet.	Jun;66(6)	645	2021
Haque MN, Ohtsubo M, Nishina S, Nakao S, Yoshida K, Hosono K, Kurata K, Ohishi K, Fukami M, Saito M, Hotta Y, Azuma N, Minoshima S.	Analysis of IKBKG/NEMO gene in five Japanese cases of incontinentia pigmenti with retinopathy: fine genomic assay of a rare male case with mosaicism.	J Hum Genet.	Feb;66(2)	205-214.	2021
Tsuchiya M, Hashimoto R, Arai K, Yoshida K.	Psoriasiform dermatitis in a girl with ulcerative colitis receiving vedolizumab.	J Dermatol.	Online ahead of print.		2022
Matsuoka K, Igarashi A, Sato N, Isono Y, Gouda M, Iwasaki K, Shoji A, Hisamatsu T.	Trends in Corticosteroid Prescriptions for Ulcerative Colitis and Factors Associated with Long-Term Corticosteroid Use: Analysis Using Japanese Claims Data from 2006 to 2016.	J Crohns Colitis.	15(3)	358-366	2021
Hisamatsu T.	Management of inflammatory bowel disease during the COVID-19 pandemic.	Immunol Med.	16:	1-8.	2021
Miyoshi J, Hisamatsu T.	The impact of maternal exposure to antibiotics on the development of child gut microbiome.	Immunol Med.	15:	1-6.	2021
Sakuraba A, Nemoto N, Hibi N, Ozaki R, Tokunaga S, Kikuchi O, Minowa S, Mitsui T, Miura M, Saito D, Hayashida M, Miyoshi J, Matsuura M, Yoneyama M, Ohnishi H, Hisamatsu T.	Extent of disease affects the usefulness of fecal biotoler. markers in ulcerative colitis.	BMC Gastroenterol.	21(1):	197	2021
Nakase H, Matsumoto T, Matsuura M, Iijima H, Matsuoka K, Ohmiya N, Ishihara S, Hirai F, Wagatsuma K, Yokoyama Y, Hisamatsu T.	Expert Opinions on the Current Therapeutic Management of Inflammatory Bowel Disease during the COVID-19 Pandemic: Japan IBD COVID-19 Taskforce, Intractable Diseases, the Health and Labor Sciences Research.	Digestion.	102(5):	814-822	2021
Watanabe S, Toki M, Shibahara J, Hisamatsu T.	Utility of endoscopic transpapillary pancreatic cyst drainage for intraductal papillary mucinous neoplasm infection.	BMJ Case Rep.	14(6):	e242583.	2021

Saito D, Matsuura M, Ozaki R, Tokunaga S, Minowada S, Mitsui T, Miura M, Sakuraba A, Hayashida M, Miyoshi J, Hisamatsu T.	Clinical response of vedolizumab at week 6 predicts endoscopic remission at week 24 in ulcerative colitis.	JGH Open.	;5(9):	1056-1062.	2021
Miyoshi J, Maeda T, Matsuo K, Saito D, Miyoshi S, Matsuura M, Okamoto S, Tamura S, Hisamatsu T.	Machine learning using clinical data at baseline predicts the efficacy of vedolizumab at week 22 in patients with ulcerative colitis.	Sci Rep.	;11(1):	16440.	2021
Hisamatsu T, Suzuki Y, Kobayashi M, Hagiwara T, Kawaberi T, Ogata H, Matsui T, Watanabe M, Hibi T.	Long-term safety and effectiveness of adalimumab in Japanese patients with Crohn's disease: 3-year results from a real-world study.	Intest Res.	Oct;19(4):	408-418	2021
Watanabe S, Miyoshi J, Takaki M, Kambayashi K, Kitagawa S, Nosaka T, Goto T, Ota H, Ochiai K, Gondo K, Ikeuchi N, Tsuji S, Nakamura K, Shibahara J, Hisamatsu T.	Effectiveness of introducing a 20-gauge core biopsy needle with a core trap in EUS-FNA/B for diagnosing pancreatic cancer.	BMC Gastroenterol.	Jan;21(1):	1-8.	2021
Miura M, Shimizu H, Saito D, Miyoshi J, Matsuura M, Kudo T, Hirayama D, Yoshida M, Arai K, Iwama I, Nakase H, Shimizu T, Hisamatsu T.	Multicenter, cross-sectional, observational study on Epstein-Barr viral infection status and thiopurine use by age group in patients with inflammatory bowel disease in Japan (EBISU study).	J Gastroenterol.	Dec;56(12):	1080-1091.	2021
Hisamatsu T, Kim HJ, Motoya S, Suzuki Y, Ohnishi Y, Fujii N, Matsushima N, Zheng R, Marano CW.	Efficacy and safety of ustekinumab in East Asian patients with moderately to severely active ulcerative colitis: a subpopulation analysis of global phase 3 induction and maintenance studies (UNIFI).	Intest Res.	Oct;19(4):	386-397.	2021
Ando K, Fujiya M, Watanabe K, Hiraoka S, Shiga H, Tanaka S, Iijima H, Mizushima T, Kobayashi T, Nagahori M, Ikeuchi H, Kato S, Torisu T, Kobayashi K, Higashiyama M, Fukui T, Kagaya T, Esaki M, Yanai S, Abukawa D, Naganuma M, Motoya S, Saruta M, Bamba S, Sasaki M, Uchiyama K, Fukuda K, Suzuki H, Nakase H, Shimizu T, Iizuka M, Watanabe M, Suzuki Y, Hisamatsu T.	A nationwide survey concerning the mortality and risk of progressing severity due to arterial and venous thromboembolism in inflammatory bowel disease in Japan.	J Gastroenterol.	Dec;56(12):	1062-1079.	2021

Kishi M, Hirai F, Takatsu N, Hisabe T, Takada Y, Beppu T, Takeuchi K, Nagatsuma M, Ohtsuka K, Watanabe K, Matsumoto T, Esaki M, Koganei K, Sugita A, Hata K, Futami K, Ajioaka Y, Tanabe H, Iwashita A, Shimizu H, Arai K, Suzuki Y, Hisamatsu T.	A review on the current status and definitions of activity indices in inflammatory bowel disease: how to use indices for precise evaluation.	J Gastroenterol.	Apr;57(4):	246-266	2022
Matsuura M, Matsumoto T, Naito Y, Saitoh Y, Kanai T, Suzuki Y, Tanaka S, Ogata H, Hisamatsu T.	Advanced endoscopy for the management of inflammatory digestive diseases: Review of the Japan Gastroenterological Endoscopy Society core session.	Dig Endosc.	Online ahead of print.		2022
Abreu MT, Rowbotham DS, Danese S, Sandborn WJ, Miao Y, Zhang H, Tikhonov I, Panaccione R, Hisamatsu T, Scherl EJ, Leong RW, Arasaradnam RP, Afif W, Peyrin-Biroulet L, Sands BE, Marano C.	Efficacy and Safety of Maintenance Ustekinumab for Ulcerative Colitis Through 3 Years: UNIFI Long-term Extension.	J Crohns Colitis.	Online ahead of print.		2022
Miyoshi J, Ozaki R, Yonezawa H, Mori H, Kawamura N, Matsuura M, Hisamatsu T.	Ratio of submucosal thickness to total bowel wall thickness as a new sonographic parameter to estimate endoscopic remission of ulcerative colitis.	J Gastroenterol.	Feb;57(2):	82-89.	2022
Kambayashi K, Toki M, Watanabe S, Hisamatsu T.	Management of common bile duct stones in a pregnant woman by percutaneous biliary drainage followed by elective endoscopic stone removal after delivery.	BMJ Case Rep.	15(3):	e248285.	2022
Taketomi S, Kawaguchi K, Mizutani Y, Yamagami R, Sameshima S, Takei S, Kono K, Inui H, Tanaka S, Haga N.	Anthropometric and muscular skeletal gender differences in young soccer players.	J Sports Med Phys Fitness.	Sep;61(9)	1212-1218.	2021
Matsushita M, Mishima K, Kamiya Y, Haga N, Fujiwara S, Ozono K, Kubota T, Kitaoka T, Imagama S, Kitahito H.	Health-related Quality of Life in Adult Patients with Multiple Epiphyseal Dysplasia and Spondyloepiphyseal Dysplasia.	Prog Rehabil Med.	6:	20210048.	2021
Sawada R, Yamana H, Shinoda Y, Tsuda Y, Matsui H, Fushimi K, Kobayashi H, Matsubayashi Y, Yasunaga H, Tanaka S, Haga N.	Predictive factors of the 30-day mortality after surgery for spinal metastasis: Analysis of a nationwide database.	J Orthop Sci.	;26(4):	666-671.	2021

Mano H, Inakazu E, Noguchi S, Nishizaka C, Fujiwara S, Haga N.	Rehabilitation Approach for a Child with Cerebral Palsy and Upper Limb Deficiency.	Prog Rehabil Med.	18;6:	20210016.	2021
Mano H, Fujiwara S, Takamura K, Kitoh H, Takayama S, Ogata T, Haga N.	Treatment approaches for congenital transverse limb deficiency: Data analysis from an epidemiological national survey in Japan.	J Orthop Sci.	Jul;26(4):	650-654.	2021
Mano H, Fujiwara S, Haga N.	How Children with Congenital Limb Deficiencies Visually Attend to Their Limbs and Prostheses: Eye Tracking of Displayed Still Images and Visuospatial Body Knowledge.	Dev Neurorehabil.	24(8):	547-554.	2021
Mano H, Noguchi S, Fujiwara S, Haga N.	Relationship between degree of disability, usefulness of assistive devices, and daily use duration: an investigation in children with congenital upper limb deficiencies who use upper limb prostheses.	Assist Technol.	Online ahead of print.		2021
Mano H, Fujiwara S, Yabuki S, Takikawa K, Tanaka H, Haga N.	Visual Attention to Their Own Paralytic Limbs in Children with Spina Bifida: Measurement of Gaze Direction Using Eye Tracking Technique.	Pediatr Int.	Online ahead of print.		2021
Kawaguchi K, Taketomi S, Mizutani Y, Inui H, Yamagami R, Kono K, Takagi K, Kage T, Sameshima S, Tanaka S, Haga N.	Hip Abductor Muscle Strength Deficit as a Risk Factor for Inversion Ankle Sprain in Male College Soccer Players: A Prospective Cohort Study.	Orthop J Sports Med.	9(7):	23259671211020287.	2021
Mano H, Fujiwara S, Yabuki S, Tanaka H, Takikawa K, Haga N.	Body knowledge in children with spina bifida.	Pediatr Int.	Jan;64(1):	e14713.	2022
Inooka Y, Yamana H, Shinoda Y, Inokuchi H, Matsui H, Fushimi K, Yasunaga H, Haga N.	Predictive Factors for Oral Intake Recovery After Acute Stroke: Analysis of a Japanese Nationwide Inpatient Database.	Dysphagia.	Online ahead of print.		2022
Hashimoto R, Suto M, Tsuji M, Sasaki H, Takehara K, Ishiguro A, Kubota M.	Use of antipyretics for preventing febrile seizure recurrence in children: a systematic review and meta-analysis.	Eur J Pediatr.	180(4):	987-997.	2021
Hayakawa I, Abe Y, Kubota M.	Downbeat Nystagmus in Cerebellitis: The Cerebellar Ict.	Neurol Clin Pract.	Aug;11(4):	e585-e586.	2021

Morimoto N, Maekawa T, Kubota M, Kitamura M, Takahashi N, Kubota M.	Challenge for management without tracheostomy tube after laryngo-tracheal separation in children with neurological disorders.	Laryngoscope Investig Otolaryngol.	6(2):	332-339.	2021
Kawai M, Abe Y, Yumoto M, Kubota M.	Aphasia and a Dual-Stream Language Model in a 4-Year-Old Female with Landau-Kleffner Syndrome.	Neuropediatrics.	Online ahead of print.		2021
Ohashi E, Hayakawa I, Abe Y, Tsutsumi Y, Kubota M.	Transient Probst Bundle Diffusion Restriction: An Acute Encephalopathy Equivalent to Clinically Mild Encephalopathy with a Reversible Splenial Lesion.	Intern Med.	60(16):	2667-2670.	2021
Ohashi E, Hayakawa I, Murofushi Y, Kawai M, Suzuki M, Muromoto S, Abe Y, Yoshida M, Kono N, Kosaki R, Hoshino A, Mizuguchi M, Kubota M.	Recurrent acute necrotizing encephalopathy in a boy with RANBP2 mutation and thermolabile CPT2 variant: The first case of ANE1 in Japan.	Brain Dev.	43(8):	873-878.	2021
Murofushi Y, Hayakawa I, Abe Y, Ohto T, Murayama K, Suzuki H, Takenouchi T, Kosaki K, Kubota M.	Ketogenic Diet for KARS-Related Mitochondrial Dysfunction and Progressive Leukodystrophy.	Neuropediatrics.	53(1):	65-68.	2022
Fujimoto T, Okatsu H, Miyama H.	Two-week prospective observational study of 5% sofipironium bromide gel in Japanese patients with primary axillary hyperhidrosis.	J Dermatol.	Online ahead of print.		2022