

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
該当無							

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ugajin T, Yokozeki H.	Efficacy of anti-immunoglobulin E therapy in patients with prurigo: A pilot study.	J Cutan Immunol Allergy,	2	75-81	2019
Hashimoto T, Sakai K, Yosipovitch G, Akiyama T.	Signal Transducer and Activator of Transcription 3 in Keratinocytes Regulates Histaminergic Itch but Not Nonhistaminergic Itch.	Acta Derm Venereol.			2019
Liu N, Matsumura H, Kato T, Ichinose S, Takada A, Namiki T, Asakawa K, Morinaga H, Mohri Y, De Arcangelis A, Geroges-Labouesse E, Nanba D, Nishimura E K.	Stem cell competition orchestrates skin homeostasis and ageing.	Nature	568(7752)	344-350	2019
Ishikawa T, Hashimoto T, Munetsugu T, Yokozeki H, Satoh T	Increased b-endorphin and autotaxin in patients with prurigo.	J Cutan Immunol Allergy.	00	1-8	2019
Sanders KM, Sakai K, Henry TD, Hashimoto T, Akiyama T.	A Subpopulation of Amygdala Neurons Mediates the Affective Component of Itch.	J Neurosci	39(17)	3345-3356	2019
Leon A, Rosen JD, Hashimoto T, Fostini AC, Paus R, Yosipovitch G.	Itching for an answer: A review of potential mechanisms of scalp itch in psoriasis.	Exp Dermatol.			2019
Hashimoto T, Yosipovitch G.	Rostrum: Itching as a systemic disease.	J Allergy Clin Immunol.			2019

Namiki T, Hashimoto T, Omigawa C, Fujimoto T, Ugajin T, Miura K, Satoh T, Nakano H, Yokozeki H.	Case of generalized anhidrosis associated with diffuse reticular hyperpigmentation and syndactyly.	J Dermatol.			2018
Yamazaki Y, Munetsugu T, Satoh T.	Circumscribed palmar hypokeratosis with sweating disturbance: successful treatment with a heparinoid-containing moisturizer.	Eur J Dermatol.	29(5)	559-561	2019
Hashimoto T, Satoh T, Yokozeki H.	Prurigo successfully treated with duloxetine hydrochloride.	Australas J Dermatol.	60(3)	237-239.	2019
中村 美智子, 並木 剛, 横関 博雄	Small fiber neuropathyによる無汗症の末梢神経の免疫組織学的解析.	発汗学	26巻1号	23-25	2019
Murota H, Yamaga K, Ono E, Murayama N, Yokozeki H, Katayama I.	Why does sweat lead to the development of itch in atopic dermatitis?	Exp Dermatol.	28(12)	1416-1421	2019
室田 浩之	スキルアップのためのQ&A 発汗評価の具体的な手順を教えてください(Q&A).	皮膚アレルギーフロンティア	18巻1号	49-50	2020
江原 大輔, 村山 直也, 室田 浩之	【汗とかゆみ】アトピー性皮膚炎のかゆみと汗.	皮膚アレルギーフロンティア	18巻1号	11-14	2020
室田 浩之	【汗とかゆみ】オーバービュー 汗を知り、汗に向き合おう.	皮膚アレルギーフロンティア	18巻1号	7-10	2020
村山 直也, 福地 麗雅, 鋤塚 大, 大仁田 亜希, 室田 浩之	アポクリン色汗症を疑った一例.	発汗学	26巻2号	56-58	2019
室田 浩之, 小野 慧美, 山賀 康右, 村山 直也, 片山 一朗	【最近のトピックス2019 Clinical Dermatology 2019】皮膚疾患の病態 汗と皮膚疾患の関わり.	臨床皮膚科	73巻5号	59-62	2019
大嶋 雄一郎, 白坂 木之香, 柳下 武士, 渡辺 大輔, 大野 隆之, 下村 裕, 高間 弘道	Acro-dermato-ungual-lacrima-tooth syndromeの1例.	発汗学	26巻1号	26-28	2019
大田 一路, 中里 良彦, 田村 直俊, 山元 敏正	体幹の帯状表在感覚低下と顔面を含む分節性無汗を呈した1例.	発汗学	26巻2号	49-51	2019
中里 良彦, 田村 直俊, 奥田 理沙, 大田 一路, 川崎 一史, 山元 敏正	Idiopathic pure sudomotor failure治療後に全身性多汗症となった1例.	発汗学	26巻2号	47-48	2019
田村 直俊, 中里 良彦	交感神経切除後の代償性発汗・味覚性発汗と発汗の二重神経支配仮説.	発汗学	26巻2号	35-40	2019

中里 良彦	分節性/半側性多汗症:臨床的特徴と病態 特異性分節性無汗症とharlequin症候群.	自律神経	56巻1号	37-44	2019
中里 良彦	【温度を基軸とした生命活動(温度生物学)】温熱性発汗の生理学的メカニズムとその障害.	脳神経内科	90巻6号	627-633	2019
中里 良彦	各種疾患 自律神経疾患 特異性後天性全身性無汗症.	Annual Review神経	2019巻	291-298	2019
朝比奈 正人, 坂口 正雄	健常者における睡眠時の発汗活動とその季節変動.	発汗学	27巻1号	26-28	2020
大野 秀夫, 西村 直記, 岩瀬 敏, 菅屋 潤壹, 西村 るみ子, 杉山 理	中年期女性の皮膚潤いに関わる生物物理特性の冬期4年間にわたる経年変化.	日本生気象学会雑誌	56巻1号	35-42	2019
犬飼 洋子, 岩瀬 敏	心因性(転換性障害)様の神経症候を呈するも発汗障害の存在により器質性であると判明した1例.	自律神経	56巻2号		2019
Nakazawa S, Niizeki H, Nakabayashi K, Tanese K, Tokura Y	Congenital nail clubbing.	J Dermatol	46(3)	e101-e102	2019
畠中 美帆, 種瀬 啓士, 新関 寛徳, 持丸 奈央子, 関 敦仁, 新井 勝大, 入江 理恵, 和田 芳雅, 江浦 重義, 吉田 和恵	中学生で診断しえた肥厚性皮膚骨膜炎の2例.	臨床皮膚科	73	416-422	2019
新関 寛徳, 吉田 和恵	【指定難病ペディア2019】個別の指定難病 染色体・遺伝子関連 肥厚性皮膚骨膜炎[指定難病165].	日本医師会雑誌	148(特別1)		2019
安田 葉月, 持丸 奈央子, 新関 寛徳, 久保田 雅也, 小崎 里華, 吉田 和恵	顔面血管線維腫を契機に診断し得たTSC2/PKD1隣接遺伝子欠失症候群の1例.	日本皮膚科学会雑誌	129巻5号	1208	2019
久松 理一	【指定難病ペディア2019】個別の指定難病 消化器系 非特異性多発性小腸潰瘍症[指定難病290].	日本医師会雑誌	148巻特別1	S235-S236	2019
早川 格, 久保田 雅也	【小児神経学-現在から未来へ】総論 小児神経疾患の病歴.	小児内科	52巻3号	316-321	2020
久保田 雅也	児童青年期の神経・精神発達疫学 乳幼児発達の意味するもの 成育母子コホートにおける観察研究から.	児童青年精神医学とその近接領域	60巻4号	415-424	2019
藤本智子	多汗症の治療の行方.	発汗学	27巻1号	13-19	2020

Matsuo S, Yamazaki Y, Yoshii Y, Satoh T.	Prurigo in a patient with psoriasis.	J Dtsch Dermatol Ges.	18(6)	631-633.	2020
Shimokata-Isoe M, Munetsugu T, Okuzawa M, Hirose M, Ishikawa T, Koga H, Ishii N, Hashimoto T, Satoh T.	Atypical pemphigus with anti-desmocollin 2 and 3 antibodies, initially presenting as pemphigus vulgaris with anti-desmoglein 3 antibodies.	Eur J Dermatol.	1;30(4)	417-418.	2020
佐藤 貴浩	【知っておきたい痒疹の鑑別と治療】	日本医事新報	5047号	18-26	2021
佐藤 貴浩	【皮疹はこう見る,こう表現する】よく見る皮膚疾患を発疹	Medicina	57巻11号	1874-1875	2020
Iwanaga A, Kuwatsuka Y, Murota H.	Molecular diagnosis of an atypical case of angiomatoid fibrous histiocytoma based on detection of the EW SR1 gene translocation.	J Dermatol.	48(5)	e215-e216	2021
Nakahara T, Izuhara K, Onozuka D, Nunomura S, Tamagawa-Mineoka R, Masuda K, Ichiyama S, Saeki H, Kabata Y, Abe R, Ohtsuki M, Kamiya K, Okano T, Miyagaki T, Ishiiji Y, Asahina A, Kawasaki H, Tanese K, Mitsui H, Kawamura T, Takeichi T, Akiyama M, Nishida E, Morita A, Tonomura K, Nakagawa Y, Sugawara K, Tateishi C, Kataoka Y, Fujimoto R, Kaneko S, Morita E, Tanaka A, Hide M, Aoki N, Sano S, Matsuda-Hirose H, Hatano Y, Takenaka M, Murota H, Katoh N, Furue M.	Exploration of biomarkers to predict clinical improvement of atopic dermatitis in patients treated with dupilumab: A study protocol.	Medicine (Baltimore)	99(38)	e22043	2020
Kabashima K, Matsumura T, Komazaki H, Kawashima M	Nemolizumab-JP01 Study Group. Trial of Nemolizumab and Topical Agents for Atopic Dermatitis with Pruritus.	N Engl J Med.	383(2)	141-150	2020
堀江 風野, 大嶋 雄一郎, 渡辺 瞳, 安藤 与里子, 高間 寛之, 柳下 武士, 永井 琢人, 渡辺 大輔.	無汗症から診断に至ったFabry病の1例.	皮膚科の臨床	63巻1号	97-100	2021
安藤 与里子, 大嶋 雄一郎, 渡辺 瞳, 石黒 暁寛, 柳下 武士, 渡辺 大輔, 玉田 康彦.	頭部・前額部多汗症におけるA型ボツリヌス毒素局注療法の有効性について.	臨床皮膚科	74巻10号	825-831	2020
田村 直俊, 中里 良彦.	味覚性発汗再考 発現機序に対する一元的仮説(総	自律神経	57巻4号	200-205	2020

田村 直俊, 中里 良彦.	味覚性発汗再考 生理的味覚性発汗と味覚発汗反射(総説).	自律神経	57巻4号	193-199	2020
中里 良彦.	【付属器疾患 その疑問にお答えします!-ニキビから巻き爪までQ&A50-】(第III章)汗腺 (Q38)無汗症の診断と治療について教えてください(Q&A/特集).	皮膚科の臨床	62巻6号	900-906	2020
朝比奈 正人, 坂口 正雄	健常者における睡眠時の発汗活動とその季節変動.	発汗学	27巻1号	26-28	2020
佐野 健司, 朝比奈 正人.	ノルエピネフリン合成酵素は特発性後天性全身性無汗症と関係があるか.	発汗学	27巻1号	2-4	2020
犬飼 洋子.	最先端医療の今 辛味性(口腔内TRPV1活性化)発汗による選択的脳冷却の検討 熱中症予防への応用(解説).	Medical Science Digest	46巻11号	706-708	2020
新関 寛徳	肥厚性皮膚骨膜炎.	日本小児皮膚会誌	40(1)	7-14	2021
Tsuzuki Y, Aoyagi R, Miyauchi K, Ashitani K, Ohgo H, Yamaoka M, Ishizawa K, Kayano H, Hisamatsu T, Umeno J, Hosoe N, Matsumoto T, Nakamoto H, Imaeda H.	Chronic Enteropathy Associated with SLC02A1 with Pachydermoperiostosis.	Intern Med.	59(24)	3147-3154	2020
真野 浩志, 滝川 一晴, 芳賀 信彦.	小児総合医療施設におけるリハビリテーション診療体制	The Japanese Journal of Rehabilitation	57巻12号	1185-1196	2020
芳賀 信彦.	小児希少疾患のリハビリテーション診療(解説).	The Japanese Journal of Rehabilitation	57巻4号	334-339	2020
Ueda R, Okada T, Kita Y, Ozawa Y, Inoue H, Shioda M, Kono Y, Kono C, Nakamura Y, Amemiya K, Ito A, Sugiura N, Matsuoka Y, Kaiga C, Kubota M, Ozawa H.	The quality of life of children with neurodevelopmental disorders and their parents during the Coronavirus disease 19 emergency in Japan.	Sci Rep.	11	3042	2021
Iida, T.; Nakamura, M.; Inazawa, M.; Munetsugu, T.; Nishida, M. ; Fujimoto, T.; Sasaki, Y. ; Ohshima, Y.; Nakazato, Y.; Namiki, T.; Yokoze H.	Prognosis after steroid pulse therapy and seasonal effect in acquired idiopathic generalized anhidrosis.	The Journal of Dermatology	48	271-8	2021

Yokozeke H, Fujimoto T, Abe Y, Igarashi M, Ishikoh A, Omi T, Kanda H, Kitahara H, Kinoshita M, Nakasu I, Hattori N, Horiuchi Y, Maruyama R, Mizutani H, Murakami Y, Watanabe C, Kume A, Hanafusa T, Hamaguchi M, Yoshioka A, Egami Y, Matsuo K, Matsuda T, Akamatsu M, Yorozuya T, Takayama S.	A phase 3, multicenter, randomized, double-blind, vehicle-controlled, parallel-group study of 5% sofpironium bromide (BBI-4000) gel in Japanese patients with primary axillary hyperhidrosis.	J Dermatol.	48(3)	279-288	2021
Inazawa-Terada M, Namiki T, Omigawa C, Fujimoto T, Munetsugu T, Ugajin T, Shimomura Y, Ohshima Y, Yoshida K, Niizeki H, Hayaishi R, Nakano H, Yokozeke H.	An epidemiological survey of anhidrotic/hypohidrotic ectodermal dysplasia in Japan: High prevalence of allergic diseases.	J Dermatol.	Apr;49(4):	422-431.	2022
Murota H, Fujimoto T, Ohshima Y, Tamada Y, Yanagishita T, Murayama N, Inoue S, Okatsu H, Miyama H, Yokozeke H.	Cost-of-illness study for axillary hyperhidrosis in Japan.	J Dermatol.	Oct;48(10)	1482-1490	2021
Wada S, Namiki T, Takahashi M, Miyazaki Y, Miura K, Yokozeke H.	Angiosarkom mit diffuser ödematöser Induration im Gesicht: ein seltenes und atypisches klinisches Merkmal.	Dtsch Dermatol Ges.	Jun;19(6)	892-895	2021
Eshiba S, Namiki T, Mohri Y, Aida T, Serizawa N, Shibata T, Morinaga H, Nanba D, Hiraoka Y, Tanaka K, Miura K, Tanaka M, Uehara H, Yokozeke H, Saida T, Nishimura EK.	Stem cell spreading dynamics intrinsically differentiate acral melanomas from nevi.	Cell Rep.	36(5)	109492	2021
Satoh T, Yokozeke H, Murota H, Tokura Y, Kabashima K, Takamori K, Shiohara T, Morita E, Aiba S, Aoyama Y, Hashimoto T, Katayama I.	2020 guidelines for the diagnosis and treatment of prurigo.	J Dermatol.	48(9)	e414-e431.	2021
Shinada Y, Hirose M, Munetsugu T, Sugiura R, Shimokata-Isoe M, Matsuo S, Ishikawa T, Fujimoto N, Satoh T.	Generalized pruritic erythema with neutrophils in a patient with relapsing polychondritis.	J Dermatol.	Apr;48(4)	e153-e154.	2021
Yamazaki Y, Matsuo S, Ishikawa T, Munetsugu T, Nishizawa A, Fujimoto N, Satoh T.	Pustular psoriasis with severe liver dysfunction: psoriasis-specific immune hepatitis?	Eur J Dermatol.	31(2)	277-279.	2021

Iwanaga A, Kuwatsuka Y, Murota H.	Molecular diagnosis of an atypical case of angiomatoid fibrous histiocytoma based on detection of the EWSR1 gene translocation.	J Dermatol.	48(5)	e215-e216.	2021
Mine T, Koike Y, Ehara D, Murota H.	A case of bilateral plantar pseudo-Kaposi sarcoma successfully treated with propranolol.	JAAD Case Rep.	2;18:	74-78.	2021
Murota H, Koike Y, Ishii K, Calimlim BM, Ludwikowska M, Toumi M, Kawaguchi I.	Evaluating the burden of pruritus due to atopic dermatitis in Japan by patient-reported outcomes.	J Med Econ.	24(1)	1280-1289.	2021
堀江 風野, 大嶋 雄一郎, 渡辺 瞳, 安藤 与里子, 高	無汗症から診断に至ったFabry病の1例.	皮膚科の臨床	63巻1号	97-100	2021
安藤 与里子, 大嶋 雄一郎, 渡辺 瞳, 石黒 暁寛, 柳下 武士, 渡辺 大輔, 玉田 康彦.	頭部・前額部多汗症におけるA型ボツリヌス毒素局注療法の有効性について.	臨床皮膚科	74巻10号	825-831	2020
Nakazato Y, Ikeda K, Ota K, Tamura N, Yamamoto T.	Idiopathic basal ganglia calcification may cause pathological conditions resembling Parkinson's disease.	eNeurologicalSci.	23;22:	100307	2020
Ota K, Nakazato Y, Yokoyama R, Kawasaki H, Tamura N, Ohtake A, Saito-Tsuruoka M, Yamamoto T.	A Japanese family with P102L Gerstmann-Sträussler-Scheinker disease with a variant Creutzfeldt-Jakob disease-like phenotype among the siblings: A case report.	eNeurologicalSci.	16;25:	100380	2021
Doi M, Ishizawa K, Ikeda K, Nakamichi K, Nakazato Y, Yamamoto T, Sasaki A.	Cytology of progressive multifocal leukoencephalopathy revisited: A case report with special reference to JC polyomavirus-infected oligodendrocytes and astrocytes.	Cytopathology.	Nov;32(6)	831-835.	2021
Araki N, Yamanaka Y, Poudel A, Fujinuma Y, Katagiri A, Kuwabara S, Asahina M.	Electrogastrography for diagnosis of early-stage Parkinson's disease.	Parkinsonism Related Disord.	86:	61-66.	2021
Liu W, Yamamoto T, Yamanaka Y, Asahina M, Uchiyama T, Hirano S, Shimizu K, Higuchi Y, Kuwabara S.	Neuropsychiatric Symptoms in Parkinson's Disease After Subthalamic Nucleus Deep Brain Stimulation.	Front Neurol.	4;12:	656041	2021

Sano K, Asahina M, Uehara T, Araki N, Yamanaka Y, Matsumoto K, Okuyama R.	Clear cell injury associated with reduced expression of carbonic anhydrase II in eccrine glands consistently occurs in patients with acquired idiopathic generalized anhidrosis.	J Dermatol.	Apr;48(4)	439-446	2021
Nishimura N, Iwase S, Takumi H, Yamamoto K.	Gravity-Induced Lower-Leg Swelling Can Be Ameliorated by Ingestion of α -Glucosyl Hesperidin Beverage.	Front Physiol.	23;12:	670640	2021
Suyama T, Shimomura Y, Yoshikawa S, Kamijo T, Komori S, Kusutani N, Yanagisawa H, Kiyohara Y.	Squamous cell carcinoma and keratoacanthoma on the neck in a patient with hypohidrotic ectodermal dysplasia.	Eur J Dermatol,	31(5):	:664-66	2021
Oiwa T, Ishibashi M, Okuno T, Ohba M, Endo Y, Uozumi R, Ghazawi FM, Yoshida K, Niizeki H, Yokomizo T, Nomura T, Kabashima K.	Eicosanoid profiling in patients with complete form of pachydermoperiostosis carrying SLCO2A1 mutations.	J Dermatol.	Sep;48(9)	1442-1446	2021
Ishibashi M, Oiwa T, Nomura T, Yoshikawa Y, Niizeki H, Kabashima K.	Role of Prostaglandin E-Major Urinary Metabolite Levels in Identifying the Phenotype of Pachydermoperiostosis.	J Invest Dermatol.	Dec;141(12)	2973-2975.	2021
Ishizuka T, Fujioka K, Mori I, Takeda T, Fuwa M, Ikeda T, Taguchi K, Morita H, Nakabayashi K, Niizeki H.	Primary hypertrophic osteoarthropathy with severe arthralgia identified by gene mutation of SLCO2A1.	Mod Rheumatol Case Rep.	Jul;5(2):	404-408.	2021
Uchiyama T, Kawakami S, Masuda H, Yoshida K, Niizeki H, Mochizuki E, Edasawa K, Ishiguro A, Onodera M.	A Distinct Feature of T Cell Subpopulations in a Patient with CHARGE Syndrome and Omenn Syndrome.	J Clin Immunol.	Jan;41(1)	233-237	2021
Kikuchi N, Nakao H, Matsumoto Y, Yoshida K, Okai M, Kawai T, Kubota M, Ishiguro A.	Ecthyma gangrenosum in an infant with neutropenia.	Int J Hematol.	Jan;113(1)	3-4	2021
Ogita H, Yamamoto-Hanada K, Yoshida K, Uehara O, Funaki Y, Kohta M, Ohya Y.	New skin barrier meter for assessing skin barrier functions: A pilot study in healthy human adults.	Skin Res Technol.	Sep;27(5):	982-984	2021

Uehara Y, Wada YS, Iwasa ki Y, Yoneda K, Ikuta Y, Amari S, Maruyama H, Ts ukamoto K, Isayama T, Sa kamoto K, Shioda Y, Miya zaki O, Irie R, Yoshioka T, Mochimaru N, Yoshida K, Ito Y.	Neonatal systemic juvenile Xanthogranuloma with Hydr ops diagnosed by Purpura skin biopsy: a case report and literature review.	BMC Pediatr.	;21(1)	161	2021
Uchiyama T, Kawakami S, Masuda H, Yoshida K, Niizeki H, Mochizuki E, Edasawa K, Ishiguro A, Onodera M.	A Distinct Feature of T Cell Subpopulations in a Patient with CHARGE Syndrome and Omenn Syndrome.	J Clin Immunol.	Jan;41(1)	233-237.	2021
Haque MN, Ohtsubo M, Nishina S, Nakao S, Yoshida K, Hosono K, Kurata K, Ohishi K, Fukami M, Sato M, Hotta Y, Azuma N, Minoshima S.	Correction to: Analysis of IKBKG/NEMO gene in five Japanese cases of incontinua pigmenti with retinopathy: fine genomic assay of a rare male case with mosaicism.	J Hum Genet.	Jun;66(6)	645	2021
Haque MN, Ohtsubo M, Nishina S, Nakao S, Yoshida K, Hosono K, Kurata K, Ohishi K, Fukami M, Sato M, Hotta Y, Azuma N, Minoshima S.	Analysis of IKBKG/NEMO gene in five Japanese cases of incontinua pigmenti with retinopathy: fine genomic assay of a rare male case with mosaicism.	J Hum Genet.	Feb;66(2)	205-214.	2021
Tsuchiya M, Hashimoto R, Arai K, Yoshida K.	Psoriasiform dermatitis in a girl with ulcerative colitis receiving vedolizumab.	J Dermatol.	Online ahead of print.		2022
Matsuoka K, Igarashi A, Sato N, Isono Y, Gouda M, Iwasaki K, Shoji A, Hisamatsu T.	Trends in Corticosteroid Prescriptions for Ulcerative Colitis and Factors Associated with Long-Term Corticosteroid Use: Analysis Using Japanese Claims Data from 2006 to 2016.	J Crohns Colitis.	15(3)	358-366	2021
Hisamatsu T.	Management of inflammatory bowel disease during the COVID-19 pandemic.	Immunol Med.	16:	1-8.	2021
Miyoshi J, Hisamatsu T.	The impact of maternal exposure to antibiotics on the development of child gut microbiome.	Immunol Med.	15:	1-6.	2021
Sakuraba A, Nemoto N, Hibi N, Ozaki R, Tokunaga S, Kikuchi O, Minowa S, Mitsui T, Miura M, Saito D, Hayashida M, Miyoshi J, Matsuura M, Yoneyama M, Ohnishi H, Hisamatsu T.	Extent of disease affects the usefulness of fecal biomarkers in ulcerative colitis.	BMC Gastroenterol.	;21(1):	197	2021

Nakase H, Matsumoto T, Matsuura M, Iijima H, Matsuoka K, Ohmiya N, Ishihara S, Hirai F, Wagatsuma K, Yokoyama Y, Hisamatsu T.	Expert Opinions on the Current Therapeutic Management of Inflammatory Bowel Disease during the COVID-19 Pandemic: Japan IBD COVID-19 Taskforce, Intractable Diseases, the Health and Labor Sciences Research.	Digestion.	102(5):	814-822	2021
Watanabe S, Toki M, Shibahara J, Hisamatsu T.	Utility of endoscopic transpapillary pancreatic cyst drainage for intraductal papillary mucinous neoplasm infection.	BMJ Case Rep.	;14(6):	e242583.	2021
Saito D, Matsuura M, Ozaki R, Tokunaga S, Minowa S, Mitsui T, Miura M, Sakuraba A, Hayashida M, Miyoshi J, Hisamatsu T.	Clinical response of vedolizumab at week 6 predicted endoscopic remission at week 24 in ulcerative colitis.	JGH Open.	;5(9):	1056-1062.	2021
Miyoshi J, Maeda T, Matsuoka K, Saito D, Miyoshi S, Matsuura M, Okamoto S, Tamura S, Hisamatsu T.	Machine learning using clinical data at baseline predicts the efficacy of vedolizumab at week 22 in patients with ulcerative colitis.	Sci Rep.	;11(1):	16440.	2021
Hisamatsu T, Suzuki Y, Kobayashi M, Hagiwara T, Kawaberi T, Ogata H, Matsui T, Watanabe M, Hibi T.	Long-term safety and effectiveness of adalimumab in Japanese patients with Crohn's disease: 3-year results from a real-world study.	Intest Res.	Oct;19(4):	408-418	2021
Watanabe S, Miyoshi J, Toki M, Kambayashi K, Kitada S, Nosaka T, Goto T, Ota H, Ochiai K, Gondo K, Ikeuchi N, Tsuji S, Nakamura K, Shibahara J, Hisamatsu T.	Effectiveness of introducing a 20-gauge core biopsy needle with a core trap in EUS-FNA/B for diagnosing pancreatic cancer.	BMC Gastroenterol.	Jan;21(1):	1-8.	2021
Miura M, Shimizu H, Saito D, Miyoshi J, Matsuura M, Kudo T, Hirayama D, Yoshida M, Arai K, Iwama I, Nakase H, Shimizu T, Hisamatsu T.	Multicenter, cross-sectional, observational study on Epstein-Barr viral infection status and thiopurine use by age group in patients with inflammatory bowel disease in Japan (EBISU study).	J Gastroenterol.	Dec;56(12):	1080-1091.	2021
Hisamatsu T, Kim HJ, Motoyama S, Suzuki Y, Ohnishi Y, Fujii N, Matsushima N, Zheng R, Marano CW.	Efficacy and safety of ustekinumab in East Asian patients with moderately to severely active ulcerative colitis: a subpopulation analysis of global phase 3 induction and maintenance studies (UNIFI).	Intest Res.	Oct;19(4):	386-397.	2021

Ando K, Fujiya M, Watanabe K, Hiraoka S, Shiga H, Tanaka S, Iijima H, Mizushima T, Kobayashi T, Nagahori M, Ikeuchi H, Kato S, Torisu T, Kobayashi K, Higashiyama M, Fukui T, Kagaya T, Esaki M, Yanai S, Abukawa D, Naganuma M, Motoya S, Saruta M, Bamba S, Sasaki M, Uchiyama K, Fukuda K, Suzuki H, Nakase H, Shimizu T, Iizuka M, Watanabe M, Suzuki Y, Hisamatsu T.	A nationwide survey concerning the mortality and risk of progressing severity due to arterial and venous thromboembolism in inflammatory bowel disease in Japan.	J Gastroenterol. 1079	Dec;56(12):	1062-	2021
Kishi M, Hirai F, Takatsun N, Hisabe T, Takada Y, Beppu T, Takeuchi K, Naganuma M, Ohtsuka K, Watanabe K, Matsumoto T, Esaki M, Koganei K, Sugita A, Hata K, Futami K, Ajioaka Y, Tanabe H, Iwashita A, Shimizu H, Arai K, Suzuki Y, Hisamatsu T.	A review on the current status and definitions of activity indices in inflammatory bowel disease: how to use indices for precise evaluation.	J Gastroenterol.	Apr;57(4):	246-266	2022
Matsuura M, Matsumoto T, Naito Y, Saitoh Y, Kanai T, Suzuki Y, Tanaka S, Ogata H, Hisamatsu T.	Advanced endoscopy for the management of inflammatory digestive diseases: Review of the Japan Gastroenterological Endoscopy Society core session.	Dig Endosc.	Online ahead of print.		2022
Abreu MT, Rowbotham DS, Danese S, Sandborn WJ, Miao Y, Zhang H, Tikhnov I, Panaccione R, Hisamatsu T, Scherl EJ, Leong RW, Arasaradnam RP, Affif W, Peyrin-Biroulet L, Sands BE, Marano C.	Efficacy and Safety of Maintenance Ustekinumab for Ulcerative Colitis Through 3 Years: UNIFI Long-term Extension.	J Crohns Colitis.	Online ahead of print.		2022
Miyoshi J, Ozaki R, Yonezawa H, Mori H, Kawamura N, Matsuura M, Hisamatsu T.	Ratio of submucosal thickness to total bowel wall thickness as a new sonographic parameter to estimate endoscopic remission of ulcerative colitis.	J Gastroenterol.	Feb;57(2):	82-89.	2022
Kambayashi K, Toki M, Watanabe S, Hisamatsu T.	Management of common bile duct stones in a pregnant woman by percutaneous biliary drainage followed by elective endoscopic stone removal after delivery.	BMJ Case Rep.	15(3):	e248285.	2022

Taketomi S, Kawaguchi K, Mizutani Y, Yamagami R, Sameshima S, Takei S, Kono K, Inui H, Tanaka S, Haga N.	Anthropometric and musculoskeletal gender differences in young soccer players.	J Sports Med Phys Fitness.	Sep;61(9)	1212-1218.	2021
Matsushita M, Mishima K, Kamiya Y, Haga N, Fujiwara S, Ozono K, Kubota T, Kitaoka T, Imagama S, Kitoh H.	Health-related Quality of Life in Adult Patients with Multiple Epiphyseal Dysplasia and Spondyloepiphyseal Dysplasia.	Prog Rehabil Med.	6:	20210048.	2021
Sawada R, Yamana H, Shinoda Y, Tsuda Y, Matsui H, Fushimi K, Kobayashi H, Matsubayashi Y, Yasunaga H, Tanaka S, Haga N.	Predictive factors of the 30-day mortality after surgery for spinal metastasis: A analysis of a nationwide database.	J Orthop Sci.	;26(4):	666-671.	2021
Mano H, Inakazu E, Noguchi S, Nishizaka C, Fujiwara S, Haga N.	Rehabilitation Approach for a Child with Cerebral Palsy and Upper Limb Deficiency.	Prog Rehabil Med.	18;6:	20210016.	2021
Mano H, Fujiwara S, Takamura K, Kitoh H, Takayama S, Ogata T, Haga N.	Treatment approaches for congenital transverse limb deficiency: Data analysis from an epidemiological national survey in Japan.	J Orthop Sci.	Jul;26(4):	650-654.	2021
Mano H, Fujiwara S, Haga N.	How Children with Congenital Limb Deficiencies Visually Attend to Their Limbs and Prostheses: Eye Tracking of Displayed Still Images and Visuospatial Body Knowledge.	Dev Neurorehabil.	24(8):	547-554.	2021
Mano H, Noguchi S, Fujiwara S, Haga N.	Relationship between degree of disability, usefulness of assistive devices, and daily use duration: an investigation in children with congenital upper limb deficiencies who use upper limb prostheses.	Assist Technol.	Online ahead of print.		2021
Mano H, Fujiwara S, Yabuki S, Takikawa K, Tanaka H, Haga N.	Visual Attention to Their Own Paralytic Limbs in Children with Spina Bifida: Measurement of Gaze Direction Using Eye Tracking Technique.	Pediatr Int.	Online ahead of print.		2021
Kawaguchi K, Taketomi S, Mizutani Y, Inui H, Yamagami R, Kono K, Takagi K, Kage T, Sameshima S, Tanaka S, Haga N.	Hip Abductor Muscle Strength Deficit as a Risk Factor for Inversion Ankle Sprain in Male College Soccer Players: A Prospective Cohort Study.	Orthop J Sports Med.	;9(7):	23259671211020287.	2021

Mano H, Fujiwara S, Yabuki S, Tanaka H, Takikawa K, Haga N.	Body knowledge in children with spina bifida.	Pediatr Int.	Jan;64(1):	e14713.	2022
Inooka Y, Yamana H, Shinoda Y, Inokuchi H, Matsui H, Fushimi K, Yasunaga H, Haga N.	Predictive Factors for Oral Intake Recovery After Acute Stroke: Analysis of a Japanese Nationwide Inpatient Database.	Dysphagia.	Online ahead of print.		2022
Hashimoto R, Suto M, Tsuji M, Sasaki H, Takehara K, Ishiguro A, Kubota M.	Use of antipyretics for preventing febrile seizure recurrence in children: a systematic review and meta-analysis.	Eur J Pediatr.	180(4):	987–997.	2021
Hayakawa I, Abe Y, Kubota M.	Downbeat Nystagmus in Cerebellitis: The Cerebellar Inhibition to the Vestibulo-Ocular Reflex.	Neurol Clin Pract.	Aug;11(4):	e585–e586.	2021
Morimoto N, Maekawa T, Kubota M, Kitamura M, Takahashi N, Kubota M.	Challenge for management without tracheostomy tube after laryngo-tracheal separation in children with neurological disorders.	Laryngoscope Investig Otolaryngol.	;6(2):	332–339.	2021
Kawai M, Abe Y, Yumoto M, Kubota M.	Aphasia and a Dual-Stream Language Model in a 4-Year-Old Female with Landau-Kleffner Syndrome.	Neuropediatrics.	Online ahead of print.		2021
Ohashi E, Hayakawa I, Abe Y, Tsutsumi Y, Kubota M.	Transient Probst Bundle Diffusion Restriction: An Acute Encephalopathy Equivalent to Clinically Mild Encephalopathy with a Reversible Splenial Lesion.	Intern Med.	60(16):	2667–2670.	2021
Ohashi E, Hayakawa I, Murofushi Y, Kawai M, Suzuki-Muromoto S, Abe Y, Yoshida M, Kono N, Kosaki R, Hoshino A, Mizuguchi M, Kubota M.	Recurrent acute necrotizing encephalopathy in a boy with RANBP2 mutation and thermolabile CPT2 variant: The first case of ANE1 in Japan.	Brain Dev.	43(8):	873–878.	2021
Murofushi Y, Hayakawa I, Abe Y, Ohto T, Murayama K, Suzuki H, Takenouchi T, Kosaki K, Kubota M.	Ketogenic Diet for KARS-Related Mitochondrial Dysfunction and Progressive Leukodystrophy.	Neuropediatrics.	53(1):	65–68.	2022
Fujimoto T, Okatsu H, Miyama H.	Two-week prospective observational study of 5% soft ironium bromide gel in Japanese patients with primary axillary hyperhidrosis.	J Dermatol.	Online ahead of print.		2022

