

別紙4

2022年 研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
なし							

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Tani T, Takao M, Soufi M, Otake Y, Fukuda N, Hamada H, Uemura K, Sato Y, <u>Sugano N.</u>	Rotational-motion measurement of the sacroiliac joint using upright MRI scanning and intensity-based registration: is there a sex difference?	Int J Comput Assist Radiol Surg	In press	doi:10.1007/s11548-022-02806-w.	2022
Uemura K, Takao M, Otake Y, Iwasa M, Hamada H, Ando W, Sato Y, <u>Sugano N.</u>	The Effect of Region of Interest on Measurement of Bone Mineral Density of the Proximal Femur: Simulation Analysis Using CT Images.	Calcif Tissue Int	111(5)	475-484. doi:10.1007/s00223-022-01012-9.	2022
Sugano N, Hamada H, Uemura K, Takashima K, Nakahara I.	Numerical analysis evaluation of artificial joints.	J Artif Organs.	25(3)	185-190. doi:10.1007/s10047-022-01345-0.	2022
Kamihata S, Ando W, Takao M, Hamada H, Uemura K, <u>Sugano N.</u>	Effect of Hip Flexion Contracture on the Pelvic Sagittal Tilt in the Supine Position: A Retrospective Case-Series Study.	Mod Rheumatol.	In press	doi:10.1093/mr/rnac110.	2022

Iwasa M, Ando W, Uemura K, Hamada H, Takao M, <u>Sugano N.</u>	Is There an Association Between Femoral Head Collapse and Acetabular Coverage in Patients With Osteonecrosis?	Clin Orthop Relat Res.	In press	doi:10.1097/CORR.0000000000002363.	2022
Hamada H, Uemura K, Takashima K, Ando W, Takao M, <u>Sugano N.</u>	What Changes in Pelvic Sagittal Tilt Occur 20 Years After THA?	Clin Orthop Relat Res.	In press	doi: 10.1097/CORR.00000000000002382.	2022
Ando W, Takao M, Tani T, Uemura K, Hamada H, <u>Sugano N.</u>	Geographical distribution of the associated factors of osteonecrosis of the femoral head, using the designated intractable disease database in Japan.	Mod Rheumatol.	32(5)	1006-1012. doi: 10.1093/mr/roab065.	2022
Koo KH, Mont MA, Cui Q, Hines JT, Yoon BH, Novicoff WM, Lee YJ, Cheng EY, Drescher W, Hernigou P, Kim SY, Sugano N, Zhao DW, Hayashi YC, Goodman SB, Sakai T, Jones LC, Lee MS, Yamamoto T, Lee YK, Kang Y, Burgess J, Chen D, Quinlan N, Xu JZ, Park JW, Kim HS.	The 2021 Association Research Circulation Osseous Classification for Early-Stage Osteonecrosis of the Femoral Head to Computed Tomography-Based Study.	J Arthroplasty.	37(6)	1074-1082. doi:10.1016/j.arth.2022.02.009.	2022
Pezzotti G, Ishimura E, Inai R, Zhu W, Honma T, <u>Sugano N.</u> Ando W, Pazzaglia U, Marin E.	A Polarized Raman Spectroscopic Method for Advanced Analyses of the Osteon Lamellar Structure of Human Bone.	Methods Protoc.	5(3)	41. doi:10.3390/mps5030041.	2022
Enami H, Nakahara I, Ando W, Uemura K, Hamada H, Takao M, <u>Sugano N.</u>	Osteocompatibility of Si3N4-coated carbon fiber-reinforced polyetheretherketone (CFRP) and hydroxyapatite-coated CFRP with antibiotics and antithrombotic drugs.	J Artif Organs.	In press	doi:10.1007/s10047-022-01340-5.	2022

<p>Suetsugu H, Kim K, Yamamoto T, Bang SY, Sakamoto Y, Shin JM, <u>Sugano N</u>, Kim JS, Mukai M, Lee YK, Ohmura K, Park DJ, Takahashi D, Ahn GY, Karino K, Kwon YC, Miyamura T, Kim J, Nakamura J, Motomura G, Kuroda T, Niuro H, Miyamoto T, Takeuchi T, Ikari K, Amano K, Tada Y, Yamaji K, Shimizu M, Atsumi T, Seki T, Tanaka Y, Kubo T, Hisada R, Yoshioka T, Yamazaki M, Kabata T, Kajino T, Ohta Y, Okawa T, Naito Y, Kaneuji A, Yasunaga Y, Ohzono K, Tomizuka K, Koide M, Matsuda K, Okada Y, Suzuki A, Kim BJ, Kochi Y, Lee HS, Ikegawa S, Bae SC, Terao C.</p>	<p>Novel susceptibility loci for steroid-associated osteonecrosis of the femoral head in systemic lupus erythematosus.</p>	<p>Hum Mol Genet</p>	<p>31(7)</p>	<p>1082-1095. doi:10.1093/hmg/ddab306..</p>	<p>2022</p>
--	--	----------------------	--------------	---	-------------

Yin X, Kim K, Suetsugu H, Bang SY, Wen L, Koido M, Ha E, Liu L, Sakamoto Y, Jos S, Leng RX, Otomo N, Kwon YC, Sheng Y, <u>Sugano N</u> , Hewang MY, Li W, Mukai M, Yoon K, Cai M, Ishigaki K, Chung WT, Huang H, Takahashi D, Lee SS, Wang M, Karino K, Shim SC, Zheng X, Miyamura T, Kang YM, Ye D, Nakamura J, Suh CH, Tang Y, Motomura G, Park YB, Ding H, Kuroda T, Choe JY, Li C, Niuro H, Park Y, Shen C, Miyamoto T, Ahn GY, Fei W, Takeuchi T, Shin JM, Li K, Kawaguchi Y, Lee YK, Wang YF, Amano K, Park DJ, Yang W, Tada Y, Lau YL, Yamaji K, Zhu Z, Shimizu M, Atsumi T, Suzuki A, Sumida T, Okada Y, Matsuda K, Matsuo K, Kochi Y; Japanese Research Committee on Idiopathic Osteonecrosis of the Femoral Head, Yamamoto K, Ohmura K, Kim TH, Yang S, Yamamoto T, Kim BJ, Shen N, Ikegawa S, Lee HS, Zhang X, Terao C, Cui Y, Bae SC.	Biological insights into systemic lupus erythematosus through an immune cell-specific transcriptome-wide association study.	Ann Rheum Dis	81(9)	1273-1280. doi:10.1136/anrheumdis-2022-222345.	2022
Van Der Straeten C; and the International Hip Resurfacing Group.	Hip resurfacing arthroplasty in young patients: international high-volume centres' report on the outcome of 11,382 metal-on-metal hip resurfacing arthroplasties in patients ≤50 years at surgery.	Hip Int.	32(3)	353-362. doi:10.1177/1120700020957354.	2022
Iwasa M, Ando W, Uemura K, Hamada H, Takao M, <u>Sugano N</u> .	Association Between Magnitude of Femoral Head Collapse and Quality of Life in Patients With Osteonecrosis of the Femoral Head.	Mod Rheumatol.	In press	doi:10.1093/mr/rnac023.	2022

Uemura K, Otake Y, Takao M, Makino H, Soufi M, Iwasa M, Sugano N, Sato Y.	Development of an open-source measurement system to assess the areal bone mineral density of the proximal femur from clinical CT images.	Arch Osteopor	17(1)	17. doi: 10.1007/s11657-022-01063-3.	2022
Tani T, Ando W, Fukushima W, Hamada H, Takao M, Ito K, Sakai T, <u>Sugano N</u> .	Geographic distribution of the incidence of osteonecrosis of the femoral head in Japan and its relation to smoking prevalence.	Mod Rheumatol	32(1)	186-192. doi:10.1080/14397595.2021.1899452.	2022
Sato R, Ando W, Fukushima W, Sakai T, Hamada H, Takao M, Ito K, Sugano N.	Epidemiological study of osteonecrosis of the femoral head using the national registry of designated intractable diseases in Japan.	Modern Rheumatol	32(4)	808-814. doi:10.1093/mr/roab047.	2022
Shinohara H, Mikami Y, Kuroda R, Asaeda M, Kawasaki T, Kouda K, Nishimura Y, Ohkawa H, Uenishi H, Shimokawa T, Mikami Y, Tajima F, Kubo T.	Rehabilitation in the long-term care insurance domain: a scoping review.	Health Econ Rev	12(1)	59. doi:10.1186/s13561-022-00407-6.	2022
Onaka H, Kouda K, Nishimura Y, Tojo H, Umemoto Y, Kubo T, Tajima F, Mikami Y.	Standing and supine positions are better than sitting in improving rightward deviation in right-hemispheric stroke patients with unilateral spatial neglect: A randomized trial.	Medicine (Baltimore)	101(46)	e31571 doi:10.1097/MD.00000000000031571.	2022
Shimomura S, Inoue H, Arai Y, Nakagawa S, Fujii Y, Kishida T, Shin-Ya M, Ichimaru S, Tsuchida S, Mazda O, Kubo T.	Hypoxia promotes differentiation of pure cartilage from human induced pluripotent stem cells.	Mol Med Rep.	26(1)	229 doi:10.3892/mmr.2022.12745.	2022
Kubo T, Kumai T, Ikegami H, Kano K, Nishii M, Seo T.	Diclofenac-hyaluronate conjugate (diclofenac etalhyaluronate) intra-articular injection for hip, ankle, shoulder, and elbow osteoarthritis: a randomized controlled trial.	BMC Musculoskelet Disord.	23(1)	371. doi:10.1186/s12891-022-05328-3.	2022

Kawano S, Ueno M, Fujii M, Mawatari D, Mawatari M.	Mawatari D, Mawatari M. Case Series of Silver Oxide-Containing Hydroxyapatite Coating in Antibacterial Cementless Total Hip Arthroplasty: Clinical Results of 50 Cases at 5-Year Follow-Up.	Arthroplast Today..	T19	101067. doi:10.1016/j.artd.2022.10.017.	2022
Matsuo M, Morimoto T, Kobayashi T, Tsukamoto M, Yoshihara T, Hirata H, Mawatari M.	Posterior reversible encephalopathy syndrome following spine surgery: A case report and review of the literature.	Radiol Case Rep.	18(2)	635-638. doi:10.1016/j.radcr.2022.11.004.	2022
Kii S, Sonohata M, Nakashima T, Hashimoto A, Ueno M, Mawatari M.	Comparison of the clinical outcomes following total knee arthroplasty in osseous ankylosed and non-ankylosed knees using propensity-score matching.	Mod Rheumatol.	In press	doi:10.1093/mr/rnac144.	2022
Toda Y, Yamamoto H, Iwasaki T, Ishihara S, Ito Y, Susuki Y, Kawaguchi K, Kinoshita I, Kiyozawa D, Yamada Y, Kohashi K, Kimura A, Fujiwara T, Setsu N, Endo M, Matsumoto Y, Nakashima Y, Mawatari M, Oda Y.	Expression of SATB2, RUNX2, and SOX9 and possible osteoblastic and chondroblastic differentiation in chondroblastoma.	Pathol Res Pract.	In press.	doi:10.1016/j.prp.2022.154239.	2022
Hirata H, Kamohara A, Murayama M, Nishioka K, Honda H, Urano Y, Soejima H, Okita S, Kukita T, Kawano S, Mawatari M, Kukita A.	A novel role of helix-loop-helix transcriptional factor Bhlhe40 in osteoclast activation.	J Cell Physiol.	237(10)	3912-3926. doi:10.1002/jcp.30844.	2022
Sonohata M, Wada S, Koretaka Y, Morioka Y, Mishima H, Mawatari M.	A Survey of the Incidence of Constipation in Patients with Chronic Non-cancer Pain Using Opioid Analgesics in Japan.	Pain Ther.	11(3)	845-859. doi:10.1007/s40122-022-00392-y.	2022
Tateiwa T, Affatato S, Takahashi Y, Shishido T, Pezzotti G, Yamamoto K.	To what extent could the acetabular liner thickness be reduced yet remaining tribologically acceptable in metal-on-vitamin E-diffused crosslinked polyethylene hip arthroplasty?	Biomed Mater Res B Appl Biomater.	110(10)	2299-2309. doi:10.1002/jbm.b.35078.	2022

Goodman SB, Gibon E, Gallo J, Takagi M:	Macrophage Polarization and the Osteoimmunology of Periprosthetic Osteolysis.	Current Osteoporosis Rep	20(1)	43-52 doi:10.1007/s11914-022-00720-3.	2022
Kanaizumi A, Suzuki D, Nagoya S, Teramoto A, Yamashita T.	Patient-specific three-dimensional evaluation of interface micromotion in two different short stem designs in cementless total hip arthroplasty: a finite element analysis.	J Orthop Surg Res.	17(1)	437. doi:10.1186/s13018-022-03329-5.	2022
Yama N, Nagoya S, Shintaro S, Koyama M, Hatakenaka M.	Diagnosis of prosthetic joint infection at the hip using the standard uptake value of three-phase <sup>99m</sup> Tc-hydroxymethylene diphosphate SPECT/CT.	Annals of Nuclear Medicine.	36(7)	634-642. doi.org/10.1007/s12149-022-01745-5	2022
Ishikura H, Nakamura M, Nakamura S, Tanaka T, Kawano H, Tanaka S.	Relationship between the Accuracy of the Acetabular Cup Angle and BMI in Posterolateral Total Hip Arthroplasty with CT-Based Navigation.	Medicina(Kaunas).	58(7)	856. doi:10.3390/medicina58070856.	2022
Kobayashi N, Kamono E, Yamamoto Y, Yukizawa Y, Honda H, Takagawa S, Misumi T, Inaba Y.	Imaging Diagnosis, Prevalence, and Clinical Outcomes of Arthroscopic Surgery for Anterior Inferior Iliac Spine Impingement: A Systematic Review and Meta-analysis.	Orthop J Sports Med	10(11)	23259671221131341. doi:10.1177/23259671221131341.	2022
Oishi T, Kobayashi N, Yukizawa Y, Takagawa S, Honda H, Inaba Y.	Radiographs Are Comparable With 3-Dimensional Computed Tomography-Based Models as a Modality for the Preoperative Planning of the Arthroscopic Lateral Acromioplasty: A Retrospective Comparative Study	Arthrosc Sports Med Rehabil.	4(5)	e1799-e1806. doi:10.1016/j.asmr.2022.07.008.	2022
Wakayama Y, Higashi T, Kobayashi N, Choe H, Matsumoto M, Abe T, Takeuchi I, Inaba Y.	Clinical utility of minimally invasive posterior internal fixation within the pelvic ring using S2 alar iliac screws for unstable pelvic ring fracture.	Injury.	53(10)	3371-3376. doi:10.1016/j.injury.2022.08.035.	2022

Honda H, Kobayashi N, Kamono E, Yukizawa Y, Higashihira S, Takagawa S, Choe H, Ike H, Tezuka T, Inaba Y.	Effect of 3-Dimensional Versus Single-Plane Changes in Pelvic Dynamics on Range of Motion in Hips With Femoroacetabular Impingement: A Computer Simulation Analysis.	Orthop J Sports Med.	10(9)	23259671221123604. doi:10.1177/23259671221123604.	2022
Choe H, Kobayashi N, Abe K, Hieda Y, Tezuka T, Inaba Y.	Evaluation of Serum Albumin and Globulin in Combination With C-Reactive Protein Improves Serum Diagnostic Accuracy for Low-Grade Periprosthetic Joint Infection.	J Arthroplasty.	In press	doi:10.1016/j.arth.2022.09.011.	2022
Fujii J, Aoyama S, Tezuka T, Kobayashi N, Kawakami E, Inaba Y.	Prediction of Change in Pelvic Tilt After Total Hip Arthroplasty Using Machine Learning.	J Arthroplasty.	In press	doi:10.1016/j.arth.2022.06.020.	2022
Kobayashi N, Kamono E, Kamada K, Yukizawa Y, Takagawa S, Honda H, Inaba Y. I	Is there any clinical advantage of capsular repair over capsular resection for total hip arthroplasty? An updated systematic review and meta-analysis.	Arch Orthop Trauma Surg	In press	doi:10.1007/s00402-022-04444-y.	2022
Abe K, Oba M, Kobayashi N, Higashihira S, Choe H, Tezuka T, Ike H, Inaba Y..	Accuracy of Computer Navigation-Assisted Arthroscopic Osteochondroplasty for Cam-Type Femoroacetabular Impingement Using the Model-to-Image Registration Method.	Am J Sports Med.	50(5)	1272-1280. doi:10.1177/03635465221074338..	2022
Abe K, Choe H, Oba M, Tezuka T, Ike H, Kobayashi N, Inaba Y.	Inflammation and nutrition based screening tests for detection of infection in cases of rapid hip destruction.	Sci Rep.	2(1):	3586. doi:10.1038/s41598-022-07678-3.	2022
Watanabe N, Takada R, Ogawa T, Miyatake K, Hirao M, Hoshino C, Jinno T, Koga H, Yoshii T, Okawa A.	Short stature and short distance between the anterior acetabular rim to the femoral nerve are risk factors for femoral nerve palsy following primary total hip arthroplasty using the modified Watson-Jones approach.	Orthop Traumatol Surg Res.	108(6)	103351. doi:10.1016/j.otsr.2022.103351.	2022



Kawasaki T, Ohji S, Aizawa J, Sakai T, Hirohata K, Kuruma H, Koseki H, Okawa A, Jinno T.	Correlation between the Photographic Cranial Angles and Radiographic Cervical Spine Alignment. Int. J. Environ.	Res. Public Health	19(10)	6278. doi:10.3390/ijerph19106278.	2022
Morishita S, Yoshii T, Inose H, Hirai T, Matsukura Y, Ogawa T, Fushimi K, Katayanagi J, Jinno T, Okawa A.	Perioperative Complications of Anterior Decompression with Fusion in Degenerative Cervical Myelopathy-A Comparative Study between Ossification of Posterior Longitudinal Ligament and Cervical Spondylotic Myelopathy Using a Nationwide Inpatient Database.	J Clin Med.	11(12)	3398. doi: 10.3390/jcm11123398.	2022
Hirohata K, Aizawa J, Ohmi T, Ohji S, Mitomo S, Ohara T, Koga H, Yagishita K, Jinno T, Okawa A.	Reactive strength index during single-limb vertical continuous jumps after anterior cruciate ligament reconstruction: cross-sectional study.	BMC Sports Sci Med Rehabil.	14(1)	150. doi: 10.1186/s13102-022-00542-x.	2022
Segawa Y, Jinno T, Matsubara M, Matsuyama Y, Fujiwara T, Okawa A.	A cross-sectional study evaluating patients' preferences for Salter innominate osteotomy.	Journal of Orthopaedic Science	In press	doi: 10.1016/j.jos.2022.09.007.	2022
Ikemura S, Motomura G, Yamaguchi R, Utsunomiya T, Hamai S, Fujii M, Kawahara S, Sato T, Hara D, Shiimoto K, Yamamoto T, Nakashima Y.	The influence of bone marrow edema for the assessment of the boundaries of necrotic lesions in patients with osteonecrosis of the femoral head.	Sci Rep.	12(1)	18649. doi:10.1038/s41598-022-23427-y.	2022
Xu M, Motomura G, Ikemura S, Yamaguchi R, Kawano K, Yamamoto N, Tanaka H, Ayabe Y, Nakashima Y.	Posterior Pelvic Tilt in the Standing Position Might Be Associated with Collapse Progression in Post-Collapse Stage Osteonecrosis of the Femoral Head.	Orthop Surg.	14(12)	3201-3208. doi: 10.1111/os.13544.	2022
Ikemura S, Motomura G, Kawano K, Hamai S, Fujii M, Nakashima Y.	The Discrepancy in the Posterior Boundary of Necrotic Lesion Between Axial and Oblique Axial Slices of MRI in Patients with Osteonecrosis of the Femoral Head.	J Bone Joint Surg Am.	104(Suppl 2)	33-39. doi:10.2106/JBJS.20.00493.	2022

Murao M, Nankaku M, Kawano T, Goto K, Kuroda Y, Kawai T, Ikeguchi R, Matsuda S.	Reproducibility, criterion-related validity, and minimal clinically important difference of the stair negotiation test after total Hip arthroplasty.	Physiother Theory Pract.	17	1-8. doi: 10.1080/09593985.2022.2078255.	2022
Orita K, Goto K, Kuroda Y, Kawai T, Okuzu Y, Takaoka Y, Matsuda S.	Long-term outcome of primary total hip arthroplasty with cementless bioactive glass ceramic bottom-coated implants and highly cross-linked polyethylene: A minimum 10-year analysis.	J Orthop Sci.	In press	doi: 10.1016/j.jos.2021.12.019.	2022
Kawano T, Nankaku M, Murao M, Hamada R, Goto K, Kuroda Y, Kawai T, Ikeguchi R, Matsuda S.	Recovery of Muscle Atrophy and Fatty Infiltration in Patients With Acetabular Dysplasia After Total Hip Arthroplasty.	J Am Acad Orthop Surg.	30(3)	e317-e326. doi: 10.5435/JAAOS-D-21-00156.	2022
Kawai T, Goto K, Kuroda Y, Okuzu Y, Matsuda S.	Discrepancy in the Responsiveness to Hip Range of Motion Between Harris and Oxford Hip Scores.	Arthroplast Today.	13	57-164. doi: 10.1016/j.artd.2021.10.008.	2022
Mitsuzawa S, Kuroda Y, Okuzu Y, Kawai T, Goto K, Kaido T, Uemoto S, Matsuda S.	Corticosteroid-associated osteonecrosis of the femoral head after orthotopic liver transplantation and the outcomes of subsequent total hip arthroplasty.	J Orthop Sci.	27(2)	395-401. doi: 10.1016/j.jos.2020.12.014.	2022
Kawai T, Goto K, Kuroda Y, Okuzu Y, Matsuda S.	Association Between the Amount of Limb Lengthening and Hip Range of Motion After Total Hip Arthroplasty.	J Am Acad Orthop Surg.	30(6)	e599-e606. doi: 10.5435/JAAOS-D-21-00374.	2022
Orita K, Goto K, Kuroda Y, Kawai T, Okuzu Y, Matsuda S.	Wear resistance of first-generation highly cross-linked annealed polyethylene in cementless total hip arthroplasty is maintained 20 years after surgery.	Bone Joint J.	104-B(2)	200-205 doi: 10.1302/0301-620X.104B2.BJJ-2021-1079.R1.	2022
So K, Goto K, Kawaguchi A, Kuroda Y, Matsuda S.	The superior accuracy of a novel method in total hip wear calculations following radiographic measurement.	BMC Musculoskelet Disord.	23(1)	130. doi: 10.1186/s12891-021-04964-5.	2022

Kawai T, Goto K, Kuroda Y, Okuzu Y, Matsuda S.	High Subsidence Rate After Primary Total Hip Arthroplasty Using a Zweymüller-type Noncemented Implant With a Matte Surface.	J Am Acad Orthop Surg Glob Res Rev.	6(6)	e21.00126. doi:10.5435/JAASGlobal-D-21-00126.	2022
Okuzu Y, Goto K, Kuroda Y, Kawai T, Matsuda S..	Closed suction drainage is not beneficial in hybrid total hip arthroplasty with intra-articular administration of tranexamic acid: a propensity score-matched cohort study.	Int Orthop	46(6)	1281-1287. doi:10.1007/s00264-022-05366-5.	2022
Kawai T, Shimizu T, Goto K, Kuroda Y, Okuzu Y, Otsuki B, Fujibayashi S, Matsuda S.T	The Impact of Spinopelvic Parameters on Hip Degeneration After Spinal Fusion.	Spine (Phila Pa 1976).	47(15)	1093-1102. doi: 10.1097/BRSS.0000000000004340.	2022
Kawano T, Nankaku M, Muraom M, Goto K, Kuroda Y, Kawai T, Ikeguchi R, Matsuda S.	Development of a Clinical Prediction Rule to Identify Physical Activity After Total Hip Arthroplasty.	Arch Phys Med Rehabil	103(10)	1975-1982. doi:10.1016/j.apmr.2022.03.015.	2022
Fujita J, Doi N, Kinoshita K, Sakamoto T, Seo H, Yamamoto T.	Rate of Return to Work After Periacetabular Osteotomy and Its Influencing Factors.	J Bone Joint Surg Am.	104(8)	732-738. doi: 10.2106/JBJS.21.00548.	2022
Doi K, Kinoshita K, Sakamoto T, Seo H, Matsunaga T, Yamamoto T.	Mechanical Influence of Pubic Nonunion on the Stress Distribution After Curved Periacetabular Osteotomy: Patient-Specific Three-Dimensional Finite Element Analysis.	J Arthroplasty.	37(7)	1390-1395. doi: 10.1016/j.arth.2022.02.071.	2022
Suzuki M, Kinoshita K, Sakamoto T, Seo H, Kinoshita S, Yoshimura I, Yamamoto T	Utility of anterior wall of greater trochanter in predicting femoral anteversion angle: a three-dimensional computed tomography-based simulation study.	J Orthop Surg Res.	17(1)	412. doi:10.1186/s13018-022-03313-z.	2022
Ikemura S, Motomura G, Yamaguchi R, Utsunomiya T, Hamai S, Fujii M, Kawahara S, Sato T, Hara D, Shiimoto K, Yamamoto T, Nakashima Y.	The influence of bone marrow edema for the assessment of the boundaries of necrotic lesions in patients with osteonecrosis of the femoral head.	Sci Rep.	12(1)	18649. doi: 10.1038/s41598-022-23427-y.	2022

Doi M, Chiba K, Okazaki N, Kondo C, Yamada S, Yokota K, Yonekura A, Tomita M, Osaki M.	Bone microstructure in healthy men measured by HR-pQCT: Age-related changes and their relationships with DXA parameters and biochemical markers.	Bone.	54	116252. doi:10.1016/j.bone.2021.116252.	2022
Mizukami S, Arima K, Abe Y, Tomita Y, Nakashima H, Honda Y, Uchiyama M, Okawachi T, Goto H, Hasegawa M, Sou Y, Kanagae M, Osaki M, Aoyagi K.	Association between fat mass by bioelectrical impedance analysis and bone mass by quantitative ultrasound in relation to grip strength and serum 25-hydroxyvitamin D in postmenopausal Japanese women: the Unzen study.	J Physiol Anthropol.	41(1)	7. doi:10.1186/s40101-022-00281-5.	2022
Nakazoe Y, Yonekura A, Takita H, Miyaji T, Okazaki N, Chiba K, Kidera K, Miyamoto T, Tomita M, Gamada K, Osaki M.	Differences in the flexion and extension phases during kneeling investigated by kinematic and contact point analyses: a cross-sectional study.	J Orthop Surg Res.	17(1)	192. doi:10.1186/s13018-022-03080-x.	2022
Shiraishi K, Chiba K, Watanabe K, Oki N, Iwamoto N, Amano S, Yonekura A, Tomita M, Uetani M, Kawakami A, Osaki M.	Analysis of bone erosions in rheumatoid arthritis using HR-pQCT: Development of a measurement algorithm and assessment of longitudinal changes.	PLoS One.	17(4):	e0265833. doi: 10.1371/journal.pone.0265833. PMC9041818.	2022
Chiba K, Okazaki N, Kurogi A, Watanabe T, Mori A, Suzuki N, Adachi K, Era M, Yokota K, Inoue T, Yabe Y, Furukawa K, Kondo C, Tsuda K, Ota S, Isobe Y, Miyazaki S, Morimoto S, Sato S, Nakashima S, Tashiro S, Yonekura A, Tomita M, Osaki M.	Randomized controlled trial of daily teriparatide, weekly high-dose eriparatide, or bisphosphonate in patients with postmenopausal osteoporosis: the TERA-BIT study.	Bone.	160	116416. doi:10.1016/j.bone.2022.116416.	2022
Tsuda K, Tagami A, Yamada S, Yokota K, Chiba K, Yonekura A, Tomita M, Osaki M.	Computed tomographic evaluation of three types of screw trajectories for posterior cervical spine fixation: Cervical pedicle screw, lateral mass screw, and paravertebral foramen screw.	Medicine (Baltimore).	101(28)	e29857. doi:10.1097/MD.00000000000029857.	2022

Miyashita K, Suzuyama H, Chiba K, Osaki M, Mita H, Tamura N, Matsukawa M.	Study on ultrasonic wave propagation in equine leg bone for screening buckled shin.	J Acoust Soc Am.	152(2)	890 doi:10.1121/10.0012689.	2022
Niimi R, Chiba K, Okazaki N, Yonekura A, Tomita M, Osaki M.:	Relationships between QUS and HR-pQCT, DXA, and bone turnover markers.	J Bone Miner Metab.	40(5)	790-800 doi:10.1007/s00774-022-01346-2.	2022
Chiba K, Okazaki N, Kurogi A, Watanabe T, Mori A, Suzuki N, Adachi K, Era M, Yokota K, Inoue T, Yabe Y, Furukawa K, Kondo C, Tsuda K, Ota S, Isobe Y, Miyazaki S, Morimoto S, Sato S, Nakashima S, Tashiro S, Yonekura A, Tomita M, Osaki M.	Corrigendum to "Randomized controlled trial of daily teriparatide, weekly high-dose teriparatide, or bisphosphonate in patients with postmenopausal osteoporosis: The TERABIT study" [Bone 160 (2022) 116416]	Bone.	162	116484. doi:10.1016/j.bone.2022.116484..	2022
Ota S, Chiba K, Okazaki N, Yonekura A, Tomita M, Osaki M.	Cortical thickness mapping at segmented regions in the distal radius using HR-pQCT.	J Bone Miner Metab.	40(6)	1021-1032. doi:10.1007/s00774-022-01370-2.	2022
Koseki H, Osaki M, Honda Y, Sunagawa S, Imai C, Shida T, Matsumura U, Sakamoto J, Tomonaga I, Yokoo S, Mizukami S, Okita M.	Progression of microstructural deterioration in load-bearing immobilization osteopenia.	PloS One..	17(11)	e0275439. doi:10.1371/journal.pone.0275439.	2022
Tsuji K, Kitamura M, Chiba K, Muta K, Yokota K, Okazaki N, Osaki M, Mukae H, Nishino T.	Comparison of bone microstructures via high-resolution peripheral quantitative computed tomography in patients with different stages of chronic kidney disease before and after starting hemodialysis.	Ren Fail.	44(1)	381-391. doi:10.1080/0886022X.2022.2043375.	2022
Iwamoto N, Chiba K, Sato S, Shiraishi K, Watanabe K, Oki N, Okada A, Koga T, Kawashiri SY, Tamai M, Hosogaya N, Furuyama M, Kobayashi M, Saito K, Okubo N, Uetani M, Osaki M, Kawakami A.	Inhibition of bone erosion, determined by high-resolution peripheral quantitative computed tomography (HR-pQCT), in rheumatoid arthritis patients receiving a conventional synthetic disease-modifying antirheumatic drug (csDMARD) plus denosumab vs csDMARD therapy alone: an open-label, randomized, parallel-group study.	Arthritis Res Ther.	24(1)	264. doi:10.1186/s13075-022-02957-w.	2022

Kobayashi K, Osaki M, Kidera K, Ait-Si-Selmi T, Ramos-Pascual S, Saffarini M, Bonnin MP.	Stem-bone contact patterns of a long straight tapered uncemented stem for primary THA.	Arch Orthop Trauma Surg.	142(12)	4063-4073. doi:10.1007/s00402-021-04273-5.	2022
Chen M, Kaneuji A, Takahashi E, Fukui M, Ichiseki T, Kawahara N.	Angular changes in pelvic tilt and cup orientation at a minimum of eighteen years after primary total hip arthroplasty with an uncemented cup.	Int Orthop.	47(1)	75-81. doi:10.1007/s00264-022-05610-y..	2022
Chen M, Takahashi E, Kaneuji A, Tachi Y, Fukui M, Orita Y, Ichiseki T, Zhou Y, Kawahara N.	Does the Dual Mobility Cup Reduce Dislocation After Primary Total Hip Arthroplasty in Elderly Patients at High Risk of Dislocation?	Orthop Surg.	In press	doi:10.1111/os.13613.	2022
Chen M, Wang X, Takahashi E, Kaneuji A, Zhou Y, Kawahara N.	Current Research on Subchondral Insufficiency Fracture of the Femoral Head.	Clin Orthop Surg.	14(4)	477-485. doi:10.4055/cios202175. PMCID: PMC9215922	2022
Taki Y, Fuku A, Nakamura Y, Koya T, Kitajima H, Tanida I, Takaki T, Nozaki K, Sunami H, Hirata H, Tachi Y, Shimasaki T, Masauji T, Yamamoto N, Ishigaki Y, Shimodaira S, Shimizu Y, Ichiseki T, Kaneuji A, Osawa S, Kawahara N.	A morphological study of adipose-derived stem cell sheets created with temperature-responsive culture dishes using scanning electron microscopy.	Med Mol Morphol.	55(3)	187-198. doi:10.1007/s00795-022-00319-8.	2022
Toyohara R, Kaneuji A, Takanashi N, Kurosawa D, Hammer N, Ohashi T.	A patient- cohort study of numerical analysis on sacroiliac joint stress distribution in pre- and post-operative hip dysplasia	Sci Rep.	12(1)	14500. doi:10.1038/s41598-022-18752-1. PMCID: PMC9411127.	2022
Fuku A, Taki Y, Nakamura Y, Kitajima H, Takaki T, Koyama T, Tanida I, Nozaki K, Sunami H, Hirata H, Tachi Y, Masauji T, Yamamoto N, Ishigaki Y, Shimodaira S, Shimizu Y, Ichiseki T, Kaneuji A, Osawa S, Kawahara N.	Evaluation of the Usefulness of Human Adipose-Derived Stem Cell Spheroids Formed Using SphereRing® and the Lethal Damage Sensitivity to Synovial Fluid In vitro.	Cells.	11(3)	337. doi:10.3390/cells11030337.	2022
Sato R, Ando W, Fukushima W, Sakai T, Hamada H, Takano M, Ito K, Sugano N.	Epidemiological study of osteonecrosis of the femoral head using the national registry of designated intractable diseases in Japan.	Mod Rheumatol.	32(4)	808-814. doi:10.1093/mr/rtoab047.	2022

Mizohata S, Uesugi Y, Matsu o H.	Factors Affecting the Risk of Diabetes Development among Brazilian Residen ts in Japan.	Int J Environ Res Public He alth	19(13)	7698 doi:10.3390/ijerp h19137698.	2022
Arita S, Nsihino T, Mitani Y, Sakashita K, Totsuka S, Watanabe R, Mishima H, Kawai H, Matsubara D, Oda Y, Yamazaki M.	Hemiarthroplasty for tumor-induced osteomalacia caused by tumor localized in femoral head: a case report.	J Surg Case Rep.	2022(10)	rjac478. doi:10.1093/jscr/r jac478.	2022
Watabe D, Nishino T, Mishima H, Yamazaki M.	Gluteal compartment synd rome after laparoscopic sup rgery in lateral jackknife position: a case report.	Surg Case Re p.	2022(10)	rjac477. doi: 10.1093/jscr /rjac477.	2022
Yoshizawa T, Yoshioka T, Sugaya H, Nishino T, Tomaru Y, Wada H, Akaogi H, Yamazaki M, Mishima H.	Total Hip Arthroplasty After Failed Hip-Preserving Surgery with Concentrated Autologous Bone Marrow Aspirate Transplantation for Osteonecrosis of the Femoral Head:	A Retrospectiv e Study. Indian J Orthop.	56(7)	1251-1258. doi:10.1007/s434 65-022-00603-w.	2022
Tomaru Y, Yoshioka T, Sugaya H, Kumagai H, Aoto K, Wada H, Akaogi H, Yamazaki M, Mishima H.	Comparison Between Con centrated Autologous Bon e Marrow Aspirate Transp lantation as a Hip Preserv ing Surgery and Natural Course in Idiopathic Oste onecrosis of the Femoral Head.	Cureus.	14(5)	e24658. doi:10.7759/cure us.24658.	2022
Nishino T, Oshima T, Teramu ra S, Taniguchi Y, Kanamori A, Mishima H, Yamazaki M.	Development of a Self-ma de Cement Bead Maker and Its Clinical Applicatio n for the Treatment of Pe riprosthetic Joint Infectio n.	Arthroplast To day.	13	188-193. doi:10.1016/j.artd .2021.10.021.	2022
Sugaya H, Yoshioka T, Tomaru Y, Kumagai H, Yamazaki M, Mishima H.	An exploratory clinical tri al for concentrated autolo gous bone marrow aspirat e transplantation in the tr eatment of osteonecrosis of the femoral head. Eur	J Orthop Surg Traumatol.	In press	doi: 10.1007/s00590-0 22-03201-6.	2022
Arita S, Nsihino T, Mitani Y, Sakashita K, Totsuka S, Watanabe R, Mishima H, Kawai H, Matsubara D, Oda Y, Yamazaki M.	Hemiarthroplasty for tumor-induced osteomalacia caused by tumor localized in femoral head: a case report.	J Surg Case R ep.	2022(10)	rjac478 doi: 10.1093/jscr/rjac4 78.	2022

Watabe D, Nishino T, Mishima H, Yamazaki M.	Gluteal compartment syndrome after laparoscopic surgery in lateral jackknife position: a case report.	J Surg Case Rep.	2022(10)	rjac477 doi:10.1093/jscr/rjac477.	2022
Yoshizawa T, Yoshioka T, Sugaya H, Nishino T, Tomaru Y, Wada H, Akaogi H, Yamazaki M, Mishima H.	Total Hip Arthroplasty After Failed Hip-Preserving Surgery with Concentrated Autologous Bone Marrow Aspirate Transplantation for Osteonecrosis of the Femoral Head: A Retrospective Study.	Indian J Orthop.	56(7)	1251-1258. doi:10.1007/s43465-022-00603-w.	2022
Tomaru Y, Yoshioka T, Sugaya H, Kumagai H, Aoto K, Wada H, Akaogi H, Yamazaki M, Mishima H.	Comparison Between Concentrated Autologous Bone Marrow Aspirate Transplantation as a Hip Preserving Surgery and Natural Course in Idiopathic Osteonecrosis of the Femoral Head.	Cureus.	14(5)	e24658. doi:10.7759/cureus.24658.	2022
Nishino T, Oshima T, Teramura S, Taniguchi Y, Kanamori A, Mishima H, Yamazaki M.	Development of a Self-made Cement Bead Maker and Its Clinical Application for the Treatment of Periprosthetic Joint Infection.	Arthroplast Today.	13	188-193. doi:10.1016/j.artd.2021.10.021.	2022
Sugaya H, Yoshioka T, Tomaru Y, Kumagai H, Yamazaki M, Mishima H.	An exploratory clinical trial for concentrated autologous bone marrow aspirate transplantation in the treatment of osteonecrosis of the femoral head.	Eur J Orthop Surg Traumatol.	In press	doi:10.1007/s00590-022-03201-6.	2022
Kato S, Demura S, Kabata T, Matsubara H, Kurokawa Y, Kajino Y, Okamoto Y, Kuroda K, Kimura H, Shinmura K, Yokogawa N, Shimizu T, Igarashi K, Inoue D, Tsuchiya H.	Evaluation of locomotive syndrome in patients receiving surgical treatment for degenerative musculoskeletal diseases: A multicentre prospective study using the new criteria.	Mod Rheumatol.	32(4)	822-829. doi:10.1093/mr/rwab045.	2022
Inoue D, Kabata T, Kajino Y, Ohmori T, Yamamuro Y, Taninaka A, Kataoka T, Saiki Y, Tsuchiya H.	Does dosage or duration of concurrent oral corticosteroid influence elevated risk of postoperative complications after total joint arthroplasty?	J Arthroplasty.	37(4)	652-658. doi:10.1016/j.arth.2021.12.032.	2022



Yamamuro Y, Kabata T, Takeuchi A, Kajino Y, Inoue D, Ohmori T, Yoshitani J, Ueno T, Ueoka K, Taninaka A, Kataoka T, Saiki Y, Tsuchiya H.	Large intraosseous chronic expanding hematoma after total hip arthroplasty presenting with chronic disseminated intravascular coagulation:	a case report and literature review.BMC Musculoskelet Disord.	23(1)	609. doi:10.1186/s12891-022-05571-8.	2022
Kato S, Demura S, Kabata T, Matsubara H, Kurokawa Y, Okamoto Y, Kuroda K, Kajino Y, Yokogawa N, Inoue D, Tsuchiya H.	Risk Factors that Hinder Locomotive Syndrome Improvement Following Surgery for Musculoskeletal Diseases in Older Patients: A Multicenter Prospective Study.	Mod Rheumatol.	In press	doi:10.1093/mr/rnac082.	2022
Nagatani S, Demura S, Kato S, Kabata T, Kajino Y, Yokogawa N, Inoue D, Kurokawa Y, Kobayashi M, Yamada Y, Kawai M, Tsuchiya H	Risk Factors for Progressive Spinal Sagittal Imbalance in the Short-Term Course after Total Hip Arthroplasty: A 3 Year Follow-Up Study of Female Patients.	J Clin Med.	11(17)	5179. doi:10.3390/jcm11175179.	2022
Inoue D, Kabata T, Kajino Y, Ohmori T, Yamamuro Y, Tsuchiya H.	Risk factor analysis on perioperative greater trochanteric fracture of total hip arthroplasty via anterolateral approach. Arch Orthop Trauma Surg.	Arch Orthop Trauma Surg.	In press	doi:10.1007/s00402-022-04715-8.	2022
*akahashi D, Noyama Y, Shimizu T, Terkawi MA, Iwasaki N.	Finite Element Analysis of Optimal Positioning of Femoral Osteotomy in Total Hip Arthroplasty With Subtrochanteric Shortening.	Arthroplast Today	4:	105-109. doi:10.1016/j.artd.2022.01.021.	2022
Matsumae G, Kida H, Takahashi D, Shimizu T, Ebata T, Yokota S, Alhasan H, Aly MK, Yutani T, Uetsuki K, Terkawi MA, Iwasaki N.	Determination of optimal concentration of vitamin E in polyethylene liners for producing minimal biological response to prosthetic wear debris.	J Biomed Mater Res B Appl Biomater.	110(7)	1587-1593. doi:10.1002/jbm.b.35019.	2022
Shimizu T, Takahashi D, Nakamura Y, Miyazaki T, Yokota S, Ishizu H, Iwasaki N.	Effect of periacetabular osteotomy on the distribution pattern of subchondral bone mineral density in patients with hip dysplasia	J Orthop Res.	In press	doi:10.1002/jor.25284.	2022

Terkawi MA, Matsumae G, Shimizu T, Takahashi D, Kadoya K, Iwasaki N.	Interplay between inflammation and pathological bone resorption: Insights into recent mechanisms and pathways in related diseases for future perspectives.	Int J Mol Sci.	23(3)	1786. doi:10.3390/ijms23031786.	2022
Yokota S, Shimizu T, Matsumae G, Ebata T, Alhasan H, Takahashi D, Terkawi MA, Iwasaki N.	Inflammasome Activation in the Hip Synovium of Rapidly Destructive Coxopathy Patients and Its Relationship with the Development of Synovitis and Bone Loss.	Am J Pathol.	192(5)	794-804. doi:10.1016/j.ajpath.2022.02.003.	2022
Matsumae G, Terkawi MA, Nonoyama T, Kurokawa T, Takahashi D, Shimizu T, Kadoya K, Gong JP, Yasuda K, Iwasaki N.	Evaluation of biological responses to micro-particles derived from a double network hydrogel.	Biomater Sci.	10(9)	2182-2187. doi:10.1039/d1bm01777b.	2022
Terkawi MA, Ebata T, Yokota S, Takahashi D, Endo T, Matsumae G, Shimizu T, Kadoya K, Iwasaki N.	Low-Grade Inflammation in the Pathogenesis of Osteoarthritis: Cellular and Molecular Mechanisms and Strategies for Future Therapeutic Intervention.	Biomedicines.	10(5)	1109 doi:10.3390/biomedicines10051109;	2022
Alhasan H, Terkawi MA, Matsumae G, Ebata T, Tian Y, Shimizu T, Nishida Y, Yokota S, Garcia-Martin F, Abd Elwakil MM, Takahashi D, Younis MA, Harashima H, Kadoya K, Iwasaki N.	Inhibitory role of annexin A1 in pathological bone resorption and therapeutic implications in periprosthetic osteolysis.	Nat Commun.	13(1)	3919 doi:10.1038/s41467-022-31646-0.	2022
Nakasone S, Takaesu M, Ishihara M, Onaga M, Igei T, Miyata Y, Nishida K.	Accuracy of Acetabular Cup Placement During Total Hip Arthroplasty in Supine Position Using a Pelvic Rotation Correction Device.	Arthroplast Today	16	46-52. doi: 10.1016/j.artd.2022.04.004.	2022
堀田和志, 清水淳也, 舘田健児, 江森誠人, 小助川維摩, 金泉新, 中橋尚也, 名越智, 山下敏彦.	大腿骨頭に発生した悪性骨腫瘍に対する広範囲切除後に坐骨の骨溶解像を認めた1例.	Hip Joint	48	183-187	2022

<p>舘田健児, 名越 智, 小助川 維摩, 鈴木大輔, 清水淳也, 金 泉新, 山下敏彦..</p>	<p>化膿性股関節炎後の巨大 骨頭を伴う股関節変形に 対し, 関節鏡下大腿骨頭 骨軟骨形成術と寛骨臼回 転骨切り術を行った一例.</p>	<p>Hip Joint</p>	<p>48</p>	<p>312-319,</p>	<p>2022</p>
---	--	------------------	-----------	-----------------	-------------