

別紙4

2020-2022年 研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
なし							

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Uemura K, Boughton OR, Logishetty K, Halewood C, Clarke SG, Harris SJ, Sugano N,	Cobb JP. A single-use, size-specific, nylon arthroplasty guide: a preliminary study for hip resurfacing.	Hip Int.	30(1):	71-77 doi:10.1177/1120700019834918..	2020
Ogawa T, Takao M, Otake Y, Yokota F, Hamada H, Sakai T, Sato Y, Sugano N.	Validation study of the CT-based cross-sectional evaluation of muscular atrophy and fatty degeneration around the pelvis and the femur.	J Orthop Sci	25(1)	139-144. doi:10.1016/j.jos.2019.02.004. Epub 2019 Feb 28.	2020
Sakamoto M, Hiasa Y, Otake Y, Takao M, Suzuki Y, Sugano N, Sato Y.	Bayesian segmentation of hip and thigh muscles in metal artifact-contaminated CT using convolutional neural network-enhanced normalized metal artifact reduction.	Journal of Signal Processing Systems	92	139-144.	2020
Tsuda K, Takao M, Kim JH, Abe H, Nakamura N, Sugano N.	Asymptomatic deep venous thrombosis after elective hip surgery may be allowed to be left without thromboprophylaxis, minimum two-year follow-up.	J Arthroplasty.	35(2)	63-568. doi: 10.1016/j.arth.2019.08.062.	2020

Jodeiri A, Zoroofi RA, Hiasa Y, Takao M, Sugano N, Sato Y, Otake Y.	Fully automatic estimation of pelvic sagittal inclination from anterior-posterior radiography image using deep learning framework.	Comput Metho ds Programs Biomed.	184	105282. doi: 10.1016/j.cmpb.2019.105282.	2020
Takashima K, Nakahara I, Uemura K, Hamada H, Ando W, Takao M, Sugano N.	Clinical outcomes of proximal femoral fractures treated with a novel carbon fiber-reinforced polyetheretherketone intramedullary nail.	Injury.	38(3)	678-682. doi: 10.1016/j.injury.2020.01.007.	2020
Tani T, Takao M, Uemura K, Otake Y, Hamada H, Ando W, Sato Y, Sugano N	Posterior Pelvic Tilt from Supine to Standing in Patients with Symptomatic Developmental Dysplasia of the Hip.	J Orthop Res.	38(3)	578-587. doi:10.1002/jor.24484.	2020
Kaneko S, Takegami Y, Seki T, Fukushima W, Ando W, Ishiguro N, Sugano N.	Surgery trends for osteonecrosis of the femoral head: a fifteen-year multicenter study in Japan.	Int Orthop.	44(4)	761-769. doi:10.1007/s00264-020-04480-6.	2020
Yoon BH, Mont MA, Koo KH, Chen CH, Cheng EY, Cui Q, Drescher W, Gangji V, Godman SB, Ha YC, Hernigou P, Hungerford MW, Iorio R, Jo WL, Jones LC, Khanduja V, Kim HKW, Kim SY, Kim TY, Lee HY, Lee MS, Lee YK, Lee YJ, Nakamura J, Parvizi J, Sakai T, Sugano N, Takao M, Yamamoto T, Zhao DW.	The 2019 Revised Version of Association Research Circulation Osseous Staging System of Osteonecrosis of the Femoral Head.	J Arthroplasty.	35(4)	933-940. doi:10.1016/j.arth.2019.11.029.	2020
Hiasa Y, Otake Y, Takao M, Ogawa T, Sugano N Sato Y.	Automated Muscle Segmentation from Clinical CT using Bayesian U-Net for Personalized Musculoskeletal Modeling.	Trans Med Imaging.	39(4)	1030-1040. doi:10.1109/TMI.2019.2940555.	2020
Takao M, Abe H, Sakai T, Hamada H, Takahara S, Sugano N.	Transitional changes in the incidence of hip osteonecrosis among renal transplant recipients.	J Orthop Sci.	38(8)	466-471. doi:10.1016/j.jos.2019.06.009. PMC7135379.	2020
Sakoda H, Sugano N, Okamoto Y, Haishima Y.	A novel method to eliminate the influence of absorbed lipids on the characterization of ultra-high molecular weight polyethylene using Fourier-transform infrared spectroscopy.	Biomed Mater Eng.	31(2)	119-129. doi:10.3233/BME-201084.	2020

Hamada H, Takao M, Ando W, Sugano N.	Incidence and determinants of ante flexion impairment after rotational acetabular osteotomy.	J Orthop Res.	38(8)	1787-1792. doi:10.1002/jor.24600.	2020
Takashima K, Sakai T, Amano S, Hamada H, Ando W, Takao M, Hamasaki T, Nakamura N, Sugano N.	Does a computed tomography-based navigation system reduce the risk of dislocation after total hip arthroplasty in patients with osteonecrosis of the femoral head? A propensity score analysis.	J Artif Organs.	23(3)	247-254. doi:10.1007/s10047-020-01158-z.	2020
Nakahara E, Uemura K, Ando W, Hamada H, Takao M, Sugano N.	Effect of a Modular Neck Hip Prosthesis on Anteversion and Hip Rotation in Total Hip Arthroplasty for Developmental Dysplasia.	J Artif Organs.	23(3)	255-261. doi:10.1007/s10047-020-01162-3.	2020
Sugano N, Ando W, Fukushima W.	W. Cluster of SARS-CoV-2 infections linked to music clubs in Osaka, Japan: asymptotically infected persons can transmit the virus as soon as 2 days after infection.	J Infect Dis.	222(10)	1635-1640 doi:10.1093/infdis/jiaa542.	2020
Yin X, Kim K, Suetsugu H, Bang SY, Wen L, Koido M, Ha E, Liu L, Sakamoto Y, Joshi S, Leng RX, Otomo N, Laurynenka V, Kwon YC, Sheng Y, Sugano N, Hwang MY, Li W, Mukai M, Yoon K, Cai M, Ishigaki K, Chung T, Huang H, Takahashi D, Lee SS, Wang M, Karino K, Shim SC, Zheng X, Miyamura T, Kang YM, Ye D, Nakamura J, Suh CH, Tang Y, Motomura G, Park YB, Ding H, Kuroda T, Choe JY, Li C, Nihiro H, Park Y, Shen C, Miyamoto T, Ahn GY, Fei W, Takeuchi T, Shin JM, Li K, Kawaguchi Y, Lee YK, Wang Y, Amano K, Park DJ, Yang W, Tada Y, Yamaji K, Shimizu M, Atsumi T, Suzuki A, Sumida T, Okada Y, Matsuda K, Matsuo K, Kouchi Y;	Committee on Idiopathic Osteonecrosis of the Femoral Head, Kottyan LC, Weirauch MT, Parameswaran S, Eswar S, Salim H, Chen X, Yamamoto K, Harley JB, Ohmura K, Kim TH, Yang S, Yamamoto T, Kim BJ, Shen N, Ikegawa S, Lee HS, Zhang X, Terao C, Cui Y, Bae SC. Meta-analysis of 208370 East Asians identifies 113 susceptibility loci for systemic lupus erythematosus.	Ann Rheum Dis.	80(5)	632-640. doi: 10.1136/annrheumdis-2020-219209.	2020

Kobayashi T, Morimoto T, Mawatari M:	Letter to the Editor Regarding "Effects of Sagittal Spinal Alignment on Postural Pelvic Mobility in Total Hip Arthroplasty Candidates".	J Arthroplasty.	35(4)	1165. doi:10.1016/j.arth.2019.12.016.	2020
Kobayashi T, Morimoto T, Sonohata M, Mawatari M:	Letter to the Editor on "Prevalence of Sagittal Spinal Deformity Among Patients Undergoing Total Hip Arthroplasty".	J Arthroplasty.	35(5)	1448-1449. doi:10.1016/j.arth.2020.01.068.	2020
Matsunaga-Myoji Y, Fujita K, Makimoto K, Tabuchi Y, Mawatari M:	Three-Year Follow-Up Study of Physical Activity, Physical Function, and Health-Related Quality of Life After Total Hip Arthroplasty.	J Arthroplasty.	35(1)	198-203. doi:10.1016/j.arth.2019.08.009.	2020
Takeshita S, Sonohata M, Kitajima M, Kawano S, Eto S, Mawatari M:	Acute Deterioration of Kidney Function after Total Hip Arthroplasty.	Malaysian Orthopaedic Journal	14(2)	111-119 doi:10.5704/MOJ.2007.020.	2020
Naito Y, Hasegawa M, Tone S, Wakabayashi H, Sudo A.	Minimum 10-Year Follow-Up of Cementless Total Hip Arthroplasty With a 32-mm Cobalt - Chromium Head on Highly Cross-Linked Polyethylene and a Tapered, Fiber Metal Proximally Coated Femoral Stem.	J Arthroplasty.	36(2)	647-652. doi:10.1016/j.arth.2020.08.055.	2020
Hosoi T, Hasegawa M, Tone S, Nakasone S, Kishida N, Marin E, Zhu W, Pezzotti G, Sudo A.	MPC-grafted highly cross-linked polyethylene liners retrieved from short-term total hip arthroplasty: Further evidences for the unsuitability of the MPC method.	J Biomed Mater Res B Appl Biomater.	108(7)	2857-2867. doi:10.1002/jbm.b.34617.	2020
Tanaka T, Kaneko T, Hidaka R, Hashikura K, Ishikura H, Moro T, Tanaka S.	Midterm results of revision on total hip arthroplasty for migrated bipolar hemiarthroplasty in patients with hip osteoarthritis using cementless cup with the rim-fit technique.	J Orthop Surg (Hong Kong).	28(3)	2309499020954315. doi: 10.1177/2309499020954315.	2020
Kobayashi K, Kidera K, Itose M, Motokawa T, Chiba K, Osaki M.	Higher incidence of aseptic loosening caused by a lower canal filling ratio with a modified modular stem in total hip arthroplasty.	J Orthop Surg Res.	15(1)	568 doi: 10.1186/s13018-020-02101-x.	2020

Maruyama M, Lin T, Kaminow NI, Thio T Storaci H.-W., Pan C.-C, YaoZ, Takagi M, Goodman S. B., Yang Y.-P.	The efficacy of core decompression for steroid-associated osteonecrosis of the femoral head in rabbits.	J Orthop Res.	39(7)	1441-1451. doi: 10.1002/jor.24888.	2020
Nagoya S, Okazaki S, Tateda K, Kosukegawa I, Kanaizumi A, Yamashita T.	Successful reimplantation surgery after extraction of well-fixed cementless stems by femoral longitudinal split procedure.	Arthroplast Today.	6(1)	123-128. doi: 10.1016/j.artd.2020.01.004.	2020
Murahashi Y, Teramoto A, Jimbo S, Okada Y, Kamiya T, Imamura R, Takashima H, Watanabe K, Nagoya S, Yamashita T.	Denosumab prevents periprosthetic bone mineral density loss in the tibial metaphysis in total knee arthroplasty.	Knee.	27(2)	580-586. doi: 10.1016/j.knee.2019.12.010.	2020
Kosukegawa I, Okazaki S, Yamamoto M, Nagoya S, Suzuki C, Shimizu J, Takahashi H, Yamashita T.	The proton pump inhibitor, lansoprazole, prevents the development of non-traumatic osteonecrosis of the femoral head: an experimental and prospective clinical trial.	Eur J Orthop Surg Traumatol.	30(4)	713-721. doi: 10.1007/s00590-020-02622-5.	2020
Suzuki D, Otsubo H, Adachi T, Suzuki T, Nagoya S, Yamashita T, Shino K.	Functional Adaptation of the Fibrocartilage and Bone Trabeculae at the Attachment Sites of the Anterior Cruciate Ligament.	Clin Anat.	33(7)	988-996. doi: 10.1002/ca.23520.	2020
Hayashida K, Kawabata Y, Kato I, Kamiishi T, Matsuo K, Takeyama M, Inaba Y.	Clinical and pathological analysis of giant cell tumor of bone with denosumab treatment and local recurrence.	J Orthop Sci.	27(1)	215-221. doi: 10.1016/j.jos.2020.11.005.	2020
Morita A, Kobayashi N, Choe H, Tezuka T, Kawabata Y, Hayashida K, Higashihira S, Kato I, Inaba Y.	A rare case of osteoblastoma in the femoral head combined with cam-type femoroacetabular impingement: A case report.	SAGE Open Med Case Rep.	8	2050313X20978022. doi: 10.1177/2050313X20978022.	2020
Fujimaki H, Nakazawa A, Hirano M, Takeuchi T, Kadowaki A, Kusayama Y, Ide M, Kanai K, Kim Y, Matsubara J, Kumagai K, Inaba Y.	Status of fracture risk assessment and osteoporosis treatment in Japanese patients with rheumatoid arthritis.	Mod Rheumatol.	Nov 20	1-5. doi: 10.1080/14397595.2020.1847752.	2020

Higashihira S, Kobayashi N, Choe H, Sumi K, Inaba Y.	Use of a 3D Virtually Reconstructed Patient-Specific Model to Examine the Effect of Acetabular Labral Interference on Hip Range of Motion.	Orthop J Sports Med.	8(11)	2325967120964465. doi: 10.1177/2325967120964465.	2020
Nejima S, Kumagai K, Fujimaki H, Yamada S, Sotozawa M, Matsubara J, Inaba Y.	Increased contact area of flange and decreased wedge volume of osteotomy site by open wedge distal tibial tuberosity arc osteotomy compared to the conventional technique.	Knee Surg Sports Traumatol Arthrosc.	29(10)	3450-3457 doi: 10.1007/s00167-020-06296-8.	2021
Yamada S, Kumagai K, Harigane K, Choe H, Tezuka T, Mochida Y, Inaba Y.	Factors associated with disease activity after orthopaedic surgery in patients with rheumatoid arthritis.	Mod Rheumatol.	30(6)	997-1001. doi: 10.1080/14397595.2019.1702252.	2020
Ogino T, Kumagai K, Yamada S, Akamatsu T, Nejima S, Sotozawa M, Inaba Y.	Relationship between the bony correction angle and mechanical axis change and their differences between closed and open wedge high tibial osteotomy.	Musculoskeletal Disord. BMC	21(1)	675. doi: 10.1186/s12891-020-03703-6.	2020
Miyatake K, Kumagai K, Imai S, Yamaguchi Y, Inaba Y.	Sclerostin inhibits interleukin-1 β -induced late stage chondrogenic differentiation through downregulation of Wnt/b-catenin signaling pathway.	PLoS One.	15(9)	e0239651. doi: 10.1371/journal.pone.0239651.	2020
Takagawa S, Kobayashi N, Yukizawa Y, Oishi T, Tsuji M, Inaba Y.	Preoperative soft tissue laxity around knee was associated with less accurate alignment correction after hybrid closed-wedge high tibial osteotomy.	Knee Surg Sports Traumatol Arthrosc.	28(9)	3022-3030. doi: 10.1007/s00167-019-05762-2.	2020
Kobayashi D, Choe H, Kobayashi N, Tezuka T, Ike H, Inaba Y.	Association of Femoral Rotation With Whole-Body Alignment in Patients Who Underwent Total Hip Arthroplasty.	Arthroplast Today.	6(3)	532-537. doi: 10.1016/j.artd.2020.06.004.	2020
Kobayashi N, Sumi K, Higashihira S, Choe H, Tezuka T, Oishi T, Yukizawa Y, Morita A, Inaba Y.	Correlations and Reproducibility Between Radiographic and Radial Alpha Angles in the Evaluation of Cam Morphology.	Orthop J Sports Med.	8(7)	2325967120932922. doi: 10.1177/2325967120932922.	2020

Hayashida K, Kawabata Y, Kato I, Suzuki M, Takeyama M, Inaba Y.	G-CSF Production by Undifferentiated Pleomorphic Sarcoma with Leukemoid Reaction Occurred in the Lower Leg: A Case Report.	JBJS Case Connect.	10(2)	e0624. doi: 10.2106/JBJS.CC.19.00624.	2020
Tsuji M, Akamatsu Y, Kobayashi H, Mitsugi N, Inaba Y, Saito T.	Joint line convergence angle predicts outliers of coronal alignment in navigated open-wedge high tibial osteotomy.	Arch Orthop Trauma Surg.	140(6)	707-715. doi: 10.1007/s00402-019-03245-0.	2020
Takagawa S, Mitsugi N, Mochida Y, Taki N, Harigane K, Yukizawa Y, Sasaki Y, Tsuji M, Sahara K, Inaba Y.	In Asian women undergoing total knee arthroplasty, lower leg morphology in those with rheumatoid arthritis differed from those without arthritis.	Mod Rheumatol.	30(3)	489-494. doi: 10.1080/14397595.2019.1621420.	2020
Nejima S, Akamatsu Y, Kobayashi H, Tsuji M, Mitsuhashi S, Sasaki T, Kumagai K, Inaba Y.	Relationship between lower limb torsion and coronal morphologies of the femur and tibia in patients with medial knee osteoarthritis.	BMC Musculoskelet Disord.	21(1)	254. doi: 10.1186/s12891-020-03286-2.	2020
Watanabe S, Choe H, Kobayashi N, Ike H, Kobayashi D, Higashihira S, Inaba Y.	Utility of CT-based navigation in revision total hip arthroplasty for a patient with severe posterior pelvic tilt-case report.	BMC Musculoskelet Disord.	21(1)	249. doi: 10.1186/s12891-020-03263-9.	2020
Tsuji M, Kobayashi N, Yukizawa Y, Oishi T, Takagawa S, Inaba Y.	Effect of Flurbiprofen and S-Flurbiprofen Patches on Multimodal Pain Management After Total Knee Arthroplasty: A Prospective Randomized Controlled Trial.	J Arthroplasty.	35(8)	2033-2038. doi: 10.1016/j.arth.2020.04.006.	2020
Kobayashi D, Kobayashi N, Oishi T, Choe H, Tezuka T, Higashihira S, Inaba Y.	Prevalence of groin pain in unicycle athletes: A nationwide questionnaire survey.	J Orthop Surg (Hong Kong).	28(2)	2309499020934201. doi: 10.1177/2309499020934201.	2020
Kobayashi N, Choe H, Ike H, Higashihira S, Kobayashi D, Watanabe S, Kubota S, Inaba Y.	Evaluation of anterior inferior iliac spine impingement after hip arthroscopic osteochondroplasty using computer simulation analysis.	J Orthop Surg (Hong Kong).	28(2)	2309499020935533. doi: 10.1177/2309499020935533.	2020
Setoguchi D, Kinoshita K, Ishimatsu T, Ishii S, Yamamoto T.	The short external rotators dissection during the posterior approach in total hip arthroplasty did not change the blood flow.	Hip Int.	30(6)	718-724. doi: 10.1177/1120700019864077.	2020

Hatanaka H, Motomura G, Ikemura S, Sonoda K, Kubo Y, Utsunomiya T, Nakashima Y, Yamamoto T.	Effect of a Specific Questionnaire Sheet on Subclassification of Osteonecrosis of the Femoral Head.	Med Sci Monit.	26	e921327. doi: 10.12659/MSM.921327.	2020
Minokawa S, Yoshimura I, Kanazawa K, Hagio T, Nagatomo M, Sugino Y, Shibata Y, Yamamoto T.	Retrograde Drilling for Osteochondral Lesions of the Talus in Skeletally Immature Children.	Foot Ankle Int.	41(7)	827-833. doi: 10.1177/1071100720920847.	2020
Matsunaga T, Kamachi Y, Kinoshita K, Sakamoto T, Yamamoto T.	Magnetic Resonance Imaging Assessment of Abductor Muscles Shortly After Curved Periacetabular Osteotomy.	J Arthroplasty.	36(2)	429-433. doi: 10.1016/j.arth.2020.08.041.	2020
Miyake S, Tamai M, Takeuchi Y, Izaki T, Shibata T, Tachibana K, Irie Y, Yamamoto T.	Where and what damage occurs at the acromial undersurface in patients with rotator cuff tears?	J Shoulder Elbow Surg.	29(10)	2065-2071. doi: 10.1016/j.jse.2020.02.002.	2020
Yamaguchi R, Nakamura T, Yamamoto T, Takamura K, Yanagida H, Yamaguchi T, Nakashima Y.	Subchondral fracture of the femoral head in children: Differential diagnosis of pediatric hip pain.	J Orthop Surg (Hong Kong)	28(2)	2309499020937862. doi: 10.1177/2309499020937862.	2020
Setoguchi D, Kinoshita K, Kamada S, Sakamoto T, Kise N, Kotani N, Goto K, Shiota E, Inoue T, Yamamoto T.	Hybrid Assistive Limb improves restricted hip extension after total hip arthroplasty.	Assist Technol.	34(1)	112-120-9. doi: 10.1080/10400435.2020.1712498.	2020
Motomura G, Yamamoto T, Kubo Y, Utsunomiya T, Hamai S, Ikemura S, Fujii M, Nakashima Y.	Transtrochanteric Anterior Rotational Osteotomy Combined with Re-Sphericalization of the Collapsed Femoral Head Using Calcium Phosphate Cement Filling.	Surg Technol Int.	36	347-350.	2020
Kaneyama H, Morishita Y, Kawano O, Yamamoto T, Maeda T.	Acute Attack of Pseudogout with the Wide Lesion in Lumbar Spondylolytic Spondylolisthesis.	Case Rep Orthop.	2020	4512695. doi: 10.1155/2020/4512695.	2020
Nakayama S, Nishio J, Nakatani K, Nabeshima K, Yamamoto T.	Giant Cell Tumor of Tendons Sheath With a t(1;1)(p13;p34) Chromosomal Translocation.	Anticancer Res.	40(8)	4373-4377. doi: 10.21873/anticancerres.14440.	2020
Hagio T, Yoshimura I, Kanazawa K, Minokawa S, Yamamoto T.	Morphology of Anterior Talofibular Ligament After Arthroscopic Lateral Ankle Ligament Repair.	Foot Ankle Int.	41(8)	993-1001. doi: 10.1177/1071100720920610.	2020

Xu M, Motomura G, Ikemura S, Yamaguchi R, Utsunomiya T, Baba S, Kawano K, Nakashima Y.	Proximal femoral morphology after transtrochanteric posterior rotational osteotomy for osteonecrosis of the femoral head: A three-dimensional simulation study.	Orthop Traumatol Surg Res.	106(8)	1569-1574. doi: 10.1016/j.otsr.2020.07.003.	2020
Kawano K, Motomura G, Ikemura S, Yamaguchi R, Baba S, Xu M, Nakashima Y.	Differences in the microarchitectural features of the lateral collapsed lesion between osteonecrosis and subchondral insufficiency fracture of the femoral head.	Bone.	Dec;141	115585. doi: 10.1016/j.bone.2020.115585.	2020
Baba S, Motomura G, Ikemura S, Yamaguchi R, Hamai S, Fujii M, Kawano K, Nakashima Y.	Risk factors for radiological changes after bipolar hemiarthroplasty for osteonecrosis of the femoral head.	Mod Rheumatol.	Jul 14	1-8. doi: 10.1080/14397595.2020.1775959.	2020
Baba S, Motomura G, Ikemura S, Yamaguchi R, Utsunomiya T, Hatanaka H, Kawano K, Xu M, Nakashima Y.	Is bone mineral density lower in the necrotic lesion in pre-collapse osteonecrosis of the femoral head?	J Orthop Res.	38(11)	2434-2442. doi: 10.1002/jor.24674.	2020
Baba S, Motomura G, Ikemura S, Kubo Y, Utsunomiya T, Hatanaka H, Kawano K, Nakashima Y.	Quantitative evaluation of bone-resorptive lesion volume in osteonecrosis of the femoral head using micro-computed tomography.	Joint Bone Spine.	87(1)	75-80. doi: 10.1016/j.jbspin.2019.09.004.	2020
Kubo Y, Motomura G, Ikemura S, Hatanaka H, Utsunomiya T, Hamai S, Fujii M, Fukushi JI, Nakashima Y.	Effects of anterior boundary of the necrotic lesion on the progressive collapse after varus osteotomy for osteonecrosis of the femoral head.	J Orthop Sci.	25(1)	145-151. doi: 10.1016/j.jos.2019.02.014.	2020
Kawano K, Motomura G, Ikemura S, Kubo Y, Fukushi J, Hamai S, Fujii M, Nakashima Y.	Long-term hip survival and factors influencing patient-reported outcomes after transtrochanteric anterior rotational osteotomy for osteonecrosis of the femoral head: A minimum 10-year follow-up case series.	Mod Rheumatol.	30(1)	184-190. doi: 10.1080/14397595.2018.1558917.	2020
Takada R, Jinno T, Miyatake K, Hirao M, Yoshii T, Okawa A.	Portable imageless navigation system and surgeon's estimate for accurate evaluation of acetabular cup orientation during total hip arthroplasty in supine position.	Eur J Orthop Surg Traumatol.	30(4)	707-712. doi: 10.1007/s00590-020-02625-2.	2020

Katano H, Ozeki N, Kohno Y, Nakagawa Y, Taniguchi N, Jinno T Koga H, Watanabe T,	Trends in arthroplasty in Japan by a complete survey, 2014-2017.	J Orthop Sci.	26(5)	812-822. doi: 10.1016/j.jos.2020.07.022.	2021
Taniguchi N, Jinno T, Endo H, Wako M, Tatsuno R, Ochiai S, Haro H.	Improvement of locomotive syndrome after total hip arthroplasty: A two-year longitudinal cohort study.	Mod Rheumatol.	31(5)	1050-1058. doi: 10.1080/14397595.2020.1823552.	2020
Takada R, Jinno T, Miyatake K, Hirao M, Yoshii T, Okawa A.	Incidence of tensor fasciata muscle atrophy after using the modified Watson-Jones anterolateral approach in total hip arthroplasty.	Eur J Orthop Surg Traumatol.	31(3)	533-540 doi: 10.1007/s00590-020-02806-z.	2021
Akiyama K, Sakai T, Koyanagi J, Yoshikawa H, Sugamoto K.	Age-related differences in morphology and kinematics of the native hip.	J Orthop Res.	40(2)	359-369 doi: 10.1002/jor.24806.	2022
Seki K, Ogasa H, Tokushige A, Imagama T, Seki T, Nakashima D, Sakai T.	Ultrasonography-detected synovitis of hand is associated with the presence of synovitis in the forefoot of patients with rheumatoid arthritis.	J Orthop Sci	26(5)	850-853. doi: 10.1016/j.jos.2020.09.002.	2021
Nishino T, Mishima H, Kawamura H, Yoshizawa T, Miyakawa S, Yamazaki M.	Ten-year results of 55 dysplasia hips of hip offset and leg length reconstruction in total hip arthroplasty with cementless tapered stems having a high offset option designed for dysplastic femur.	J Orthop Surg (Hong Kong).	28(1)	2309499020909499. doi: 10.1177/2309499020909499.	2020
Nishino T, Ochiai F, Yoshizawa T, Mishima H, Yamazaki M.	Isolated Distal Fibular Stress Fracture after Total Hip Arthroplasty in a Patient with Developmental Dysplasia of the Hip.	Case Rep Orthop.	Jan 20	4218719. doi: 10.1155/2020/4218719.	2020
Saiki Y, Ojima T, Kabata T, Kubo N, Hayashi S, Tsuchiya H.	Gradual exacerbation of knee flexion angle after total knee arthroplasty in patients with diabetes mellitus.	Mod Rheumatol.	Feb 25	1-11. doi:10.1080/14397595.2020.1868688.	2020
Takagi T, Kabata T, Hayashi K, Fang X, Kajino Y, Inoue D, Ohmori T, Ueno T, Yoshitani J, Ueoka K, Yamamuro Y, Tsuchiya H.	Periodic injections of adipose-derived stem cell sheets attenuate osteoarthritis progression in an experimental rabbit model.	BMC Musculoskelet Disord.	21(1)	691. doi: 10.1186/s12891-020-03718-z.	2020

Kato S, Kurokawa Y, Kabata T, Demura S, Matsubara H, Kajino Y, Okamoto Y, Kimura H, Shinmura K, Igarashi K, Shimizu T, Yonezawa N, Yokogawa N, Tsuchiya H.	Improvement of locomotive syndrome with surgical treatment in patients with degenerative diseases in the lumbar spine and lower extremities: a prospective cohort study.	BMC Musculoskeletal Disord.	21(1)	515. doi: 10.1186/s12891-020-03547-0.	2020
Yoshitani J, Kabata T, Arakawa H, Kato Y, Nojima T, Hayashi K, Tokoro M, Sugimoto N, Kajino Y, Inoue D, Ueoka K, Yamamuro Y, Tsuchiya H.	Combinational therapy with antibiotics and antibiotic-loaded adipose-derived stem cells reduce abscess formation in implant-related infection in rats.	Sci Rep.	10(1)	11182. doi: 10.1038/s41598-020-68184-y.	2020
Ueno T, Kabata T, Kajino Y, Inoue D, Ohmori T, Yoshitani J, Ueoka K, Yamamuro Y, Tsuchiya H.	Association between total hip arthroplasty following periacetabular osteotomy and acetabular component overhang.	Eur J Orthop Surg Traumatol.	30(8)	1431-1439. doi: 10.1007/s00590-020-02714-2.	2020
Ohmori T, Kabata T, Kato S, Takagi T, Kajino Y, Inoue D, Taga T, Yamamoto T, Kurokawa Y, Yoshitani J, Ueno T, Ueoka K, Yamamuro Y, Yahata T, Tsuchiya H.	The efficacy of total hip arthroplasty on locomotive syndrome and its related physical function in patients with hip osteoarthritis.	J Orthop Sci.	26(3)	389-395. doi: 10.1016/j.jos.2020.04.011.	2020
Yoshitani J, Kabata T, Kajino Y, Ohmori T, Ueno T, Ueoka K, Tsuchiya H.	The use of density mapping in the analysis of thigh pain after total hip arthroplasty in patients with well-fixed tapered wedge stems.	J Orthop Surg (Hong Kong).	28(2)	2309499020930306. doi: 10.1177/2309499020930306.	2020
Ohmori T, Kabata T, Kajino Y, Inoue D, Ueno T, Taga T, Yamamoto T, Takagi T, Yoshitani J, Ueoka K, Yamamuro Y, Tsuchiya H.	Importance of Three-Dimensional Evaluation of Surgical Transepicondylar Axis in Total Knee Arthroplasty.	J Knee Surg.	35(1)	32-38. doi: 10.1055/s-0040-1712087.	2022
Ueoka K, Kabata T, Kajino Y, Inoue D, Ohmori T, Ueno T, Yoshitani J, Yamamuro Y, Tsuchiya H.	Patient-reported outcomes following primary total hip arthroplasty in Crowe type III or IV developmental dysplasia are comparable to those in Crowe type I: a case-control study of 96 hips with intermediate-term follow-up.	BMC Musculoskeletal Disord.	21(1)	344. doi: 10.1186/s12891-020-03371-6.	2020

Ueno T, Kabata T, Kajino Y, Inoue D, Ohmori T, Yoshitani J, Ueoka K, Yamamuro Y, Tsuchiya H.	Anterior pelvic plane tilt poorly estimates the sagittal body alignment due to internal rotation of innominate bone.	J Orthop Res.	39(3)	580-589. doi: 10.1002/jor.24760.	2020
Inoue D, Kabata T, Kajino Y, Ohmori T, Ueno T, Taga T, Takagi T, Yoshitani J, Ueoka K, Yamamuro Y, Tsuchiya H.	Postsurgical infection from using a computed tomography-based hip navigation system during total hip arthroplasty.	Eur J Orthop Surg Traumatol.	30(6)	1097-1101. doi:10.1007/s00590-020-02676-5.	2020
Ueno T, Kabata T, Kajino Y, Inoue D, Ohmori T, Yoshitani J, Ueoka K, Yamamuro Y, Tsuchiya H.	Risk factors for pressure ulcers from the use of a pelvic positioner in hip surgery: a retrospective observational cohort study in 229 patients.	Patient Saf Surg.	14	10. doi:10.1186/s13037-020-00237-7.	2020
Ueoka K, Kajino Y, Kabata T, Inoue D, Yoshitani J, Ueno T, Yamamuro Y, Shirai T, Tsuchiya H.	The feasibility of iodine-supported processing for titanium with different surfaces.	J Orthop Sci.	25(6)	1095-1100. doi:10.1016/j.jos.2019.12.013	2020
Fujita K, Kabata T, Kajino Y, Tsuchiya H.	Optimizing leg length correction in total hip arthroplasty.	Int Orthop.	44(3)	437-443. doi:10.1007/s00264-019-04411-0.	2020
Yoshitani J, Kabata T, Kajino Y, Ueno T, Ueoka K, Yamamuro Y, Tsuchiya H.	Anatomic stem inserted according to native anteversion could reproduce the native anterior distance of the femoral head and decrease bony impingement in total hip arthroplasty.	Int Orthop.	44(2)	245-251. doi: 10.1007/s00264-019-04394-y.	2020
Ueno T, Kabata T, Kajino Y, Takagi T, Ohmori T, Yoshitani J, Tsuchiya H.	Influence of pelvic sagittal tilt on 3-dimensional bone coverage in total hip arthroplasty: a simulation analysis.	Hip Int.	30(3)	288-295. doi: 10.1177/1120700019868780.	2020
Takegami Y, Seki T, Higuchi Y, Osawa Y, Ishiguro N.	Measurement of equivalence between the web and paper versions of the Japanese Orthopaedic Association Hip Disease Evaluation Questionnaire.	Mod Rheumatol.	30(2)	397-401. doi: 10.1080/14397595.2019.1592799.	2020
Osawa Y, Seki T, Okura T, Takegami Y, Ishiguro N, Hasegawa Y.	Curved Intertrochanteric Varus Osteotomy vs Total Hip Arthroplasty for Osteonecrosis of the Femoral Head in Patients Under 50 Years Old.	VJ Arthroplasty.	35(6)	1600-1605. doi: 10.1016/j.art.2020.01.026.	2020

Shimodan S, Sato D, Takahashi K, Nakamura Y, Hyakkan R, Watanabe T, Hishimura R, Ota M, Shimizu H, Hojo Y, Hasegawa Y, Chubachi T, Yasui K, Tsujimoto T, Tsukuda Y, Asano T, Takahashi D, Takahata M, Iwasaki N, Shimizu T.	Ten years change in post fracture care for hip fracture patients.	J Bone Miner Metab.	38(2)	222-229. doi: 10.1007/s00774-019-01047-3.	2020
Irie T, Orías AAE, Irie TY, Nho SJ, Takahashi D, Iwasaki N, Inoue N.	Three-dimensional curvature mismatch of the acetabular radius to the femoral head radius is increased in borderline dysplastic hips.	PLoS One	15(4)	e0231001. doi: 10.1371/journal.pone.0231001.	2020
Hamasaki M, Terkawi MA, Onodera T, Tian Y, Ebata T, Matsumae G, Alhasan H, Takahashi D, Iwasaki N.	Transcriptional profiling of murine macrophages stimulated with cartilage fragments revealed a strategy for treatment of progressive osteoarthritis.	Sci Rep.	10(1)	7558. doi: 10.1038/s41598-020-64515-1	2020
Irie T, Espinoza Orías AA, Irie TY, Nho SJ, Takahashi D, Iwasaki N, Inoue N.	Computed Tomography-Based Three-Dimensional Analyses Show Similarities in Anterosuperior Acetabular Coverage Between Acetabular Dysplasia and Borderline Dysplasia.	Arthroscopy.	36(10)	2623-2632. doi: 10.1016/j.arthro.2020.05.049.	2020
Shimizu T, Yokota S, Kimura Y, Asano T, Shimizu H, Ishizu H, Iwasaki N, Takahashi D.	Predictors of cartilage degeneration in patients with subchondral insufficiency fracture of the femoral head: a retrospective study.	Arthritis Research & Therapy	22(1)	150. doi: 10.1186/s13075-020-02243-7.	2020
Takahashi K, Shimizu T, Asano T, Terkawi MA, Iwasaki N, Takahashi D.	Long-term clinical and radiological outcomes of primary total hip arthroplasty with modular femoral stem in middle-aged Asian patients	J Arthroplasty.	35(12)	3650-3655. doi: 10.1016/j.arth.2020.06.079.	2020
Tian Y, Terkawi MA, Onodera T, Alhasan H, Matsumae G, Takahashi D, Hamasaki M, Ebata T, Aly MK, Shimizu T, Uetsuki K, Kadoya K, Iwasaki N.	Blockade of XCL1/lymphotactin ameliorates severity of periprosthetic osteolysis triggered by polyethylene-particles.	Front Immunol.	11	1720. doi: 10.3389/fimmu.2020.01720.	2020

Nonokawa M, Shimizu T, Yoshinari M, Hashimoto Y, Nakamura Y, Takahashi D, Asano T, Nishibata Y, Masuda S, Nakazawa D, Tanaka S, Tomaru U, Iwasaki N, Ishizu A.	Association of neutrophil extracellular traps with the development of idiopathic osteonecrosis of the femoral head.	Am J Pathol.	190(11)	2282-2289. doi: 10.1016/j.ajpath.2020.07.008.	2020
Tsuda T, Hashimoto Y, Okamoto Y, Ando W, Ebina K.	Meta-analysis for the efficacy of bisphosphonates on hip fracture prevention.	J Bone Miner Metab.	38(5)	678-686. doi: 10.1007/s00774-020-01096-z.	2020
Uemura K, Otake Y, Takao M, Soufi M, Kawasaki A, Sugano N, Sato Y.	Automated segmentation of an intensity calibration phantom in clinical CT images using a convolutional neural network.	Int J Comput Assist Radiol Surg.	16(11)	1855-1864. doi:10.1007/s11548-021-02345-w..	2021
Iwasa M, Ando W, Uemura K, Hamada H, Takao M, Sugano N.	Pelvic incidence is not associated with the development of hip osteoarthritis.	Bone Joint J.	103(11)	1656-1661. doi:10.1302/0301-620X.103B11.BJ-2021-0472.R1.	2021
Sato R, Ando W, Hamada H, Takao M, Saito M, Sugano N.	Differences in knee joint degeneration between primary hip osteoarthritis and hip osteoarthritis secondary to hip developmental dysplasia: A propensity score-based analysis.	Mod Rheumatol.	31(6)	1221-1227. doi:10.1080/14397595.2021.1883261.	2021
Thiengwittayaporn S, Budhiparama N, Tanavalee C, Tantavivut S, Sorial RM, Li C, Kim KI; Asia-Pacific (AP) Region Venous Thromboembolism (VTE) Consensus Group.	Asia-Pacific venous thromboembolism consensus in knee and hip arthroplasty and hip fracture surgery: Part 3. Pharmacological venous thromboembolism prophylaxis.	Knee Surg Relat Res.	33(1)	24. doi:10.1186/s43019-021-00100-8.	2021
Ngarmukos S, Kim KI, Wongsak S, Chotanaphuti T, Inaba Y,	Chen CF, Liu D; Asia-Pacific (AP) Region Venous Thromboembolism (VTE) Consensus Group. Asia-Pacific venous thromboembolism consensus in knee and hip arthroplasty and hip fracture surgery: Part 1. Diagnosis and risk factors.	Knee Surg Relat Res.	33(1)	doi:10.1186/s43019-021-00099	2021
Takashima K, Nakahara I, Hamada H, Ando W, Takao M, Uemura K, Sugano N.	A carbon fiber-reinforced polyetheretherketone intramedullary nail improves fracture site visibility on postoperative radiographic images.	Injury.	52(8)	2225-2232. doi:10.1016/j.injury.2021.03.048.	2021

Ando W, Takao M, Hamada H, Uemura K, Sugano N.	Comparison of the accuracy of the cup position and orientation in total hip arthroplasty for osteoarthritis secondary to developmental dysplasia of the hip between the Mako robotic arm-assisted system and computed tomography-based navigation.	Int Orthop.	45(7)	1719-1725. doi:10.1007/s00264-021-05015-3. Epub 2021	2021
Amarase C, Tanavalee A, Larbpaiboonpong V, Lee MC, Crawford RW, Matsubara M, Zhou Y.	Asia-Pacific (AP) Region Venous Thromboembolism (VTE) Consensus Group. Asia-Pacific venous thromboembolism consensus in knee and hip arthroplasty and hip fracture surgery: Part 2. Mechanical venous thromboembolism prophylaxis.	Knee Surg Relat Res.	33(1)	20 doi:10.1186/s43019-021-00101-7.	2021
Hines JT, Jo WL, Cui Q, Mont MA, Koo KH, Cheng EY, Goodman SB, Ha YC, Hernigou P, Jones LC, Kim SY, Sakai T, Sugano N, Yamamoto T, Lee MS, Zhao D, Drescher W, Kim TY, Lee YK, Yoon BH, Baek SH, Ando W, Kim HS, Park JW.	Osteonecrosis of the Femoral Head: an Updated Review of ARCO on Pathogenesis, Staging and Treatment.	J Korean Med Sci.	36(24)	177. doi:10.3346/jkms.2021.36.e177.	2021
Asada R, Abe H, Hamada H, Fujimoto Y, Choe H, Takahashi D, Ueda S, Kuroda Y, Miyagawa T, Yamada K, Tanaka T, Ito J, Morita S, Takagi M, Tetsunaga T, Kaneuji A, Inaba Y, Tanaka S, Matsuda S, Sugano N, Akiyama H.	Femoral head collapse rate among Japanese patients with pre-collapse osteonecrosis of the femoral head.	J Int Med Res.	49(6)	00605211023336. doi:10.1177/03000605211023336.	2021
Kuroda Y, Tanaka T, Miyagawa T, Hamada H, Abe H, Ito T, Ihara T, Asada R, Fujimoto Y, Takahashi D, Tetsunaga T, Kaneuji A, Takagi M, Inaba Y, Morita S, Sugano N, Tanaka S, Matsuda S, Akiyama H;	TRION trial collaborators: Recombinant human FGF-2 for the treatment of early-stage osteonecrosis of the femoral head: TRION, a single-arm, multicenter, Phase II trial.	Regen Med.	16(6)	535-548. doi:10.2217/rme-2021-0049..	2021

Hashimoto Y, Ando W, Sakai T, Takao M, Hamada H, Sugano N.	The Effects of Rasp Over size on the Clinical and Radiographic Outcomes of Total Hip Arthroplasty With a Collared Satin-Finished Composite Beam Cemented Stem.	J Arthroplasty.	36(6)	2055-2061. doi:10.1016/j.arth.2021.01.044.	2021
Cheng EY, Cui Q, Goodman SB, Ando W, Baek SH, Bakker C, Drescher W, Hernigou P, Jones LC, Kim H, Kim SY, Kim TY, Ha YC, Koo KH, Lee MS, Mont MA, Reichert I, Sakai T, Salem HS, Sierra RJ, Stronach B, Sugano N, Yamamoto T, Yoon BH, Zhao D.	Diagnosis and Treatment of Femoral Head Osteonecrosis: A Protocol for Development of Evidence-Based Clinical Practice Guidelines.	Surg Technol Int.	38	371-378. doi:10.52198/21.STI.38.OS1437.	2021
Aoki K, Kurashige M, Ichii M, Higaki K, Sugiyama T, Kaito T, Ando W, Sugano N, Sakai T, Shibayama H; HANDAI Clinical Blood Club, Takaori-Kondo A, Morii E, Kanakura Y, Nagasawa T	Identification of CXCL12-abundant reticular cells in human adult bone marrow.	Br J Haematol.	193(3)	659-668. doi:10.1111/bjh.17396	2021
Tani T, Ando W, Fukushima W, Hamada H, Takao M, Ito K, Sakai T, Sugano N.	Geographic distribution of the incidence of osteonecrosis of the femoral head in Japan and its relation to smoking prevalence.	Mod Rheumatol.	30	1-7. doi:10.1080/14397595.	2021
Cui Q, Jo WL, Koo KH, Cheng EY, Drescher W, Goodman SB, Ha YC, Hernigou P, Jones LC, Kim SY, Lee KS, Lee MS, Lee YJ, Mont MA, Sugano N, Taliaferro J, Yamamoto T, Zhao D.	ARCO Consensus on the Pathogenesis of Non-traumatic Osteonecrosis of the Femoral Head	J Korean Med Sci.	36(10)	e65. doi:10.3346/jkms.2021.36.e65.	2021
Uemura K, Hamada H, Ando W, Takao M, Sugano N.	Minimum 10 years clinical results of an anatomical short stem with a proximal hydroxyapatite coating.	Mod Rheumatol.	31(5)	1066-1072. doi: 10.1080/14397595.2020.1868129.	2021
Tani T, Ando W, Hamada H, Takao M, Sugano N.	Hip subluxation and osteophyte morphology are related to coronal contracture of the hip.	J Orthop Res.	39(8)	1691-1699. doi:10.1002/jor.24891.	2021

Hamada H, Ando W, Takao M, Sugano N.	Gamma-glutamyltransferase: A useful marker of habitual drinking in cases of alcohol-associated osteonecrosis of the femoral head. Alcohol and Alcoholism	Alcohol Alcohol	56(2)	175-180. doi:10.1093/alcalc/agaal17.	2021
Ando W, Sakai T, Fukushima W, Kaneuji A, Ueshima K, Yamasaki T, Yamamoto T, Nishii T, Working group for ONFH guidelines, Sugano N.	Japanese Orthopaedic Association 2019 Guidelines for osteonecrosis of the femoral head.	J Orthop Sci.	26(1)	46-68. doi:10.1016/j.jos.2020.06.013.	2021
Itsuji T, Tonomura H, Ishibashi H, Mikami Y, Nagae M, Takatori R, Tanida T, Matsuda KI, Tanaka M, Kubo T.	Hepatocyte growth factor regulates HIF-1 α -induced nucleus pulposus cell proliferation through MAPK-, PI3K/Akt-, and STAT3-mediated signaling.	J Orthop Res.	39(6)	1184-1191. doi:10.1002/jor.24679.	2021
Oba Y, Sonohata M, Kitajima M, Kawano S, Eto S, Mawatari M	Conventional cementless total hip arthroplasty in patients with dwarfism with height less than 140cm and minimum 10-year follow up: A clinical study.	J Orthop Sci.	26(1)	128-134. doi:10.1016/j.jos.2020.02.001.	2021
Hashimoto A, Sonohata M, Hirata H, Kawano S, Eto S, Ueno M, Mawatari M	Periarticular analgesic injection containing a corticosteroid after total hip arthroplasty may prevent deep venous thrombosis: a retrospective comparative cohort study.	BMC Musculoskelet Disord.	22(1)	19. doi:10.1186/s12891-020-03879-x.	2021
Nakayama Y, Sonohata M, Kitajima M, Sugino H, Hashimoto A, Hirata H, Kii S, Nakashima T, Kawano S, Eto S, Ueno M, Motegi S, Mawatari M	Fragility fracture following total hip arthroplasty.	J Orthop Sci.	27(2)	4. doi:10.1016/j.jos.2020.12.016.	2022
Kobayashi T, Morimoto T, Yoshihara T, Sonohata M, Riviere C, Mawatari M	The relationship between pelvic incidence and anatomical acetabular anteversion in female Japanese patients with hip osteoarthritis: a retrospective iconographic study.	Surg Radiol Anat.	43(7)	1141-1147. doi:10.1007/s00276-021-02710-z.	2021

Hashimoto A, Miyamoto H, Kii S, Kobatake T, Shobuike T, Noda I, Sonohata M, Mawatari M:	Time-dependent efficacy of combination of silver-containing hydroxyapatite coating and vancomycin on methicillin-resistant <i>Staphylococcus aureus</i> biofilm formation in vitro.	BMC Res Notes	14(1)	81. doi:10.1186/s13104-021-05499-7.	2021
Sonohata M, Nakashia T, Kitajima M, Kawano S, Eto S, Mawatari M:	Total hip arthroplasty using hydroxyapatite-coated cementless cup for rapidly destructive coxarthrosis: Minimum 10-year follow-up.	J Orthop Sci.	26(2)	225-229. doi:10.1016/j.jos.2020.03.009.	2021
Kobayashi T, Morimoto T, Sonohata M, Mawatari M:	Is dislocation following total hip arthroplasty caused while suffering from delirium?	Nagoya J Med Sci	83(3)	601-607. doi:10.18999/nagjms.83.3.601.	2021
Hashimoto A, Miyamoto H, Kii S, Kobatake T, Shobuike T, Noda I, Sonohata M, Mawatari M:	Time-dependent efficacy of combination of silver-containing hydroxyapatite coating and vancomycin on methicillin-resistant <i>Staphylococcus aureus</i> biofilm formation in vitro.	BMC Res Notes	14(1)	81. doi:10.1186/s13104-021-05499-7.	2021
Hasegawa M, Morikawa M, Seaman M, Cheng VK, Sudo A.	Population-based prevalence of femoroacetabular impingement in Japan.	Mod Rheumatol.	31(4)	899-903. doi:10.1080/14397595.2020.18166	2021
Hasegawa M, Tone S, Naito Y, Wakabayashi H, Sudo A.	Minimum ten-year results in revision total hip arthroplasty using titanium fully porous long stem.	Int Orthop.	45(7)	1727-1733. doi:10.1007/s00264-021-05030-4.	2021
Cheng VK, Hasegawa M, Hattori T, Ito N, Linn E, Cheng K, Hughes-Austin J, Masuda K, Sudo A.	Prevalence of radiographic hip dysplasia in Japanese population-based study.	Mod Rheumatol.	32(2)	438-443 doi:10.1080/14397595.2021.1918884.	2022
Naito Y, Hasegawa M, Tone S, Wakabayashi H, Sudo A.	Thirteen-year results of cementless total hip arthroplasty with zirconia heads on highly cross-linked polyethylene.	Mod Rheumatol.	31(5)	1045-1049. doi:10.1080/14397595.2020.1847753.	2021
Hasegawa M, Tone S, Naito Y, Wakabayashi H, Sudo A.	Comparison of the accuracies of computed tomography-based navigation and image-free navigation for acetabular cup insertion in total hip arthroplasty in the lateral decubitus position.	Comput Assist Surg (Abingdon).	26(1)	69-76. doi:10.1080/24699322.2021.1949494.	2021

Naito Y, Hasegawa M, Tone S, Wakabayashi H, Sudo A.	The accuracy of acetabular cup placement in primary total hip arthroplasty using an image-free navigation system.	BMC Musculoskelet Disord.	22(1)	1016. doi:10.1186/s12891-021-04902-5.	2021
Tone S, Hasegawa M, Naito Y, Wakabayashi H, Sudo A.	Accuracy of image-free navigation in intraoperative leg length change from total hip arthroplasty using evaluations from 2D and 3D measurements.	BMC Musculoskelet Disord.	22(1)	1021. doi:10.1186/s12891-021-04906-1.	2021
Tanaka T, Moro T, Asai S, Hashikura K, Ishikura H, Tanaka S.	Comparison between cup implantations during total hip arthroplasty with or without a history of rotational acetabular osteotomy.	Arch Orthop Trauma Surg	142(11)	3539-3547 doi:10.1007/s00402-021-04253-9.	2022
Ishikura H, Nakamura M, Oka H, Yonezawa K, Hidaka R, Tanaka T, Kawano H, Tanaka S.	A new classification system for evaluating fatty infiltration of the gluteus minimus in hip osteoarthritis using plain computed tomography.	J Orthop Sci.	27(4):	792-797. doi:10.1016/j.jos.2021.04.005.	2022
Ishikura H, Nakamura M, Matsuda K, Tanaka T, Kawano H, Tanaka S.	Severe osteolysis and periprosthetic femoral fracture 45 years after acrylic hemiarthroplasty of the hip: a case report.	BMC Musculoskelet Disord.	22(1)	482. doi:10.1186/s12891-021-04380-9	2021
Tanaka T, Moro T, Ishikura H, Hashikura K, Kaneko T, Tanaka S.	Characteristics of three-dimensional acetabular morphology with excellent outcome after rotational acetabular osteotomy.	J Orthop Surg Res.	16(1)	192. doi:10.1186/s13018-021-12346-0.	2021
Mitsutake R, Tanino H, Ito H.	The effect of range of motion simulated with a patient-specific three-dimensional simulation analysis on dislocation after total hip arthroplasty.	Hip Int. 2021 Sep	In press	doi: 10.1177/11207002111044807.	2021
Tanino H, Nishida Y, Mitsutake R, Ito H.	Accuracy of a portable accelerometer-based navigation system for cup placement and intraoperative leg length measurement in total hip arthroplasty: a cross-sectional study.	BMC Musculoskelet Disord.	22(1)	299. doi:10.1186/s12891-021-04167-y.	2021

Okuzu Y, Goto K, Shimizu Y, Kawai T, Kuroda Y, Matsuda S.	Sacroiliac joint degeneration is common in patients with end-stage hip osteoarthritis secondary to unilateral developmental dysplasia of the hip: Factors associated with its severity and laterality.	J Orthop Sci.	26(1)	135-140. doi:10.1016/j.jos.2020.02.005.	2021
Murao M, Nankaku M, Hamada R, Kawano T, Goto K, Kuroda Y, Ikeguchi R, Matsuda S.	Hip Abductor Strength and Lower Limb Load oned Nonoperating Predict Functional Mobility in Women Patients With Total Hip Arthroplasty.	Am J Phys Med Rehabil.	100(1)	72-76. doi:10.1097/PHM.0000000000001523.	2021
Okuzu Y, Goto K, Kuroda Y, Kawai T, Matsuda S.	Preoperative Factors Associated With Low Back Pain Improvement After Total Hip Arthroplasty in a Japanese Population.	J Arthroplasty.	37(1)	69-74 doi:10.1016/j.arth.2021.08.025	2022
Ishikawa T, Kawai T, Goda N, Goto K, Kuroda Y, Matsuda S.	Chronic Expanding Hematomas That Occurred 20 Years or More After Primary Total Hip Arthroplasty: A Report of 2 Cases.	JBJS Case Connect.	11(1)	doi:10.2106/JBJS.CC.20.00619.	2021
Kuroda Y, Okuzu Y, Kawai T, Goto K, Matsuda S.	Difference in Therapeutic Strategies for Joint-Preserving Surgery for Non-Traumatic Osteonecrosis of the Femoral Head between the United States and Japan: A Review of the Literature.	Orthop Surg.	13(3)	742-748. doi:10.1111/os.12979.	2021
Kawai T, Shimizu T, Goto K, Kuroda Y, Okuzu Y, Fujibayashi S, Matsuda S.	Number of Levels of Spinal Fusion Associated with the Rate of Joint-Space Narrowing in the Hip.	J Bone Joint Surg Am	103(11)	953-960. doi:10.2106/JBJS.S.20.01578.	2021
Kuroda Y, Koumoto S, Okuzu Y, Kawai T, Goto K, Matsuda S.	Similarity in Sequential Bilateral Transient Osteoporosis of the Hip: A Report of 3 Cases.	JBJS Case Connect.	11(2)	doi:10.2106/JBJS.CC.20.00722.	2021
Goto K, Aoyama T, Toguchida J, Kuroda Y, Kawai T, Okuzu Y, Matsuda S.	Ten-year results of mesenchymal stromal cell transplantation augmented with vascularised bone grafts for advanced osteonecrosis of the femoral head.	J Orthop.	26	67-71 doi:10.1016/j.jor.2021.07.006.	2021
Kawano T, Nankaku M, Murao M, Goto K, Kuroda Y, Kawai T, Ikeguchi R, Matsuda S.	Functional characteristics associated with hip abductor torque in severe hip osteoarthritis.	Musculoskeletal Sci Pract.	55	102431. doi:10.1016/j.msksp.2021.102431.	2021

Takaoka Y, Goto K, Tamura J, Okuzu Y, Kawai T, Kuroda Y, Orita K, Matsuda S.	Radiolucent lines do not affect the longevity of highly cross-linked polyethylene cemented components in total hip arthroplasty.	Bone Joint J.	103-B(10)	1604-1610. doi:10.1302/0301-620X	2021
Kuroda Y, Nankaku M, Okuzu Y, Kawai T, Goto K, Matsuda S.	Percutaneous autologous iliopectineal bone graft for advanced femoral head osteonecrosis: a retrospective observational study of unsatisfactory short-term outcomes.	J Orthop Surg Res.	16(1)	141 doi:10.1186/s13018-021-02288-7.	2021
Tateuchi H, Akiyama H, Goto K, So K, Kuroda Y, Ichihashi N.	Strategies for increasing gait speed in patients with hip osteoarthritis: their clinical significance and effects on hip loading.	Arthritis Res Ther.	23(1)	129. doi:10.1186/s13075-021-02514-x.	2021
Tateda K, Nagoya S, Suzuki D, Kosukegawa I, Yamashita T.	Acetabular Morphology in Patients with Developmental Dysplasia of the Hip with High Dislocation.	Hip Pelvis	33(1)	doi:10.5371/hp.2021.33.1.25.	2021
Fukushima W, Hara M, Kitamura Y, Shibata M, Ugawa Y, Hirata K, Oka A, Miyamoto S, Kusunoki S, Kuwabara S, Hashimoto S, Sobue T.	A nationwide epidemiological survey of adolescent patients with diverse symptoms similar to those following human papillomavirus vaccination: background prevalence and incidence for considering vaccine safety in Japan.	J Epidemiol.	32(1)	doi:10.2188/jea.JE20210277.	2022
Murata K, Onoyama S, Yamamura K, Mizuno Y, Furuno K, Matsubara K, Hatae K, Masuda K, Nomura Y, Ohno T, Kinumaki A, Miura M, Sakai Y, Ohga S, Fukushima W, Kishimoto J, Nakamura Y, Hara T.	Kawasaki Disease and Vaccination: Prospective Case-Control and Case-Crossover Studies among Infants in Japan.	Vaccines (Basel)	9(8)	839. doi:10.3390/vaccines9080839.	2021
Kakiuchi M, Wada E, Harada T, Yamasaki R, Fukushima W.	Relief of Low Back Pain After Posterior Decompression for Lumbar Spinal Stenosis.	Spine (Phila Pa 1976).	46(18)	E966-E975. doi:10.1097/BRS.0000000000000406.	2021
Yamada K, Aota Y, Saito T, Inaba Y:	Correlation between leg pain at rest and spinal nerve edema in symptomatic lumbar foraminal stenosis.	Orthop Traumatol Surg Res.	In press	103119: doi:10.1016/j.otsr.2021.103119.	2021

Choe H, Kobayashi N, Oba M, Morita A, Abe K, Inaba Y:	Application of Ultrasonography During Sternocleidomastoid Muscle Release for Congenital Muscular Torticollis: A Case Report	J. JBJS Case Connect.	11(4)	doi:10.2106/JBJS.CC.21.00309.	2021
Choe H, Kobayashi N, Kobayashi D, Watanabe S, Abe K, Tezuka T, Kawabata Y, Takeyama M, Inaba Y:	Postoperative excessive external femoral rotation in revision total hip arthroplasty is associated with muscle weakness in iliopsoas and gluteus medius and risk for hip dislocation.	J Orthop Surg Res.	16(1)	582. doi:10.1186/s13018-021-02744-4.	2021
Nejima S, Kumagai K, Fujimaki H, Yamada S, Sotozawa M, Matsubara J, Inaba Y	Increased contact area of flange and decreased wedge volume of osteotomy site by open wedge distal tibial tuberosity arc osteotomy compared to the conventional technique.	Knee Surg Sports Traumatol Arthrosc.	29(10)	3450-3457. doi:10.1007/s00167-020-06296-8.	2021
Otoshi A, Kumagai K, Yamada S, Nejima S, Fujisawa T, Miyatake K, Inaba Y:	Return to sports activity after opening wedge high tibial osteotomy in patients aged 70 years and older.	J Orthop Surg Res.	16(1)	576. doi:10.1186/s13018-021-02718-6.	2021
Kobayashi N, Kamono E, Maeda K, Misumi T, Yukizawa Y, Inaba Y:	Effectiveness of diluted povidone-iodine lavage for preventing periprosthetic joint infection: an updated systematic review and meta-analysis.	J Orthop Surg Res.	16(1)	569. doi:10.1186/s13018-021-02703-z.	2021
Inoue T, Higashi T, Kobayashi N, Ide M, Harigane K, Mochida Y, Inaba Y	Associated with Aggravation of Cervical Spine Lesions in Patients with Rheumatoid Arthritis: A Retrospective Longitudinal Cohort Study.	A retrospective longitudinal cohort study. Spine	47(6)	484-489. doi:10.1097/BRS.0000000000000420. PMID: 34524270.	2022
Higashihira S, Inasaka R, Iwamura Y, Kohno M, Akiyama G, Inaba Y:	Patient-reported outcome measures after total knee arthroplasty using knee injury and osteoarthritis outcome score.	JRPMS.	5(3)	93-100.	2021
Fujimaki H, Nakazawa A, Hirano M, Takeuchi T, Kadowaki A, Kusayama Y, Ide M, Kanai K, Kim Y, Matsubara J, Kumagai K, Inaba Y.	Status of fracture risk assessment and osteoporosis treatment in Japanese patients with rheumatoid arthritis.	Mod Rheumatol.	31(5)	987-991. doi:10.1080/14397595.2020.1847752.	2021

Thiengwittayaporn S, Budhipar ama N, Tanavalee C, Tantavis ut S, Sorial RM, Li C, Kim KI;	Asia-Pacific (AP) Region Venous Thromboembolism (VTE) Consensus Group (Choe H, Inaba Y, et al): Asia-Pacific venous thro mboembolism consensus i n knee and hip arthroplas ty and hip fracture surger y: Part 3. Pharmacologica l venous thromboembolis m prophylaxis.	Knee Surg Rel at Res.	33(1)	24. doi:10.1186/s430 19-021-00100-8.	2021
Kato S, Mihara H, Niimura T, Watanabe K, Kawai T, Choe H, Inaba Y:	Impact of focal apex angl e on postoperative decom pression status of the spin al cord and neurological r ecovery after cervical lam inoplasty.	J Neurosurg S pine.	35(4)	410-418. doi:10.3171/202 0.12.SPINE20183 1.	2021
Kumagai K, Fujimaki H, Yam ada S, Nejima S, Matsubara J, Inaba Y:	Changes of synovial fluid biomarker levels after op ening wedge high tibial o steotomy in patients with knee osteoarthritis.	Osteoarthritis C artilage.	29(7)	1020-1028. doi:10.1016/j.joca .2021.03.013.	2021
Nejima S. Kumagai K. Kobay ashi H. Fujimaki H. Yamada S. Sotozawa M. Hisatomi K. I naba Y:	Medialization of the mech anical axis of the tibia is related to lateralization o f the tibial tuberosity in knee osteoarthritis.	Knee.	30	134-140. doi:10.1016/j.kne e.2021.03.023.	2021
Amarase C, Tanavalee A, Larb paiboonpong V, Lee MC, Cra wford RW, Matsubara M, Zho u Y;	Asia-Pacific (AP) Region Venous Thromboembolism (VTE) Consensus Group (Choe H, Inaba Y, et a l): Asia-Pacific venous thr omboembolism consensus in knee and hip arthropla sty and hip fracture surge ry: Part 2. Mechanical ve nous thromboembolism pr ophylaxis.	Knee Surg Rel at Res.	33(1)	20. doi:10.1186/s430 19-021-00101-7.	2021
Ngarmukos S, Kim KI, Wongs ak S, Chotanaphuti T, Inaba Y, Chen CF, Liu D;	Asia-Pacific Region Veno us Thromboembolism (VT E) Consensus Group (Cho e H, Inaba Y, et al): Asi a-Pacific venous thromboe mbolism consensus in kne e and hip arthroplasty an d hip fracture surgery: Pa rt 1. Diagnosis and risk f actors.	Knee Surg Rel at Res.	33(1)	18. doi:10.1186/s430 19-021-00099-y.	2021

Watanabe S, Choe H, Kobayashi N, Ike H, Kobayashi D, Inaba Y:	Prediction of pelvic mobility using whole-spinal and pelvic alignment in standing and sitting position in total hip arthroplasty patients.	J Orthop Surg (Hong Kong).	29(2)	23094990211019099. doi:10.1177/23094990211019099.	2021
Akamatsu T, Kumagai K, Yamada S, Nejima S, Sotozawa M, Ogino T, Inaba Y:	No differences in clinical outcomes and cartilage repair between opening wedge and closed wedge high tibial osteotomies at short-term follow-up: A retrospective case series analysis.	J Orthop Surg (Hong Kong).	29(2)	23094990211020366. doi:10.1177/23094990211020366.	2021
Watanabe S, Kobayashi N, Tomoyama A, Choe H, Yamazaki E, Inaba Y:	Clinical characteristics and risk factors for culture-negative periprosthetic joint.	J Orthop Surg Res.	16(1)	292. doi:10.1186/s13018-021-02450-1.	2021
Uchino Y, Higashi T, Kobayashi N, Inoue T, Mochida Y, Inaba Y:	Risk factors associated with cervical spine lesions in patients with rheumatoid arthritis: an observational study.	BMC Musculoskeletal Disord.	22(1)	408. doi:10.1186/s12891-021-04285-7.	2021
Takagawa S, Kobayashi N, Yukizawa Y, Oishi T, Tsuji M, Misumi T, Inaba Y:	Identifying factors predicting prolonged rehabilitation after simultaneous bilateral total knee arthroplasty: a retrospective observational study.	BMC Musculoskeletal Disord.	22(1)	368. doi:10.1186/s12891-021-04211-x.	2021
Kobayashi N, Higashihara S, Kitayama H, Kamono E, Yukizawa Y, Oishi T, Takagawa S, Honda H, Choe H, Inaba Y.	Effect of decreasing the anterior pelvic tilt on range of motion in femoroacetabular impingement: A computer-simulation study. Orthop	J Sports Med.	9(4)	2325967121999464. doi:10.1177/2325967121999464.	2021
Morita A, Kobayashi N, Choe H, Tezuka T, Higashihara S, Inaba Y:	Preoperative factors predicting the severity of BMD loss around the implant after Total Hip Arthroplasty.	BMC Musculoskeletal Disord.	22(1)	290. doi:10.1186/s12891-021-04161-4.	2021
Nejima S, Kumagai K, Kobayashi H, Yamada S, Akamatsu T, Ogino T, Sotozawa M, Inaba Y:	Coronal shaft bowing of the femur affects varus inclination of the surgical transepicondylar axis in varus knee osteoarthritis.	Knee Surg Sports Traumatol Arthrosc.	29(3)	814-819. doi:10.1007/s00167-020-06025-1.	2021

Sasaki T, Akamatsu Y, Kobayashi H, Mitsuhashi S, Nejima S, Kumagai K, Saito T, Inaba Y	Rotational Changes in the Distal Tibial Fragment Relative to the Proximal Tibial Fragment at the Osteotomy Site after Open-Wedge High-Tibial Osteotomy	Biomed Res In	2021	6357109. doi:10.1155/2021/6357109.	2021
Nejima S, Kumagai K, Kobayashi H, Yamada S, Akamatsu T, Ogino T, Sotozawa M, Inaba Y	Varus inclination of the tibia is related to patellofemoral osteoarthritis in Japanese female patients with moderate knee osteoarthritis.	Knee Surg Sports Traumatol Arthrosc.	29(2)	652-658. doi:10.1007/s00167-020-06000-w.	2021
Yang F, Choe H, Kobayashi N, Tezuka T, Oba M, Miyamae Y, Morita A, Abe K, Inaba Y.	An automated real-time PCR assay for synovial fluid improves the preoperative etiologic diagnosis of periprosthetic joint infection and septic arthritis.	J Orthop Res.	39(2)	348-355. doi:10.1002/jor.24959.	2021
Kumagai K, Fujimaki H, Yamada S, Nejima S, Matsubara J, Inaba Y.	Difference in the early postoperative change of the joint line convergence angle between opening wedge and closed wedge high tibial osteotomies.	J Orthop Surg Res.	16(1)	66. doi:10.1186/s13018-021-02214-x.	2021
Kumagai K, Yamada S, Akamatsu T, Nejima S, Ogino T, Sotozawa M, Inaba Y.	Intraoperatively accurate limb alignment after opening wedge high tibial osteotomy can be lost by large knee joint line convergence angle during surgery.	Arch Orthop Trauma Surg.	141(1)	23-28. doi:10.1007/s00402-020-03419-1.	2021
Kamada S, Kise N, Kinoshita K, Shiota E, Yamamoto T.	Femoral Neck Fracture in a Hemodialysis Patient after Liver Transplantation: A Case Report.	Prog Rehabil Med.	6	20210003. doi:10.2490/prm.20210003.	2021
Matsunaga T, Kamachi Y, Kinoshita K, Sakamoto T, Yamamoto T.	Magnetic Resonance Imaging Assessment of Abductor Muscles Shortly After Curved Periacetabular Osteotomy.	J Arthroplasty.	36(2)	429-433. doi:10.1016/j.arth.2020.08.041.	2021
Doi N, Kinoshita K, Sakamoto T, Minokawa A, Setoguchi D, Yamamoto T.	Incidence and clinical outcome of lateral femoral cutaneous nerve injury after periacetabular osteotomy.	Bone Joint J.	103-B(4)	659-664. doi:10.1302/0301-620X.103B4.BJJ-2020-0990.R2.	2021
Kosaka H, Maeyama A, Nishio J, Nabeshima K, Yamamoto T.	Histopathologic evaluation of bone marrow lesions in early stage subchondral insufficiency fracture of the medial femoral condyle.	Int J Clin Exp Pathol.	14(7)	819-826.	2021

Suzuki M, Kinoshita K, Sakamoto T, Seo H, Kinoshita S, Yamamoto T.	Leg Length Change After Curved Periacetabular Osteotomy and Its Impact on the Clinical Outcomes.	J Arthroplasty.	36(9)	3089-3096. doi:10.1016/j.art h.2021.04.019.	2021
Kinoshita S, Ishimatsu T, Suzuki M, Seo H, Sakamoto T, Kinoshita K, Yamamoto T.	Femoral nerve status during the anterolateral approach for total hip arthroplasty: Motor-evoked potential analysis and an influencing factor.	J Orthop Sci.	S0949-2658(21)	00334-1. doi:10.1016/j.jos. 2021.09.007.	2021
Kamachi Y, Kinoshita K, Sakamoto T, Matsunaga T, Yamamoto T.	Bone union status of all osteotomy sites one year after curved periacetabular osteotomy based on computed tomography. Orthop Traumatol	Surg Res.	107(8)	102955. doi:10.1016/j.otsr .2021.102955.	2021
Baba S, Motomura G, Ikemura S, Yamaguchi R, Hamai S, Fujii M, Kawano K, Nakashima	Risk factors for radiological changes after bipolar hemiarthroplasty for osteonecrosis of the femoral head.	Modern Rheumatology	31(3)	725-732. doi:10.1080/1439 7595.2020.17759 59.	2021
Harada S, Hamai S, Shiimoto K, Hara D, Fujii M, Ikemura S, Motomura G, Nakashima Y.	Patient-reported outcomes after primary or revision total hip arthroplasty: A propensity score-matched Asian cohort study.	PLoS One.	16(5)	e0252112. doi:10.1371/journ al.pone.0252112.	2021
Fujii M, Nakashima Y, Kitamura K, Motomura G, Hamai S, Ikemura S, Noguchi Y.	Preoperative Rather Than Postoperative Intra-Articular Cartilage Degeneration Affects Long-Term Survivorship of Periacetabular Osteotomy.	Arthroscopy	37(7)	2112-2122. doi:10.1016/j.arth ro.2021.01.060.	2021
Kitamura K, Fujii M, Iwamoto M, Ikemura S, Hamai S, Motomura G, Nakashima Y.	Is Anterior Rotation of the Acetabulum Necessary to Normalize Joint Contact Pressure in Periacetabular Osteotomy? A Finite-element Analysis Study.	Clin Orthop Relat Res.	480(1)	67-78 doi:10.1097/COR R.000000000000 1893.	2022
Komiyama K, Hamai S, Motomura G, Ikemura S, Fujii M, Kawahara S, Nakashima Y.	Total hip arthroplasty after periacetabular osteotomy versus primary total hip arthroplasty: a propensity-matched cohort study.	Arch Orthop Trauma Surg	141(8)	1411-1417. doi:10.1007/s004 02-021-03817-z.	2021
Kitamura K, Fujii M, Ikemura S, Hamai S, Motomura G, Nakashima Y.	Does Patient-specific Functional Pelvic Tilt Affect Joint Contact Pressure in Hip Dysplasia? A Finite-element Analysis Study.	Clinical Orthopaedics and Related Research	479(8)	1712-1724. doi:10.1097/COR R.000000000000 1737.	2021

Fujii M, Kitamura K, Ikemura S, Hamai S, Motomura G, Nakashima Y.	Pneumatic femoral broaching decreases post-operative subsidence of a cementless taper-wedge stem.	International Orthopaedics	46(2)	233-240 doi:10.1007/s00264-021-05196-x.	2022
Kuwakado S, Kawaguchi K, Sakagawa A, Takahashi M, Odagiri T, Shimamoto N, Motomura G, Hamai S, Nakashima Y.	Factors Affecting the Length of Convalescent Hospital Stay Following Total Hip and Knee Arthroplasty.	Progress in Rehabilitation Medicine	6	20210033. doi:10.2490/prm.20210033.	2021
Harada S, Hamai S, Shiimoto K, Hara D, Motomura G, Ikemura S, Fujii M, Nakashima Y.	Wear analysis of the first-generation cross-linked polyethylene at minimum 10 years follow-up after THA: no significant effect of sports participation.	Journal of Artificial Organs	25(2)	140-147 doi:10.1007/s10047-021-01297-x.	2022
Shiimoto K, Hamai S, Ikebe S, Higaki H, Hara D, Gondo H, Komiyama K, Yoshimoto K, Harada S, Nakashima Y.	Computer simulation based on in vivo kinematics of a replaced hip during chair-rising for elucidating target cup and stem positioning with a safety range of hip rotation.	Clinical biomechanics (Bristol, Avon)	91	105537 doi:10.1016/j.clinbiomech.2021.105537.	2022
Ogawa T, Yoshii T, Okawa A, Fushimi K, Jinno T.	Association between hospital surgical volume and complications after total hip arthroplasty in femoral neck fracture: A propensity score-matched cohort study.	Injury.	52(10)	3002-3010. doi:10.1016/j.injury.2021.02.092.	2021
Ogawa T, Yoshii T, Okawa A, Fushimi K, Jinno T.	Association Between Cemented vs Cementless Hemiarthroplasty and Short-Term Change of In-Hospital Mortality in Elderly Patients with Femoral Neck Fracture: A Propensity-Score Matching Analysis in a Multicenter Database.	Clin Interv Aging.	16	1151-1159. doi:10.2147/CIA.S315090.	2021
Ogawa T, Schermann H, Kobayashi H, Fushimi K, Okawa A, Jinno T.	Age and clinical outcomes after hip fracture surgery: do octogenarian, nonagenarian and centenarian classifications matter?	Age Ageing.	50(6)	1952-1960. doi:10.1093/ageing/afab137.	2021

Takada R, Jinno T, Miyatake K, Watanabe N, Koga H, Yoshii T, Okawa A.	Difference in tapered wedge stem alignment between supine and lateral position in cementless total hip arthroplasty via modified Watson-Jones anterolateral approach.	Eur J Orthop Surg Traumatol.	32(3)	497-503 doi:10.1007/s00590-021-03001-4.	2022
Taniguchi N, Jinno T, Ohba T, Endo H, Wako M, Fujita K, Koyama K, Ichikawa J, Ando T, Ochiai S, Haro H.	Differences of two-year longitudinal changes of locomotive syndrome among patients treated with thoracolumbar interbody fusion, total hip arthroplasty, and total knee arthroplasty for degenerative diseases.	Modern Rheumatology	32(3)	641-649 doi:10.1093/mr/rwab033.	2022
Ogawa T, Tachibana T, Yamamoto N, Udagawa K, Kobayashi H, Fushimi K, Yoshii T, Okawa A, Jinno T.	Patient body mass index modifies the association between waiting time for hip fracture surgery and in-hospital mortality: A multicenter retrospective cohort study.	J Orthop Sci.	S0949-2658(21)	00234-7. doi:10.1016/j.jos.2021.07.015	2021
Koyano G, Jinno T, Koga D, Hoshino C, Okawa A.	Intra-articular Injections of Cross-linked Hyaluronic Acid in Japanese Patients with Symptomatic Osteoarthritis of the Hip	Prog Rehabil Med.	6	20210038. doi:10.2490/prm.20210038. PMID: 34632157	2021
Ikeda T, Sato R, Ninomiya K, Suzuki K, Hirakawa K, Jinno T.	Nutritional Factors Related to Muscle Weakness 1 Year after Total Hip Arthroplasty: A Case-Control Study.	Ann Nutr Metab	1	7. doi:10.1159/000520551.	2021
Hirata M, Oe K, Kaneuji A, Uozu R, Shintani K, Saito T.	Relationship between the Surface Roughness of Material and Bone Cement: An Increased "Polished" Stem May Result in the Excessive Taper-Slip.	Materials (Basel).	14(13)	3702. doi: 10.3390/material14133702.	2021
Kaneuji A, Takahashi E, Fukui M, Ichiseki T, Fukui K, Kawahara N.	Long-Term Outcomes for Cementless Anatomic Femoral Components, Compared by Area of Porous Coating, in Patients Younger Than 50 Years Treated for Hip Dysplasia.	J Arthroplasty.	36(8)	2864-2870. doi:10.1016/j.arth.2021.03.024.	2021

Kaneuji A, Hara T, Takahashi E, Fukui K, Ichiseki T, Kawahara N.	A Novel Minimally Invasive Spherical Periacetabular Osteotomy: Pelvic Ring Preservation and Patient-Specific Osteotomy by Preoperative 3-Dimensional Templating.	J Bone Joint Surg Am.	103(18)	1724-1733. doi:10.2106/JBJS.20.00940.	2021
Kawaguchi M, Segawa A, Shintani K, Nakamura Y, Ishigaki Y, Yonezawa K, Sasamoto T, Kaneuji A, Kawahara N.	Bone formation at Ti-6Al-7Nb scaffolds consisting of 3D honeycomb frame and diamond-like carbon coating implanted into the femur of beagles.	J Biomed Mater Res B Appl Biomater.	109(9)	1283-1291. doi:10.1002/jbm.b.34789.	2021
Kitajima H, Kaneuji A, Soma D, Fukui M, Kawahara N	Bone ingrowth observed in a cup removed during revision surgery for early dislocation after primary THA: A case report.	Int J Surg Case Rep	83	105941. doi:10.1016/j.ijscr.2021.105941.	2021
Hirata H, Ueda S, Ichiseki T, Shimasaki M, Ueda Y, Kaneuji A, Kawahara N.	Taurine inhibits glucocorticoid-induced bone mitochondrial injury, preventing osteonecrosis in rabbits and cultured osteocytes.	Int J Mol Sci.	21(18)	E6892, doi:10.3390/ijms21186892.	2021
Seki K, Ogasa H, Tokushige A, Imagama T, Seki T, Nakashima D, Sakai T.	Ultrasonography-detected synovitis of hand is associated with the presence of synovitis in the forefoot of patients with rheumatoid arthritis.	J Orthop Sci	26(5)	850-3. doi:10.1016/j.jos.2020.09.002.	2021
Imagama T, Seki K, Seki T, Tokushige A, Matsuki Y, Yamazaki K, Nakashima D, Okazaki T, Hirata K, Yamamoto M, Tanaka H, Sakai T.	Synovial fluid presepsin as a novel biomarker for rapid differential diagnosis of native joint septic arthritis from crystal arthritis.	Int J Infect Dis	102	472-477. doi:10.1016/j.ijid.2020.10.030.	2021
Imagama T, Nakashima D, Seki K, Seki T, Matsuki Y, Yamazaki K, Sakai T.	Comparison of bacterial culture results of preoperative synovial fluid and intraoperative specimens in patients with joint infection.	J Infect Chemother	27(4)	562-567 doi:10.1016/j.jiac.2020.11.006.	2021
Yamazaki K, Imagama T, Matsuki Y, Seki T, Seki K, Sakai T.	Evaluation of femoral anteversion, hip rotation, and lateral patellar tilt after total hip arthroplasty using a changeable neck system.	J Artif Organs	24	492-497. doi:10.1007/s10047-021-01269-1.	2021

Imagama T, Seki K, Seki T, Matsuki Y, Yamazaki K, Sakai T.	Low frequency of local findings in periprosthetic hip infection caused by low-virulent bacteria compared to periprosthetic knee infection.	Sci Rep	11(1)	11714. doi:10.1038/s41598-021-91139-w.	2021
Yukata K, Uchiyama Y, Nishida N, Ohgi J, Sakai T, Fujii H.	Greater trochanteric fracture with lesser trochanteric extension. A report of 2 cases and CT-based finite element analysis.	JBJS Case Connect	11(3)	doi:10.2106/JBJS.CC.20.00356.	2021
Nishida N, Izumiyama T, Asahi R, Jiang F, Ohgi J, Yamagata H, Imajo Y, Suzuki H, Funaba M, Sugimoto S, Fukushima F, Chen X, Sakai T.	Analysis of Individual Differences in Pelvic and spine alignment in seated posture and Impact on the Seatbelt Kinematics using human body model.	Plos One,	16(7)	0254120. doi:10.1371/journal.pone.0254120.	2021
Suzuki H, Imajo Y, Funaba M, Nishida N, Sakamoto T, Sakai T.	Current Concepts of Neural Stem/Progenitor Cell Therapy for Chronic Spinal Cord Injury.	Front Cell Neurosci.	15	794692 doi:10.3389/fncel.2021.794692.	2022
Mihara A, Yukata K, Seki T, Iwanaga R, Nishida N, Fujii K, Nagao Y, Sakai T.	Effects of sclerostin antibody on bone healing.	World J Orthop.	12(9)	651-659. doi:10.5312/wjo.v12.i9.651.	2021
Sakai T.	CORR Insights®: Adverse Local Tissue Reactions are Common in Asymptomatic Individuals After Hip Resurfacing Arthroplasty: Interim Report from a Prospective Longitudinal Study.	Clin Orthop Relat Res.	479(12)	2651-2652. doi:10.1097/CORR.0000000000001926.	2021
Matsuki Y, Imagama T, Tokushige A, Yamazaki K, Sakai T.	Accuracy of cup placement using computed tomography-based navigation system in total hip arthroplasty through the direct anterior approach.	J Orthop Sci.	S0949-2658(21)	00364-X. doi:10.1016/j.jos.2021.10.018.	2021
Tanaka K, Shimizu Y, Kamada H, Aikawa S, Mishima H, Kanamori A, Nishino T, Sakane M, Ochiai N, Yamazaki M.	Feasibility and Safety of a Novel Leg Exercise Apparatus for Venous Thromboembolism Prophylaxis after Total Joint Arthroplasty of the Lower Extremities-A Pilot Study.	Tomography.	7(4)	734-746. doi:10.3390/tomography7040061.	2021

Nishino T, Mishima H, Kawamura H, Yoshizawa T, Miyakawa S, Yamazaki M.	Ten-year results of 55 dysplasia hips of hip offset and leg length reconstruction in total hip arthroplasty with cementless tapered stems having a high offset option designed for dysplastic femur.	J Orthop Surg (Hong Kong).	28(1)	2309499020909499. doi:10.1177/2309499020909499.	2021
Totsuka S, Nishino T, Watanabe R, Yamazaki M, Mishima H.	New Evaluation Method for Bone Formation around a Fully Hydroxyapatite-Coated Stem Using Digital Tomosynthesis: A Retrospective Cross-Sectional Study.	Diagnostics (Basel).	11(11)	2094. doi:10.3390/diagnostics11112094.	2021
Takehashi H, Nishino T, Mishima H, Wada H, Yamazaki M, Hyodo K.	Stress distribution of cementless stems with unique flanges in a rectangular cross-section: thermoelastic stress imaging study.	J Rural Med.	16(2)	83-90. doi:10.2185/jrm.2020-058.	2021
Kawamura H, Watanabe Y, Nishino T, Mishima H.	Effects of lower limb and pelvic pin positions on leg length and offset measurement errors in experimental total hip arthroplasty.	J Orthop Surg Res.	16(1)	193. doi:10.1186/1186/s13018-021-02347-z.	2021
Tomaru Y, Yoshioka T, Nanakamura J, Sugaya H, Hagiwara S, Nawata K, Ohtori S, Yamazaki M, Mishima H.	Concentrated autologous bone marrow aspirate transplantation versus conservative treatment for corticosteroid-associated osteonecrosis of the femoral head in systemic lupus erythematosus.	J Rural Med.	16(1)	1-7 doi:10.2185/jrm.2020-033.	2021
Yamamuro Y, Kabata T, Kajino Y, Inoue D, Hasegawa K, Tsuchiya H.	Does intraoperative periprosthetic occult fracture of the acetabulum affect clinical outcomes after primary total hip arthroplasty?	Arch Orthop Trauma Surg.	142(11)	3497-3504 doi:10.1007/s00402-021-04226-y.	2022
Saiki Y, Ojima T, Kabata T, Hayashi S, Tsuchiya H.	Accuracy of different navigation systems for femoral and tibial implantation in total knee arthroplasty: a randomised comparative study.	Arch Orthop Trauma Surg.	141(12)	2267-2276. doi:10.1007/s00402-021-04205-3.	2021

Hasegawa K, Kabata T, Kajino Y, Inoue D, Sakamoto J, Tsuchiya H.	The influence of pelvic tilt on stress distribution in the acetabulum: finite element analysis.	BMC Musculoskelet Disord.	22(1)	13750. doi:10.1038/s41598-021-93348-9.	2021
Yoshitani J, Kabata T, Kajino Y, Inoue D, Ohmori T, Ueoka K, Yamamuro Y, Taninaka A, Tsuchiya H.	Correlation between lag screw route and the ideal insertion point of the intramedullary nail.	Sci Rep.	11(1)	13750. doi:10.1038/s41598-021-93348-9.	2021
Yamamuro Y, Kabata T, Goshima K, Kajino Y, Inoue D, Ohmori T, Ueno T, Takagi T, Yoshitani J, Ueoka K, Taninaka A, Tsuchiya H.	Change in leg length after open-wedge high tibial osteotomy can be predicted from the opening width: A three-dimensional analysis	Knee.	30	185-194. doi:10.1016/j.knee.2021.04.010.	2021
Ueoka K, Kabata T, Tokoro M, Kajino Y, Inoue D, Takagi T, Ohmori T, Yoshitani J, Ueno T, Yamamuro Y, Taninaka A, Tsuchiya H.	Antibacterial Activity in Iodine-coated Implants Under Conditions of Iodine Loss: Study in a Rat Model Plus In Vitro Analysis.	Clin Orthop Relat Res.	479(7)	1613-1623. doi:10.1097/CORR.0000000000001753.	2021
Ohmori T, Kabata T, Kajino Y, Inoue D, Kato S, Tsuchiya H.	Contralateral Lower-Limb Functional Status Before Total Hip Arthroplasty: An Important Indicator for Postoperative Gait Speed.	J Bone Joint Surg Am.	103(12)	1093-1103. doi:10.2106/JBJS.20.00949.	2021
Ueoka K, Kabata T, Kajino Y, Inoue D, Ohmori T, Ueno T, Yoshitani J, Yamamuro Y, Taninaka A, Kato S, Yahata T, Tsuchiya H.	The prevalence and impact of sarcopenia in females undergoing total hip arthroplasty: A prospective study.	Mod Rheumatol.	30	1-6. doi:10.1080/14397595.2021.1899603.	2021
Kato S, Demura S, Shinmura K, Yokogawa N, Kabata T, Matsubara H, Kajino Y, Igarashi K, Inoue D, Kurokawa Y, Okuno N, Tsuchiya H.	Association of low back pain with muscle weakness, decreased mobility function, and malnutrition in older women: A cross-sectional study.	PLoS One.	16(1)	e0245879. doi:10.1371/journal.pone.0245879.	2021
Inoue D, Kabata T, Kajino Y, Ohmori T, Ueoka K, Tsuchiya H.	Comparison of mid-term clinical results between cementless and cemented femoral stems in total hip arthroplasty with femoral shortening osteotomy for Crowe type IV hips.	Arch Orthop Trauma Surg.	141(6)	1064. doi:10.1007/s00402-020-03749-0.	2021
Saiki Y, Ojima T, Kabata T, Kubo N, Hayashi S, Tsuchiya H.	Gradual exacerbation of knee flexion angle after total knee arthroplasty in patients with diabetes mellitus.	Mod Rheumatol.	31(6)	1215-1220. doi:10.1080/14397595.2020.1868688.	2021

Ohmori T, Kabata T, Kato S, Takagi T, Kajino Y, Inoue D, Taga T, Yamamoto T, Kurokawa Y, Yoshitani J, Ueno T, Ueoka K, Yamamuro Y, Yahata T, Tsuchiya H.	The efficacy of total hip arthroplasty on locomotive syndrome and its related physical function in patients with hip osteoarthritis.	J Orthop Sci.	26(3)	389-395. doi:10.1016/j.jos.2020.04.011.	2021
Ueno T, Kabata T, Kajino Y, Inoue D, Ohmori T, Yoshitani J, Ueoka K, Yamamuro Y, Tsuchiya H.	Anterior pelvic plane tilt poorly estimates the sagittal body alignment due to internal rotation of innominate bone.	J Orthop Res.	39(3)	589. doi:10.1002/jor.24760.	2021
Osawa Y, Seki T, Takegami Y, Makida K, Ochiai S, Imagama S.	Collapse Progression or Cessation Affects the Natural History of Contralateral Osteonecrosis of the Femoral Head	Head.J Arthroplasty.	36(12)	3839-3844. doi:10.1016/j.art h.2021.08.005.	2021
Ochiai S, Seki T, Osawa Y, Kawasaki M, Yamaguchi J, Ishiguro N.	Pelvic incidence affects postoperative dislocation rate in total hip arthroplasty patients with spinal fusion.	Hip Int.	In press	doi: 10.1177/11207000211054332.	2021
Asai H, Takegami Y, Seki T, Ishiguro N.	Pelvic Tilt Reduces the Accuracy of Acetabular Component Placement When Using a Portable Navigation System: An In Vitro Study.	Arthroplast Today.	7	177-181. doi:10.1016/j.artd .2020.12.012.	2021
Kataoka Y, Shimizu T, Takeda R, Tadano S, Saito Y, Osuka S, Ishida T, Samukawa M, Irie T, Takahashi D, Iwasaki N, Tohyama H.	Effects of unweighting on gait kinematics during walking on a lower-body positive-pressure treadmill in patients with hip osteoarthritis.	BMC Musculoskelet Disord.	22(1)	46. doi:10.1186/s12891-020-03909-8.	2021
Yokota S, Sakamoto K, Shimizu Y, Asano T, Takahashi D, Kudo K, Iwasaki N, Shimizu T.	Evaluation of whole-body modalities for diagnosis of multifocal osteonecrosis-a pilot study.	Arthritis Res Ther.	23(1)	3. doi:10.1186/s13075-021-02473-3.	2021
Nakamura Y, Shimizu T, Asano T, Shimodan S, Ishizu H, Takahashi D, Takahata M, Iwasaki N.	Short-term efficacy and safety of zoledronate acid or denosumab in Japanese patients with postmenopausal osteoporosis.	J Bone Miner Metab	39(5)	824-832. doi:10.1007/s00774-021-01221-6.	2021
Takahashi D, Noyama Y, Asano T, Shimizu T, Irie T, Terkawi MA, Iwasaki N.	Finite element analysis of double-plate fixation using reversed locking compression-distal femoral plates for Vancouver B1 periprosthetic femoral fractures.	BMC Musculoskelet Disord	22(1)	276. doi:10.1186/s12891-021-04152-5.	2021

Ebata T, Terkawi MA, Hamasaki M, Matsumae G, Onodera T, Aly MK, Yokota S, Alhasan H, Shimizu T, Takahashi D, Homan K, Kadoya K, Iwasaki N.	Flightless I is a catabolic factor of chondrocytes that promotes hypertrophy and cartilage degeneration in osteoarthritis.	iScience.	24(6)	102643. doi:10.1016/j.isci.2021.102643.	2021
Matsumae G, Shimizu T, Yuan T, Takahashi D, Ebata T, Alhasan H, Yokota S, Kadoya K, Terkawi MA, Iwasaki N.	Targeting thymidine phosphorylase as a potential therapy for bone loss associated periprosthetic osteolysis	Bioeng Transl Med	6(3)	e10232. doi:10.1002/btm2.10232.	2021
Shimizu T, Arita K, Murota E, Hiratsuka S, Fujita R, Ishizu H, Asano T, Takahashi D, Takahata M, Iwasaki N.	Effects after starting or switching from bisphosphonate to romosozumab or denosumab in Japanese postmenopausal patients.	J Bone Miner Metab.	39(5)	868-875. doi:10.1007/s00774-021-01226-1.	2021
Ogawa T, Shimizu T, Asano T, Iwasaki N, Takahashi D.	Radiological predictors associated with success of treatment for developmental dysplasia of hip using the Pavlik harness: A retrospective study.	J Orthop Sci.	27(5)	1067-1072 doi:10.1016/j.jos.2021.06.010.	2022
Yokota S, Matsumae G, Shimizu T, Hasegawa T, Ebata T, Takahashi D, Heguo C, Tian Y, Alhasan H, Takahata M, Kadoya K, Terkawi MA, Iwasaki N.	Cardiotrophin Like Cytokine Factor 1 (CLCF1) alleviates bone loss in osteoporosis mouse models by suppressing osteoclast differentiation through activating interferon signaling and repressing the nuclear factor- κ B signaling pathway.	Bone.	153	116140 doi:10.1016/j.bone.2021.116140.	2021
Hevesi M, Jacob G, Shimomura K, Ando W, Nakamura N, Krych AJ.	Current hip cartilage regeneration/repair modalities: a scoping review of biologics and surgery	Int Orthop.	45(2)	319-33. doi:10.1007/s00264-020-04789-2.	2021
Kobayashi M, Chijimatsu R, Hart DA, Hamamoto S, Jacob G, Yano F, Saito T, Shimomura K, Ando W, Chung UI, Tanaka S, Yoshikawa H, Nakamura N.	Evidence that TD-198946 enhances the chondrogenic potential of human synovium-derived stem cells through the NOTCH3 signaling pathway.	J Tissue Eng Regen Med.	15(2)	103-15. doi:10.1002/term.3149.	2021

Shimomura K, Hamada H, Hart DA, Ando W, Nishii T, Trautnig S, Nehrer S, Nakamura N.	Histological Analysis of Cartilage Defects Repaired with an Autologous Human Stem Cell Construct 48 Weeks Postimplantation Reveals Structural Details Not Detected by T2-Mapping MRI.	Cartilage.	29	694S-706S. doi:10.1177/1947603521989423.	2021
Tani T, Takao M, Soufi M, Otake Y, Fukuda N, Hamada H, Uemura K, Sato Y, Sugano N.	Rotational-motion measurement of the sacroiliac joint using upright MRI scanning and intensity-based registration: is there a sex difference?	Int J Comput Assist Radiol Surg	In press	doi:10.1007/s11548-022-02806-w.	2022
Uemura K, Takao M, Otake Y, Iwasa M, Hamada H, Ando W, Sato Y, Sugano N.	The Effect of Region of Interest on Measurement of Bone Mineral Density of the Proximal Femur: Simulation Analysis Using CT Images.	Calcif Tissue Int.	111(5)	475-484. doi:10.1007/s00223-022-01012-9.	2022
Sugano N, Hamada H, Uemura K, Takashima K, Nakahara I.	Numerical analysis evaluation of artificial joints.	J Artif Organs.	25(3)	185-190. doi:10.1007/s10047-022-01345-0.	2022
Kamihata S, Ando W, Takao M, Hamada H, Uemura K, Sugano N.	Effect of Hip Flexion Contracture on the Pelvic Sagittal Tilt in the Supine Position: A Retrospective Case-Series Study.	Mod Rheumatol.	In press	doi:10.1093/mr/roac110.	2022
Iwasa M, Ando W, Uemura K, Hamada H, Takao M, Sugano N.	Is There an Association Between Femoral Head Collapse and Acetabular Coverage in Patients With Osteonecrosis?	Clin Orthop Relat Res.	In press	doi:10.1097/CORR.0000000000002363.	2022
Hamada H, Uemura K, Takashima K, Ando W, Takao M, Sugano N.	What Changes in Pelvic Sagittal Tilt Occur 20 Years After THA?	Clin Orthop Relat Res.	In press	doi: 10.1097/CORR.00000000000002382.	2022
Ando W, Takao M, Tani T, Uemura K, Hamada H, Sugano N.	Geographical distribution of the associated factors of osteonecrosis of the femoral head, using the designated intractable disease database in Japan.	Mod Rheumatol.	32(5)	1006-1012. doi: 10.1093/mr/roab065.	2022

Koo KH, Mont MA, Cui Q, Hines JT, Yoon BH, Novicoff WM, Lee YJ, Cheng EY, Dr escher W, Hernigou P, Kim S Y, Sugano N, Zhao DW, Ha YC, Goodman SB, Sakai T, Jones LC, Lee MS, Yamamoto T, Lee YK, Kang Y, Burgess J, Chen D, Quinlan N, Xu JZ, Park JW, Kim HS.	The 2021 Association Research Circulation Osseous Classification for Early-Stage Osteonecrosis of the Femoral Head to Computed Tomography-Based Study.	J Arthroplasty.	37(6)	1074-1082. doi:10.1016/j.arth.2022.02.009.	2022
Pezzotti G, Ishimura E, Inai R, Zhu W, Honma T, <u>Sugano N</u> , Ando W, Pazzaglia U, Marin E.	A Polarized Raman Spectroscopic Method for Advanced Analyses of the Osteon Lamellar Structure of Human Bone.	Methods Protoc	5(3)	41. doi:10.3390/mps5030041.	2022
Enami H, Nakahara I, Ando W, Uemura K, Hamada H, Takao M, <u>Sugano N</u> .	Osteocompatibility of Si3N4-coated carbon fiber-reinforced polyetheretherketone (CFRP) and hydroxyapatite-coated CFRP with antibiotics and antithrombotic drugs.	J Artif Organs.	In press	doi:10.1007/s10047-022-01340-5.	2022
Suetsugu H, Kim K, Yamamoto T, Bang SY, Sakamoto Y, Shin JM, <u>Sugano N</u> , Kim JS, Mukai M, Lee YK, Ohmura K, Park DJ, Takahashi D, Ahn GY, Karino K, Kwon YC, Miyamura T, Kim J, Nakamura J, Motomura G, Kuroda T, Nihiro H, Miyamoto T, Takeuchi T, Ikari K, Amano K, Tada Y, Yamaji K, Shimizu M, Atsumi T, Seki T, Tanaka Y, Kubo T, Hisada R, Yoshioka T, Yamazaki M, Kabata T, Kajino T, Ohta Y, Okawa T, Naito Y, Kaneuji A, Yasunaga Y, Ohzono K, Tomizuka K, Koido M, Matsuda K, Okada Y, Suzuki A, Kim BJ, Kochi Y, Lee HS, Ikegawa S, Bae SC, Terao C.	Novel susceptibility loci for steroid-associated osteonecrosis of the femoral head in systemic lupus erythematosus.	Hum Mol Genet.	31(7)	1082-1095. doi:10.1093/hmg/ddab306..	2022

<p>Yin X, Kim K, Suetsugu H, Bang SY, Wen L, Koido M, Ha E, Liu L, Sakamoto Y, Jos S, Leng RX, Otomo N, Kwon YC, Sheng Y, <u>Sugano N</u>, Hewang MY, Li W, Mukai M, Yoon K, Cai M, Ishigaki K, Chung WT, Huang H, Takahashi D, Lee SS, Wang M, Karino K, Shim SC, Zheng X, Miyamura T, Kang YM, Ye D, Nakamura J, Suh CH, Tang Y, Motomura G, Park YB, Ding H, Kuroda T, Choe JY, Li C, Niuro H, Park Y, Shen C, Miyamoto T, Ahn GY, Fei W, Takeuchi T, Shin JM, Li K, Kawaguchi Y, Lee YK, Wang YF, Amano K, Park DJ, Yang W, Tada Y, Lau YL, Yamaji K, Zhu Z, Shimizu M, Atsumi T, Suzuki A, Sumida T, Okada Y, Matsuda K, Matsuo K, Kochi Y; Japanese Research Committee on Idiopathic Osteonecrosis of the Femoral Head, Yamamoto K, Ohmura K, Kim TH, Yang S, Yamamoto T, Kim BJ, Shen N, Ikegawa S, Lee HS, Zhang X, Terao C, Cui Y, Bae SC.</p>	<p>Biological insights into systemic lupus erythematosus through an immune cell-specific transcriptome-wide association study.</p>	<p>Ann Rheum Dis</p>	<p>81(9)</p>	<p>1273-1280. doi:10.1136/anrheumdis-2022-222345.</p>	<p>2022</p>
<p>Van Der Straeten C; and the International Hip Resurfacing Group.</p>	<p>Hip resurfacing arthroplasty in young patients: international high-volume centres' report on the outcome of 11,382 metal-on-metal hip resurfacing arthroplasties in patients ≤50 years at surgery.</p>	<p>Hip Int.</p>	<p>32(3)</p>	<p>353-362. doi:10.1177/1120700020957354.</p>	<p>2022</p>
<p>Iwasa M, Ando W, Uemura K, Hamada H, Takao M, <u>Sugano N</u>.</p>	<p>Association Between Magnitude of Femoral Head Collapse and Quality of Life in Patients With Osteonecrosis of the Femoral Head.</p>	<p>Mod Rheumatol.</p>	<p>In press</p>	<p>doi:10.1093/mr/rnac023.</p>	<p>2022</p>

Uemura K, Otake Y, Takao M, Makino H, Soufi M, Iwasa M, Sugano N, Sato Y.	Development of an open-source measurement system to assess the areal bone mineral density of the proximal femur from clinical CT images.	Arch Osteopor	17(1)	17. doi: 10.1007/s11657-022-01063-3.	2022
Tani T, Ando W, Fukushima W, Hamada H, Takao M, Ito K, Sakai T, <u>Sugano N</u> .	Geographic distribution of the incidence of osteonecrosis of the femoral head in Japan and its relation to smoking prevalence.	Mod Rheumatol	32(1)	186-192. doi:10.1080/14397595.2021.1899452.	2022
Sato R, Ando W, Fukushima W, Sakai T, Hamada H, Takao M, Ito K, Sugano N.	Epidemiological study of osteonecrosis of the femoral head using the national registry of designated intractable diseases in Japan.	Modern Rheumatol	32(4)	808-814. doi:10.1093/mr/r0ab047.	2022
Shinohara H, Mikami Y, Kuroda R, Asaeda M, Kawasaki T, Kouda K, Nishimura Y, Ohkawa H, Uenishi H, Shimokawa T, Mikami Y, Tajima F, Kubo T.	Rehabilitation in the long-term care insurance domain: a scoping review.	Health Econ Rev	12(1)	59. doi:10.1186/s13561-022-00407-6.	2022
Onaka H, Kouda K, Nishimura Y, Tojo H, Umemoto Y, Kubo T, Tajima F, Mikami Y.	Standing and supine positions are better than sitting in improving rightward deviation in right-hemispheric stroke patients with unilateral spatial neglect: A randomized trial.	Medicine (Baltimore)	101(46)	e31571 doi:10.1097/MD.00000000000031571.	2022
Shimomura S, Inoue H, Arai Y, Nakagawa S, Fujii Y, Kishida T, Shin-Ya M, Ichimaru S, Tsuchida S, Mazda O, Kubo T.	Hypoxia promotes differentiation of pure cartilage from human induced pluripotent stem cells.	Mol Med Rep.	26(1)	229 doi:10.3892/mmr.2022.12745.	2022
Kubo T, Kumai T, Ikegami H, Kano K, Nishii M, Seo T.	Diclofenac-hyaluronate conjugate (diclofenac etalhyaluronate) intra-articular injection for hip, ankle, shoulder, and elbow osteoarthritis: a randomized controlled trial.	BMC Musculoskelet Disord.	23(1)	371. doi:10.1186/s12891-022-05328-3.	2022

Kawano S, Ueno M, Fujii M, Mawatari D, Mawatari M.	Mawatari D, Mawatari M. Case Series of Silver Oxide-Containing Hydroxyapatite Coating in Antibacterial Cementless Total Hip Arthroplasty: Clinical Results of 50 Cases at 5-Year Follow-Up.	Arthroplast Today..	T19	101067. doi:10.1016/j.artd.2022.10.017.	2022
Matsuo M, Morimoto T, Kobayashi T, Tsukamoto M, Yoshihara T, Hirata H, Mawatari M.	Posterior reversible encephalopathy syndrome following spine surgery: A case report and review of the literature.	Radiol Case Rep.	18(2)	635-638. doi:10.1016/j.radcr.2022.11.004.	2022
Kii S, Sonohata M, Nakashima T, Hashimoto A, Ueno M, Mawatari M.	Comparison of the clinical outcomes following total knee arthroplasty in osseous ankylosed and non-ankylosed knees using propensity-score matching.	Mod Rheumatol.	In press	doi:10.1093/mr/rnac144.	2022
Toda Y, Yamamoto H, Iwasaki T, Ishihara S, Ito Y, Susuki Y, Kawaguchi K, Kinoshita I, Kiyozawa D, Yamada Y, Kohashi K, Kimura A, Fujiwara T, Setsu N, Endo M, Matsumoto Y, Nakashima Y, Mawatari M, Oda Y.	Expression of SATB2, RUNX2, and SOX9 and possible osteoblastic and chondroblastic differentiation in chondroblastoma.	Pathol Res Pract.	In press.	doi:10.1016/j.prp.2022.154239.	2022
Hirata H, Kamohara A, Murayama M, Nishioka K, Honda H, Urano Y, Soejima H, Okita S, Kukita T, Kawano S, Mawatari M, Kukita A.	A novel role of helix-loop-helix transcriptional factor Bhlhe40 in osteoclast activation.	J Cell Physiol.	237(10)	3912-3926. doi:10.1002/jcp.30844.	2022
Sonohata M, Wada S, Koretaka Y, Morioka Y, Mishima H, Mawatari M.	A Survey of the Incidence of Constipation in Patients with Chronic Non-cancer Pain Using Opioid Analgesics in Japan.	Pain Ther.	11(3)	845-859. doi:10.1007/s40122-022-00392-y.	2022
Tateiwa T, Affatato S, Takahashi Y, Shishido T, Pezzotti G, Yamamoto K.	To what extent could the acetabular liner thickness be reduced yet remaining tribologically acceptable in metal-on-vitamin E-diffused crosslinked polyethylene hip arthroplasty?	Biomed Mater Res B Appl Biomater.	110(10)	2299-2309. doi:10.1002/jbm.b.35078.	2022

Goodman SB, Gibon E, Gallo J, Takagi M:	Macrophage Polarization and the Osteoimmunology of Periprosthetic Osteolysis.	Current Osteoporosis Rep	20(1)	43-52 doi:10.1007/s11914-022-00720-3.	2022
Kanaizumi A, Suzuki D, Nagoya S, Teramoto A, Yamashita T.	Patient-specific three-dimensional evaluation of interface micromotion in two different short stem designs in cementless total hip arthroplasty: a finite element analysis.	J Orthop Surg Res.	17(1)	437. doi:10.1186/s13018-022-03329-5.	2022
Yama N, Nagoya S, Shintaro S, Koyama M, Hatakenaka M.	Diagnosis of prosthetic joint infection at the hip using the standard uptake value of three-phase ^{99m} Tc-hydroxymethylene diphosphate SPECT/CT.	Annals of Nuclear Medicine.	36(7)	634-642. doi.org/10.1007/s12149-022-01745-5	2022
Ishikura H, Nakamura M, Nakamura S, Tanaka T, Kawano H, Tanaka S.	Relationship between the Accuracy of the Acetabular Cup Angle and BMI in Posterolateral Total Hip Arthroplasty with CT-Based Navigation.	Medicina(Kaunas).	58(7)	856. doi:10.3390/medicina58070856.	2022
Kobayashi N, Kamono E, Yamamoto Y, Yukizawa Y, Honda H, Takagawa S, Misumi T, Inaba Y.	Imaging Diagnosis, Prevalence, and Clinical Outcomes of Arthroscopic Surgery for Anterior Inferior Iliac Spine Impingement: A Systematic Review and Meta-analysis.	Orthop J Sports Med	10(11)	23259671221131341. doi:10.1177/23259671221131341.	2022
Oishi T, Kobayashi N, Yukizawa Y, Takagawa S, Honda H, Inaba Y.	Radiographs Are Comparable With 3-Dimensional Computed Tomography-Based Models as a Modality for the Preoperative Planning of the Arthroscopic Lateral Acromioplasty: A Retrospective Comparative Study	Arthrosc Sports Med Rehabil.	4(5)	e1799-e1806. doi:10.1016/j.asmr.2022.07.008.	2022
Wakayama Y, Higashi T, Kobayashi N, Choe H, Matsumoto M, Abe T, Takeuchi I, Inaba Y.	Clinical utility of minimally invasive posterior internal fixation within the pelvic ring using S2 alar iliac screws for unstable pelvic ring fracture.	Injury.	53(10)	3371-3376. doi:10.1016/j.injury.2022.08.035.	2022

Honda H, Kobayashi N, Kamono E, Yukizawa Y, Higashihira S, Takagawa S, Choe H, Ike H, Tezuka T, Inaba Y.	Effect of 3-Dimensional Versus Single-Plane Changes in Pelvic Dynamics on Range of Motion in Hips With Femoroacetabular Impingement: A Computer Simulation Analysis.	Orthop J Sports Med.	10(9)	23259671221123604. doi:10.1177/23259671221123604.	2022
Choe H, Kobayashi N, Abe K, Hieda Y, Tezuka T, Inaba Y.	Evaluation of Serum Albumin and Globulin in Combination With C-Reactive Protein Improves Serum Diagnostic Accuracy for Low-Grade Periprosthetic Joint Infection.	J Arthroplasty.	In press	doi:10.1016/j.arth.2022.09.011.	2022
Fujii J, Aoyama S, Tezuka T, Kobayashi N, Kawakami E, Inaba Y.	Prediction of Change in Pelvic Tilt After Total Hip Arthroplasty Using Machine Learning.	J Arthroplasty.	In press	doi:10.1016/j.arth.2022.06.020.	2022
Kobayashi N, Kamono E, Kameda K, Yukizawa Y, Takagawa S, Honda H, Inaba Y. I	Is there any clinical advantage of capsular repair over capsular resection for total hip arthroplasty? An updated systematic review and meta-analysis.	Arch Orthop Trauma Surg	In press	doi:10.1007/s00402-022-04444-y.	2022
Abe K, Oba M, Kobayashi N, Higashihira S, Choe H, Tezuka T, Ike H, Inaba Y..	Accuracy of Computer Navigation-Assisted Arthroscopic Osteochondroplasty for Cam-Type Femoroacetabular Impingement Using the Model-to-Image Registration Method.	Am J Sports Med.	50(5)	1272-1280. doi:10.1177/03635465221074338..	2022
Abe K, Choe H, Oba M, Tezuka T, Ike H, Kobayashi N, Inaba Y.	Inflammation and nutrition based screening tests for detection of infection in cases of rapid hip destruction.	Sci Rep.	2(1):	3586. doi:10.1038/s41598-022-07678-3.	2022
Watanabe N, Takada R, Ogawa T, Miyatake K, Hirao M, Hoshino C, Jinno T, Koga H, Yoshii T, Okawa A.	Short stature and short distance between the anterior acetabular rim to the femoral nerve are risk factors for femoral nerve palsy following primary total hip arthroplasty using the modified Watson-Jones approach.	Orthop Traumatol Surg Res.	108(6)	103351. doi:10.1016/j.otsr.2022.103351.	2022

Kawasaki T, Ohji S, Aizawa J, Sakai T, Hirohata K, Kuruma H, Koseki H, Okawa A, Jinno T.	Correlation between the Photographic Cranial Angles and Radiographic Cervical Spine Alignment. Int. J. Environ.	Res. Public Health	19(10)	6278. doi:10.3390/ijerph19106278.	2022
Morishita S, Yoshii T, Inose H, Hirai T, Matsukura Y, Ogawa T, Fushimi K, Katayanagi J, Jinno T, Okawa A.	Perioperative Complications of Anterior Decompression with Fusion in Degenerative Cervical Myelopathy-A Comparative Study between Ossification of Posterior Longitudinal Ligament and Cervical Spondylotic Myelopathy Using a Nationwide Inpatient Database.	J Clin Med.	11(12)	3398. doi: 10.3390/jcm11123398.	2022
Hirohata K, Aizawa J, Ohmi T, Ohji S, Mitomo S, Ohara T, Koga H, Yagishita K, Jinno T, Okawa A.	Reactive strength index during single-limb vertical continuous jumps after anterior cruciate ligament reconstruction: cross-sectional study.	BMC Sports Sci Med Rehabil.	14(1)	150. doi: 10.1186/s13102-022-00542-x.	2022
Segawa Y, Jinno T, Matsubara M, Matsuyama Y, Fujiwara T, Okawa A.	A cross-sectional study evaluating patients' preferences for Salter innominate osteotomy.	Journal of Orthopaedic Science	In press	doi: 10.1016/j.jos.2022.09.007.	2022
Ikemura S, Motomura G, Yamaguchi R, Utsunomiya T, Hamai S, Fujii M, Kawahara S, Sato T, Hara D, Shiimoto K, Yamamoto T, Nakashima Y.	The influence of bone marrow edema for the assessment of the boundaries of necrotic lesions in patients with osteonecrosis of the femoral head.	Sci Rep.	12(1)	18649. doi:10.1038/s41598-022-23427-y.	2022
Xu M, Motomura G, Ikemura S, Yamaguchi R, Kawano K, Yamamoto N, Tanaka H, Ayabe Y, Nakashima Y.	Posterior Pelvic Tilt in the Standing Position Might Be Associated with Collapse Progression in Post-Collapse Stage Osteonecrosis of the Femoral Head.	Orthop Surg.	14(12)	3201-3208. doi: 10.1111/os.13544.	2022
Ikemura S, Motomura G, Kawano K, Hamai S, Fujii M, Nakashima Y.	The Discrepancy in the Posterior Boundary of Necrotic Lesion Between Axial and Oblique Axial Slices of MRI in Patients with Osteonecrosis of the Femoral Head.	J Bone Joint Surg Am.	104(Suppl 2)	33-39. doi:10.2106/JBJS.20.00493.	2022

Murao M, Nankaku M, Kawano T, Goto K, Kuroda Y, Kawai T, Ikeguchi R, Matsuda S.	Reproducibility, criterion-related validity, and minimal clinically important difference of the stair negotiation test after total Hip arthroplasty.	Physiother Theory Pract.	17	1-8. doi: 10.1080/09593985.2022.2078255.	2022
Orita K, Goto K, Kuroda Y, Kawai T, Okuzu Y, Takaoka Y, Matsuda S.	Long-term outcome of primary total hip arthroplasty with cementless bioactive glass ceramic bottom-coated implants and highly cross-linked polyethylene: A minimum 10-year analysis.	J Orthop Sci.	In press	doi: 10.1016/j.jos.2021.12.019.	2022
Kawano T, Nankaku M, Murao M, Hamada R, Goto K, Kuroda Y, Kawai T, Ikeguchi R, Matsuda S.	Recovery of Muscle Atrophy and Fatty Infiltration in Patients With Acetabular Dysplasia After Total Hip Arthroplasty.	J Am Acad Orthop Surg.	30(3)	e317-e326. doi: 10.5435/JAAOS-D-21-00156.	2022
Kawai T, Goto K, Kuroda Y, Okuzu Y, Matsuda S.	Discrepancy in the Responsiveness to Hip Range of Motion Between Harris and Oxford Hip Scores.	Arthroplast Today.	13	57-164. doi: 10.1016/j.artd.2021.10.008.	2022
Mitsuzawa S, Kuroda Y, Okuzu Y, Kawai T, Goto K, Kaido T, Uemoto S, Matsuda S.	Corticosteroid-associated osteonecrosis of the femoral head after orthotopic liver transplantation and the outcomes of subsequent total hip arthroplasty.	J Orthop Sci.	27(2)	395-401. doi: 10.1016/j.jos.2020.12.014.	2022
Kawai T, Goto K, Kuroda Y, Okuzu Y, Matsuda S.	Association Between the Amount of Limb Lengthening and Hip Range of Motion After Total Hip Arthroplasty.	J Am Acad Orthop Surg.	30(6)	e599-e606. doi: 10.5435/JAAOS-D-21-00374.	2022
Orita K, Goto K, Kuroda Y, Kawai T, Okuzu Y, Matsuda S.	Wear resistance of first-generation highly cross-linked annealed polyethylene in cementless total hip arthroplasty is maintained 20 years after surgery.	Bone Joint J.	104-B(2)	200-205 doi: 10.1302/0301-620X.104B2.BJJ-2021-1079.R1.	2022
So K, Goto K, Kawaguchi A, Kuroda Y, Matsuda S.	The superior accuracy of a novel method in total hip wear calculations following radiographic measurement.	BMC Musculoskelet Disord.	23(1)	130. doi: 10.1186/s12891-021-04964-5.	2022

Kawai T, Goto K, Kuroda Y, Okuzu Y, Matsuda S.	High Subsidence Rate After Primary Total Hip Arthroplasty Using a Zweymüller-type Noncemented Implant With a Matte Surface.	J Am Acad Orthop Surg Glob Res Rev.	6(6)	e21.00126. doi:10.5435/JAASGlobal-D-21-00126.	2022
Okuzu Y, Goto K, Kuroda Y, Kawai T, Matsuda S.	Closed suction drainage is not beneficial in hybrid total hip arthroplasty with intra-articular administration of tranexamic acid: a propensity score-matched cohort study.	Int Orthop	46(6)	1281-1287. doi:10.1007/s00264-022-05366-5.	2022
Kawai T, Shimizu T, Goto K, Kuroda Y, Okuzu Y, Otsuki B, Fujibayashi S, Matsuda S.T	The Impact of Spinopelvic Parameters on Hip Degeneration After Spinal Fusion.	Spine (Phila Pa 1976).	47(15)	1093-1102. doi: 10.1097/BRSS.0000000000004340.	2022
Kawano T, Nankaku M, Muraom M, Goto K, Kuroda Y, Kawai T, Ikeguchi R, Matsuda S.	Development of a Clinical Prediction Rule to Identify Physical Activity After Total Hip Arthroplasty.	Arch Phys Med Rehabil	103(10)	1975-1982. doi:10.1016/j.apmr.2022.03.015.	2022
Fujita J, Doi N, Kinoshita K, Sakamoto T, Seo H, Yamamoto T.	Rate of Return to Work After Periacetabular Osteotomy and Its Influencing Factors.	J Bone Joint Surg Am.	104(8)	732-738. doi: 10.2106/JBJS.21.00548.	2022
Doi K, Kinoshita K, Sakamoto T, Seo H, Matsunaga T, Yamamoto T.	Mechanical Influence of Pubic Nonunion on the Stress Distribution After Curved Periacetabular Osteotomy: Patient-Specific Three-Dimensional Finite Element Analysis.	J Arthroplasty.	37(7)	1390-1395. doi: 10.1016/j.arth.2022.02.071.	2022
Suzuki M, Kinoshita K, Sakamoto T, Seo H, Kinoshita S, Yoshimura I, Yamamoto T	Utility of anterior wall of greater trochanter in predicting femoral anteversion angle: a three-dimensional computed tomography-based simulation study.	J Orthop Surg Res.	17(1)	412. doi:10.1186/s13018-022-03313-z.	2022
Ikemura S, Motomura G, Yamaguchi R, Utsunomiya T, Hamai S, Fujii M, Kawahara S, Sato T, Hara D, Shiimoto K, Yamamoto T, Nakashima Y.	The influence of bone marrow edema for the assessment of the boundaries of necrotic lesions in patients with osteonecrosis of the femoral head.	Sci Rep.	12(1)	18649. doi: 10.1038/s41598-022-23427-y.	2022

Doi M, Chiba K, Okazaki N, Kondo C, Yamada S, Yokota K, Yonekura A, Tomita M, Osaki M.	Bone microstructure in healthy men measured by HR-pQCT: Age-related changes and their relationships with DXA parameters and biochemical markers.	Bone.	54	116252. doi:10.1016/j.bone.2021.116252.	2022
Mizukami S, Arima K, Abe Y, Tomita Y, Nakashima H, Honda Y, Uchiyama M, Okawachi T, Goto H, Hasegawa M, Sou Y, Kanagae M, Osaki M, Aoyagi K.	Association between fat mass by bioelectrical impedance analysis and bone mass by quantitative ultrasound in relation to grip strength and serum 25-hydroxyvitamin D in postmenopausal Japanese women: the Unzen study.	J Physiol Anthropol.	41(1)	7. doi:10.1186/s40101-022-00281-5.	2022
Nakazoe Y, Yonekura A, Takita H, Miyaji T, Okazaki N, Chiba K, Kidera K, Miyamoto T, Tomita M, Gamada K, Osaki M.	Differences in the flexion and extension phases during kneeling investigated by kinematic and contact point analyses: a cross-sectional study.	J Orthop Surg Res.	17(1)	192. doi:10.1186/s13018-022-03080-x.	2022
Shiraishi K, Chiba K, Watanabe K, Oki N, Iwamoto N, Amano S, Yonekura A, Tomita M, Uetani M, Kawakami A, Osaki M.	Analysis of bone erosions in rheumatoid arthritis using HR-pQCT: Development of a measurement algorithm and assessment of longitudinal changes.	PLoS One.	17(4):	e0265833. doi: 10.1371/journal.pone.0265833. PMC9041818.	2022
Chiba K, Okazaki N, Kurogi A, Watanabe T, Mori A, Suzuki N, Adachi K, Era M, Yokota K, Inoue T, Yabe Y, Furukawa K, Kondo C, Tsuda K, Ota S, Isobe Y, Miyazaki S, Morimoto S, Sato S, Nakashima S, Tashiro S, Yonekura A, Tomita M, Osaki M.	Randomized controlled trial of daily teriparatide, weekly high-dose eriparatide, or bisphosphonate in patients with postmenopausal osteoporosis: the TERA-BIT study.	Bone.	160	116416. doi:10.1016/j.bone.2022.116416.	2022
Tsuda K, Tagami A, Yamada S, Yokota K, Chiba K, Yonekura A, Tomita M, Osaki M.	Computed tomographic evaluation of three types of screw trajectories for posterior cervical spine fixation: Cervical pedicle screw, lateral mass screw, and paravertebral foramen screw.	Medicine (Baltimore).	101(28)	e29857. doi:10.1097/MD.00000000000029857.	2022

Miyashita K, Suzuyama H, Chiba K, Osaki M, Mita H, Tamura N, Matsukawa M.	Study on ultrasonic wave propagation in equine leg bone for screening buckled shin.	J Acoust Soc Am.	152(2)	890 doi:10.1121/10.0012689.	2022
Niimi R, Chiba K, Okazaki N, Yonekura A, Tomita M, Osaki M.:	Relationships between QUS and HR-pQCT, DXA, and bone turnover markers.	J Bone Miner Metab.	40(5)	790-800 doi:10.1007/s00774-022-01346-2.	2022
Chiba K, Okazaki N, Kurogi A, Watanabe T, Mori A, Suzuki N, Adachi K, Era M, Yokota K, Inoue T, Yabe Y, Furukawa K, Kondo C, Tsuda K, Ota S, Isobe Y, Miyazaki S, Morimoto S, Sato S, Nakashima S, Tashiro S, Yonekura A, Tomita M, Osaki M.	Corrigendum to "Randomized controlled trial of daily teriparatide, weekly high-dose teriparatide, or bisphosphonate in patients with postmenopausal osteoporosis: The TERABIT study" [Bone 160 (2022) 116416]	Bone.	162	116484. doi:10.1016/j.bone.2022.116484..	2022
Ota S, Chiba K, Okazaki N, Yonekura A, Tomita M, Osaki M.	Cortical thickness mapping at segmented regions in the distal radius using HR-pQCT.	J Bone Miner Metab.	40(6)	1021-1032. doi:10.1007/s00774-022-01370-2.	2022
Koseki H, Osaki M, Honda Y, Sunagawa S, Imai C, Shida T, Matsumura U, Sakamoto J, Tomonaga I, Yokoo S, Mizukami S, Okita M.	Progression of microstructural deterioration in load-bearing immobilization osteopenia.	PloS One..	17(11)	e0275439. doi:10.1371/journal.pone.0275439.	2022
Tsuji K, Kitamura M, Chiba K, Muta K, Yokota K, Okazaki N, Osaki M, Mukae H, Nishino T.	Comparison of bone microstructures via high-resolution peripheral quantitative computed tomography in patients with different stages of chronic kidney disease before and after starting hemodialysis.	Ren Fail.	44(1)	381-391. doi:10.1080/0886022X.2022.2043375.	2022
Iwamoto N, Chiba K, Sato S, Shiraishi K, Watanabe K, Oki N, Okada A, Koga T, Kawashiri SY, Tamai M, Hosogaya N, Furuyama M, Kobayashi M, Saito K, Okubo N, Uetani M, Osaki M, Kawakami A.	Inhibition of bone erosion, determined by high-resolution peripheral quantitative computed tomography (HR-pQCT), in rheumatoid arthritis patients receiving a conventional synthetic disease-modifying antirheumatic drug (csDMARD) plus denosumab vs csDMARD therapy alone: an open-label, randomized, parallel-group study.	Arthritis Res Ther.	24(1)	264. doi:10.1186/s13075-022-02957-w.	2022

Kobayashi K, Osaki M, Kidera K, Ait-Si-Selmi T, Ramos-Pascual S, Saffarini M, Bonnin MP.	Stem-bone contact patterns of a long straight tapered uncemented stem for primary THA.	Arch Orthop Trauma Surg.	142(12)	4063-4073. doi:10.1007/s00402-021-04273-5.	2022
Chen M, Kaneuji A, Takahashi E, Fukui M, Ichiseki T, Kawahara N.	Angular changes in pelvic tilt and cup orientation at a minimum of eighteen years after primary total hip arthroplasty with an uncemented cup.	Int Orthop.	47(1)	75-81. doi:10.1007/s00264-022-05610-y..	2022
Chen M, Takahashi E, Kaneuji A, Tachi Y, Fukui M, Orita Y, Ichiseki T, Zhou Y, Kawahara N.	Does the Dual Mobility Cup Reduce Dislocation After Primary Total Hip Arthroplasty in Elderly Patients at High Risk of Dislocation?	Orthop Surg.	In press	doi:10.1111/os.13613.	2022
Chen M, Wang X, Takahashi E, Kaneuji A, Zhou Y, Kawahara N.	Current Research on Subchondral Insufficiency Fracture of the Femoral Head.	Clin Orthop Surg.	14(4)	477-485. doi:10.4055/cios202175. PMCID: PMC9215022	2022
Taki Y, Fuku A, Nakamura Y, Koya T, Kitajima H, Tanida I, Takaki T, Nozaki K, Sunami H, Hirata H, Tachi Y, Shimasaki T, Masauji T, Yamamoto N, Ishigaki Y, Shimodaira S, Shimizu Y, Ichiseki T, Kaneuji A, Osawa S, Kawahara N.	A morphological study of adipose-derived stem cell sheets created with temperature-responsive culture dishes using scanning electron microscopy.	Med Mol Morphol.	55(3)	187-198. doi:10.1007/s00795-022-00319-8.	2022
Toyohara R, Kaneuji A, Takanono N, Kurosawa D, Hammer N, Ohashi T.	A patient- cohort study of numerical analysis on sacroiliac joint stress distribution in pre- and post-operative hip dysplasia	Sci Rep.	12(1)	14500. doi:10.1038/s41598-022-18752-1. PMCID: PMC9411127.	2022
Fuku A, Taki Y, Nakamura Y, Kitajima H, Takaki T, Koyama T, Tanida I, Nozaki K, Sunami H, Hirata H, Tachi Y, Masauji T, Yamamoto N, Ishigaki Y, Shimodaira S, Shimizu Y, Ichiseki T, Kaneuji A, Osawa S, Kawahara N.	Evaluation of the Usefulness of Human Adipose-Derived Stem Cell Spheroids Formed Using SphereRing® and the Lethal Damage Sensitivity to Synovial Fluid In vitro.	Cells.	11(3)	337. doi:10.3390/cells11030337.	2022
Sato R, Ando W, Fukushima W, Sakai T, Hamada H, Takano M, Ito K, Sugano N.	Epidemiological study of osteonecrosis of the femoral head using the national registry of designated intractable diseases in Japan.	Mod Rheumatol.	32(4)	808-814. doi:10.1093/mr/rtoab047.	2022

Mizohata S, Uesugi Y, Matsu o H.	Factors Affecting the Risk of Diabetes Development among Brazilian Residen ts in Japan.	Int J Environ Res Public He alth	19(13)	7698 doi:10.3390/ijerp h19137698.	2022
Arita S, Nsihino T, Mitani Y, Sakashita K, Totsuka S, Watanabe R, Mishima H, Kawai H, Matsubara D, Oda Y, Yamazaki M.	Hemiarthroplasty for tumor-induced osteomalacia caused by tumor localized in femoral head: a case report.	J Surg Case Rep.	2022(10)	rjac478. doi:10.1093/jscr/r jac478.	2022
Watabe D, Nishino T, Mishima H, Yamazaki M.	Gluteal compartment synd rome after laparoscopic sup rgery in lateral jackknife position: a case report.	Surg Case Re p.	2022(10)	rjac477. doi: 10.1093/jscr /rjac477.	2022
Yoshizawa T, Yoshioka T, Sugaya H, Nishino T, Tomaru Y, Wada H, Akaogi H, Yamazaki M, Mishima H.	Total Hip Arthroplasty After Failed Hip-Preserving Surgery with Concentrated Autologous Bone Marrow Aspirate Transplantation for Osteonecrosis of the Femoral Head:	A Retrospectiv e Study. Indian J Orthop.	56(7)	1251-1258. doi:10.1007/s434 65-022-00603-w.	2022
Tomaru Y, Yoshioka T, Sugaya H, Kumagai H, Aoto K, Wada H, Akaogi H, Yamazaki M, Mishima H.	Comparison Between Con centrated Autologous Bon e Marrow Aspirate Transp lantation as a Hip Preserv ing Surgery and Natural Course in Idiopathic Oste onecrosis of the Femoral Head.	Cureus.	14(5)	e24658. doi:10.7759/cure us.24658.	2022
Nishino T, Oshima T, Teramu ra S, Taniguchi Y, Kanamori A, Mishima H, Yamazaki M.	Development of a Self-ma de Cement Bead Maker a nd Its Clinical Applicatio n for the Treatment of Pe riprosthetic Joint Infectio n.	Arthroplast To day.	13	188-193. doi:10.1016/j.artd .2021.10.021.	2022
Sugaya H, Yoshioka T, Tomaru Y, Kumagai H, Yamazaki M, Mishima H.	An exploratory clinical tri al for concentrated autolo gous bone marrow aspirat e transplantation in the tr eatment of osteonecrosis of the femoral head. Eur	J Orthop Surg Traumatol.	In press	doi: 10.1007/s00590-0 22-03201-6.	2022
Arita S, Nsihino T, Mitani Y, Sakashita K, Totsuka S, Watanabe R, Mishima H, Kawai H, Matsubara D, Oda Y, Yamazaki M.	Hemiarthroplasty for tumor-induced osteomalacia caused by tumor localized in femoral head: a case report.	J Surg Case R ep.	2022(10)	rjac478 doi: 10.1093/jscr/rjac4 78.	2022

Watabe D, Nishino T, Mishima H, Yamazaki M.	Gluteal compartment syndrome after laparoscopic surgery in lateral jackknife position: a case report.	J Surg Case Rep.	2022(10)	rjac477 doi:10.1093/jscr/rjac477.	2022
Yoshizawa T, Yoshioka T, Sugaya H, Nishino T, Tomaru Y, Wada H, Akaogi H, Yamazaki M, Mishima H.	Total Hip Arthroplasty After Failed Hip-Preserving Surgery with Concentrated Autologous Bone Marrow Aspirate Transplantation for Osteonecrosis of the Femoral Head: A Retrospective Study.	Indian J Orthop.	56(7)	1251-1258. doi:10.1007/s43465-022-00603-w.	2022
Tomaru Y, Yoshioka T, Sugaya H, Kumagai H, Aoto K, Wada H, Akaogi H, Yamazaki M, Mishima H.	Comparison Between Concentrated Autologous Bone Marrow Aspirate Transplantation as a Hip Preserving Surgery and Natural Course in Idiopathic Osteonecrosis of the Femoral Head.	Cureus.	14(5)	e24658. doi:10.7759/cureus.24658.	2022
Nishino T, Oshima T, Teramura S, Taniguchi Y, Kanamori A, Mishima H, Yamazaki M.	Development of a Self-made Cement Bead Maker and Its Clinical Application for the Treatment of Periprosthetic Joint Infection.	Arthroplast Today.	13	188-193. doi:10.1016/j.artd.2021.10.021.	2022
Sugaya H, Yoshioka T, Tomaru Y, Kumagai H, Yamazaki M, Mishima H.	An exploratory clinical trial for concentrated autologous bone marrow aspirate transplantation in the treatment of osteonecrosis of the femoral head.	Eur J Orthop Surg Traumatol.	In press	doi:10.1007/s00590-022-03201-6.	2022
Kato S, Demura S, Kabata T, Matsubara H, Kurokawa Y, Kajino Y, Okamoto Y, Kuroda K, Kimura H, Shinmura K, Yokogawa N, Shimizu T, Igarashi K, Inoue D, Tsuchiya H.	Evaluation of locomotive syndrome in patients receiving surgical treatment for degenerative musculoskeletal diseases: A multicentre prospective study using the new criteria.	Mod Rheumatol.	32(4)	822-829. doi:10.1093/mr/rwab045.	2022
Inoue D, Kabata T, Kajino Y, Ohmori T, Yamamuro Y, Taninaka A, Kataoka T, Saiki Y, Tsuchiya H.	Does dosage or duration of concurrent oral corticosteroid influence elevated risk of postoperative complications after total joint arthroplasty?	J Arthroplasty.	37(4)	652-658. doi:10.1016/j.arth.2021.12.032.	2022

Yamamuro Y, Kabata T, Takeuchi A, Kajino Y, Inoue D, Ohmori T, Yoshitani J, Ueno T, Ueoka K, Taninaka A, Kataoka T, Saiki Y, Tsuchiya H.	Large intraosseous chronic expanding hematoma after total hip arthroplasty presenting with chronic disseminated intravascular coagulation:	a case report and literature review.BMC Musculoskelet Disord.	23(1)	609. doi:10.1186/s12891-022-05571-8.	2022
Kato S, Demura S, Kabata T, Matsubara H, Kurokawa Y, Okamoto Y, Kuroda K, Kajino Y, Yokogawa N, Inoue D, Tsuchiya H.	Risk Factors that Hinder Locomotive Syndrome Improvement Following Surgery for Musculoskeletal Diseases in Older Patients: A Multicenter Prospective Study.	Mod Rheumatol.	In press	doi:10.1093/mr/rnac082.	2022
Nagatani S, Demura S, Kato S, Kabata T, Kajino Y, Yokogawa N, Inoue D, Kurokawa Y, Kobayashi M, Yamada Y, Kawai M, Tsuchiya H	Risk Factors for Progressive Spinal Sagittal Imbalance in the Short-Term Course after Total Hip Arthroplasty: A 3 Year Follow-Up Study of Female Patients.	J Clin Med.	11(17)	5179. doi:10.3390/jcm11175179.	2022
Inoue D, Kabata T, Kajino Y, Ohmori T, Yamamuro Y, Tsuchiya H.	Risk factor analysis on perioperative greater trochanteric fracture of total hip arthroplasty via anterolateral approach. Arch Orthop Trauma Surg.	Arch Orthop Trauma Surg.	In press	doi:10.1007/s00402-022-04715-8.	2022
*akahashi D, Noyama Y, Shimizu T, Terkawi MA, Iwasaki N.	Finite Element Analysis of Optimal Positioning of Femoral Osteotomy in Total Hip Arthroplasty With Subtrochanteric Shortening.	Arthroplast Today	4:	105-109. doi:10.1016/j.artd.2022.01.021.	2022
Matsumae G, Kida H, Takahashi D, Shimizu T, Ebata T, Yokota S, Alhasan H, Aly MK, Yutani T, Uetsuki K, Terkawi MA, Iwasaki N.	Determination of optimal concentration of vitamin E in polyethylene liners for producing minimal biological response to prosthetic wear debris.	J Biomed Mater Res B Appl Biomater.	110(7)	1587-1593. doi:10.1002/jbm.b.35019.	2022
Shimizu T, Takahashi D, Nakamura Y, Miyazaki T, Yokota S, Ishizu H, Iwasaki N.	Effect of periacetabular osteotomy on the distribution pattern of subchondral bone mineral density in patients with hip dysplasia	J Orthop Res.	In press	doi:10.1002/jor.25284.	2022

Terkawi MA, Matsumae G, Shimizu T, Takahashi D, Kadoya K, Iwasaki N.	Interplay between inflammation and pathological bone resorption: Insights into recent mechanisms and pathways in related diseases for future perspectives.	Int J Mol Sci.	23(3)	1786. doi:10.3390/ijms23031786.	2022
Yokota S, Shimizu T, Matsumae G, Ebata T, Alhasan H, Takahashi D, Terkawi MA, Iwasaki N.	Inflammasome Activation in the Hip Synovium of Rapidly Destructive Coxopathy Patients and Its Relationship with the Development of Synovitis and Bone Loss.	Am J Pathol.	192(5)	794-804. doi:10.1016/j.ajpath.2022.02.003.	2022
Matsumae G, Terkawi MA, Nonoyama T, Kurokawa T, Takahashi D, Shimizu T, Kadoya K, Gong JP, Yasuda K, Iwasaki N.	Evaluation of biological responses to micro-particles derived from a double network hydrogel.	Biomater Sci.	10(9)	2182-2187. doi:10.1039/d1bm01777b.	2022
Terkawi MA, Ebata T, Yokota S, Takahashi D, Endo T, Matsumae G, Shimizu T, Kadoya K, Iwasaki N.	Low-Grade Inflammation in the Pathogenesis of Osteoarthritis: Cellular and Molecular Mechanisms and Strategies for Future Therapeutic Intervention.	Biomedicines.	10(5)	1109 doi:10.3390/biomedicines10051109;	2022
Alhasan H, Terkawi MA, Matsumae G, Ebata T, Tian Y, Shimizu T, Nishida Y, Yokota S, Garcia-Martin F, Abd Elwakil MM, Takahashi D, Younis MA, Harashima H, Kadoya K, Iwasaki N.	Inhibitory role of annexin A1 in pathological bone resorption and therapeutic implications in periprosthetic osteolysis.	Nat Commun.	13(1)	3919 doi:10.1038/s41467-022-31646-0.	2022
Nakasone S, Takaesu M, Ishihara M, Onaga M, Igei T, Miyata Y, Nishida K.	Accuracy of Acetabular Cup Placement During Total Hip Arthroplasty in Supine Position Using a Pelvic Rotation Correction Device.	Arthroplast Today	16	46-52. doi: 10.1016/j.artd.2022.04.004.	2022
小山 由貴, 南端 翔多, 直江 祐樹, 刀根 慎恵, 長谷川 正裕, 須藤 啓広.	上方アプローチによるTHA後早期のTUGの回復過程.	Hip Joint	46(2)	199-201	2020
直江 祐樹, 南端 翔多, 小山 由貴, 刀根 慎恵, 長谷川 正裕, 須藤 啓広.	上方アプローチによるTHA後早期の股関節外旋・内旋筋力の回復過程	Hip Joint	46(2)	84-872020	2020

南端 翔多, 直江 祐樹, 小山 由貴, 刀根 慎恵, 長谷川 正裕, 須藤 啓広	上方アプローチによるTHA 後早期の股関節周囲筋筋 力の回復過程.	Hip Joint	46(2)	80-83	2020
内藤 陽平, 長谷川 正裕, 刀根 慎恵, 若林 弘樹, 須藤 啓広	K-MAX Q HIP システムを用 いた人工股関節全置換術 の術後平均 14 年の長期成	Hip Joint	46(2)	847-852	2020
刀根 慎恵, 長谷川 正裕, 内藤 陽平, 若林 弘樹, 須藤 啓広	人工股関節全置換術後に 発生した遠位型 DVT にお ける Xa 阻害薬治療介入の 有無による比較検討.	Hip Joint	46(1)	165-168	2020
内藤 陽平, 長谷川 正裕, 刀根 慎恵, 若林 弘樹, 須藤 啓広	VerSys ファイバーメタルテ ーパーシステムを用いた人工 股関節置換術の術後平均 12 年の長期成績	日本整形外科 災害外科学会 雑誌	63(1)	75-76	2020
伊藤重治, 高窪祐弥, 門馬亮介, 大木弘治, 浦山安広, 佐々木幹, 石井政次, 高木理彰	人工股関節全置換術当日 の離床は静脈血栓塞栓症 の発生を減らすか?	Hip Joint	46	259-262.	2020
大木弘治, 佐々木幹, 鮫島健志, 門馬亮介, 伊藤重治, 高窪祐弥, 浦山安広, 石井政次, 高木理彰	THA 術後の下肢静脈エコ ー実施時期による DVT の 検討	Hip Joint	46	929-931	2020
高橋健大, 高窪祐弥, 伊藤重治, 門馬亮介, 大木弘治, 浦山安広, 佐々木幹, 石井政次, 高木理彰	直接経口抗凝固薬を再開 後に術後血腫を認めた人 工股関節全置換術の 1 例.	Hip Joint	46	1095-1098	2020
門馬亮介, 伊藤重治, 高窪祐弥, 浦山安広, 鮫島健志, 大木弘治, 佐々木幹, 石井政次, 高木理彰	人工股関節全置換術術前 の歯科口腔スクリーニング.	Hip Joint .	46	1003-1005	2020
名越 智	SI を用いた人工股関節全 置換術. II. 術中手術支援	関節外科	39	59-65	2020
名越 智, 鈴木大輔, 寺本篤史, 岡田葉平, 佐々木幹人, 渡邊耕太, 小助川維摩, 舘田健児, 金泉 新, 山下敏彦	骨盤・下肢領域における橋 渡し研究を生むサージカル トレーニング.	関節外科	39	861-866	2020
鈴木大輔, 名越 智.	半月板の基礎. 半月の発 生と解剖	整・災外	63	485-492	2020
清水淳也, 藤田裕樹, 名越 智, 松山敏勝, 山下敏彦	股関節痛を主訴に来院し た小児急性リンパ性白血 病の 1 例	整・災外	63	977-979	2020

小助川維摩, 舘田健児, 金泉新, 山下敏彦, 名越 智, 佐々木幹人, 清水淳也	患者の社会的要因が人工股関節全置換術後の患者立脚型機能評価に及ぼす影響	Hip Joint	46	42-45	2020
金泉 新, 鈴木大輔, 名越 智, 舘田健児, 小助川維摩, 山下敏彦	人工股関節ショートステムの有限要素法を用いた初期固定性の評価	東日本整災誌	32(1)	6-11	2020
舘田健児, 名越 智, 小助川維摩, 佐々木幹人, 清水淳也, 金泉 新, 山下敏彦	札幌医大における人工股関節全置換術に対する取り組み・課題	北整災外	62(1)	39-43	2020
小助川維摩, 舘田健児, 清水淳也, 金泉 新, 佐々木幹人, 名越 智, 山下敏彦	既存カップにポリエチレンライナーのセメント固定を要した THA 再置換症例の術後成績	北整災外	62(1)	77-80	2020
鈴木大輔, 名越 智, 金泉 新, 喜沢史弥, 山下敏彦	後壁が不足した寛骨臼形成不全における大腿骨頭の接触圧分布	臨床バイオメカニクス	41	79-84	2020
福島 若葉	【整形外科臨床研究の手引き-適切に行い,正しく読み解くために】臨床研究のデザイン	記述疫学研究			
稲葉 裕, 崔 賢民	人工関節周囲感染の診断, 治療と感染対策の最新情報	日本整形外科学会雑誌	94(10)	841-849	2020
宮武和馬, 藤澤隆弘, 大歳晃生, 稲葉 裕	CT/MRI のリファレンス画像を同期させた超音波ガイド下 intervention : 整形外科診療における注射(注入)療法のコツ	Monthly Book Orthopaedics	33(10)	203-210	2020
宮武和馬, 藤澤隆弘, 大歳晃生, 稲葉 裕	エコーの機種を選定方法. 特集 整形外科診療におけるエコー入門—さあ使ってみよう超音波	災害外科	63(10)	1261-1266	2020
池 裕之, 大庭真俊, 稲葉 裕	ナビゲーション支援による寛骨臼回転骨切り術. 各種骨盤骨切り術とそのメリット	臨床整形外科	55(6)	705-712	2020
池 裕之, 稲葉 裕	コンピュータナビゲーションシステムを用いた寛骨臼回転骨切り術	関節外科	39	627-630	2020
池 裕之, 稲葉 裕.	コンピュータナビゲーションシステムを用いた寛骨臼回転骨切り術. 関節外科. 39:624-630, 2020.	関節外科	39	624-630	2020
崔 賢民, 渡部慎太郎, 稲葉裕, 小林直実, 友山瑛人	整形外科領域のバイオフィルム感染に関する国際コンセンサス. 日本骨	関節感染症学会雑誌	33	15-18	2020

崔賢民、稲葉裕	国際コンセンサス 2018—SSI/PJI 診断の概要— Part 2 SSI/PJI の診断と治療. 特集 整形外科感染症診療—最新のトピックス—国際コンセンサス 2018 を中心に?	Bone Joint Ner ve. アークメデ ィア	10(1)	63-67	2020
市堰徹, 植田修右, 相馬大輔, 平田寛明, 兼氏歩, 川原範夫.	骨髄由来間葉系幹細胞による疼痛緩和および軟骨における tumor necrosis factor α -stimulated gene 6 の発現—股関節炎・変形性股関節症モデルでの検討—.	Hip Joint.	46	789-793	2020
植田修右, 市堰徹, 相馬大輔, 土屋雅信, 平田寛明, 兼氏歩, 川原範夫	低酸素環境下ステロイド性骨細胞壊死に対するミトコンドリア転写因子 A による細胞保護作用.	Hip Joint.	46	34-37	2020
松本智里, 加藤真由美, 兼氏歩, 市堰徹, 福井清数, 高橋詠二, 平松知子, 谷口好美	女性人工股関節全置換術患者の術前後の歩容の自己評価モデルの開発: 構造方程式モデリングを用いた分析.	日本看護科学 会誌	40	177-186	2020
西村愛世, 加畑多文, 吉谷純哉, 楫野良知, 井上大輔, 土屋弘行.	3次元テンプレートイングソフトウェアを用いた大腿骨転子部骨折における short femoral nail の理想的挿入位置の検討.	中部日本整形 外科災害外科 学会雑誌	63	619-620.	2020
高木知治, 加畑多文, 八幡徹太郎, 加藤仁志, 楫野良知, 井上大輔, 土屋弘行.	人工膝関節全置換術前後における移動機能改善度. ロコモ度テストを用いた前向き研究.	Loco Cure	6	212-215.	2020
楫野良知, 加畑多文, 白井寿治, 多賀正, 井上大輔, 加藤貴士, 上岡顕, 土屋弘行.	ヨード担持抗菌インプラントの基礎研究と臨床応用.	臨床整形外科	55	339-343.	2020
井上大輔, 加畑多文, 楫野良知, 大森隆昭, 上野琢郎, 吉谷純哉, 上岡顕, 山室裕紀, 土屋弘行.	人工関節周囲感染(PJI)の患者リスク因子. 第2回国際コンセンサスを踏まえて.	臨床整形外科	55	321-327.	2020
井上大輔, 加畑多文, 楫野良知, 土屋弘行.	整形外科手術における感染予防に関する知見. 第2回国際コンセンサスを踏まえて.	整形・災害外科	63	261-266.	2020
神野哲也	股関節周辺の外傷・障害の病態特性.	理学療法	37(8)	676-683	2020
坂井孝司	特発性大腿骨頭壊死症の診断基準と鑑別診断	Monthly Ortho paedics	33(8)	5-14	2020

関泰輔, 竹上靖彦, 大澤郁介, 草野大樹, 金子慎哉, 牧田和也, 落合聡史	股関節後方関節包と短外旋筋群の切除量の違いによる股関節内旋角度の変化 解剖用屍体による検討.	Hip Joint	46	195-198	2020
石原 昌人, 仲宗根 哲, 翁長正道, 平良 啓之, 西田 康太郎	当院における急速破壊型股関節症に対してTHAを行った症例の検討.	Hip Joint	46	1112-1115	2020
翁長 正道, 仲宗根 哲, 石原昌人, 平良 啓之, 西田 康太郎, 高江洲 美香	DAA-THA における大腿骨拳上デバイスをを用いたテーパーウェッジ型ステムの設置角度の検討.	Hip Joint	46	857-860	2020
仲宗根 哲, 石原 昌人, 翁長正道, 平良 啓之, 西田 康太郎, 高江洲 美香	側臥位THAにおける機能的骨盤基準面を参照したカップ設置支援デバイスを用いたカップ設置精度.	Hip Joint	46	219-224	2020
仲宗根 哲, 石原 昌人, 翁長正道, 平良 啓之, 西田 康太郎, 高江洲 美香, 宮田 佳英	【股関節領域の術前・術中支援技術 Up to date】術中手術支援 仰臥位THAのための簡便な術中カップ設置支援デバイス HipPointer いつでも、どこでも、誰とでも正確なカップ設置.	関節外科	39	688-694	2020
翁長 正道, 仲宗根 哲, 石原昌人, 平良 啓之, 金谷 文則, 高江洲 美香, 宮田 佳英.	ノンナビゲーションのコンピューター支援技術を用いた DAA-THA の現状と課題.	整形外科と災害外科	1	223-227	2020
高橋大介, 浅野毅, 清水智弘, 高橋要, 岩崎倫政.	大腿骨頭軟骨下脆弱性骨折の診断と治療	臨床整形外科	55(1)	11-15	2020
高橋大介	乳児健診による股関節脱臼ハイリスク児の早期発見はいかに大切か～処女歩行開始後の診断遅延例ゼロ社会に向けた試み～	札幌市小児科 医会ニュース	第 90 号	8-12	2020
高橋大介, 清水智弘, 高橋要, 中村夢志郎, 入江徹, 岩崎倫政	北海道大学における人工股関節全置換術に対する取り組み・課題ー歴史から学んだ新規セメントステム開発ー	北海道整形災害外科学会雑誌	55(1)	33-38	2020
亀ヶ谷真琴, 高橋大介	骨移植を要さない骨盤骨切り術 (angulated innominate osteotomy;AIO)	整形・災害外科	63(12)	1606-1609	2020
安藤 渉, 菅野伸彦	特発性大腿骨頭壊死症診療ガイドラインの特徴と概要	Monthly Orthopedics.	33(8)	1-4	2020

伊藤重治, 高窪祐弥, 平山朋幸, 門馬亮介, 高橋健大, 大木弘治, 佐々木幹, 石井政次, 高木理彰	Pinnacle カップを用いた metal-on-metal 人工股関節の中長期成績.	Hip Joint.	50	723-724	2021
伊藤重治, 高窪祐弥, 門馬亮介, 大木弘治, 佐々木幹, 小林真司, 石井政次, 高木理彰	Bacteroides 感染のため複数回の人工股関節再置換術を要した 1 例	日本人工関節学会誌	50	723-724	2021
伊藤重治, 高窪祐弥, 門馬亮介, 高木理彰	ポリエチレン摩耗に伴う骨溶解と人工股関節再置換術.	関節外科	40(2)	186-192	2021
名越 智	整形外科手術 名人の know-how 弛みのないシステムを再置換するにはシステムの抜去と人工股関節再置換術の実際.	整災外	64	1356-1359	2021
名越 智, 鈴木大輔, 岡崎俊一郎, 舘田健児, 小助川維摩, 清水淳也, 金泉新, 佐々木幹人, 山下敏彦	臼蓋骨欠損 に対するセメントレスインプラントを用いた再建術の工夫-同種骨がない場合-	人工関節学会誌	50	873-874	2021
小助川維摩, 舘田健児, 金泉新, 山下敏彦, 名越 智, 佐々木幹人, 清水淳也	患者の術前状態が人工股関節全置換術の術後評価に及ぼす影響.	人工関節学会誌	50	905-906	2021
堀田和志 舘田健児 小助川維摩 鈴木大輔 名越智 山下敏彦	重度な寛骨臼形成不全を有する歩行可能な脳性麻痺患者に対し,骨切り術を行った 1 例.	整災外	64	373-376	2021
小林千益, 菅野伸彦	特発性大腿骨頭壊死症(ONFH)に対する人工物置換術の最新情報.特集『大腿骨頭壊死症の基礎と臨床 Up to date』	関節外科	40(12)	62(1296)-66(1300).	2021
池 裕之, 稲葉 裕	牽引台を使用する抑臥位.	整形外科看護.	26	182-183	2021
川端佑介, 竹山昌伸, 崔 賢民, 林田健太, 稲葉 裕	1.画像診断, 骨・軟部腫瘍における PET/CT 検査の有用性. II.診断, 骨・軟部腫瘍のマネジメント (その 1).	別冊整形外科.	79	29-33	2021
島崎 貴幸, 持田 勇一, 針金 健吾, 長岡 亜紀子, 小林 直実, 稲葉 裕	関節リウマチの外反母趾変形に対する DLMO 法後の外反母趾再発に及ぼすリスク因子の解析.	関節外科.	48(1)		2021
稲澤 真, 関屋 辰洋, 稲葉 裕	保存治療で治癒し得た化膿性椎間関節炎の 1 例	関東整形災害外科学会雑誌.	52(3)	117-120	2021

大庭真俊、水野祐介、稲葉 裕	1 術前の患者全身評価. 第2章 THA:手術までの準備. BHA THA 人工股関節置換術.	羊土社		38-43	2021
大庭真俊、稲葉 裕	2 術前の準備. 第2章 THA:手術までの準備. BHA THA 人工股関節置換術.	羊土社		44-47	2021
大庭真俊、稲葉 裕	3 インフォームドコンセントの実際と注意点. 第2章 THA:手術までの準備. BHA THA 人工股関節置換術.	羊土社		48-52	2021
池 裕之、稲葉 裕	4 インプラントの分類～セメントレスシステム～. 第2章 THA:手術までの準備. BHA THA 人工股関節置換術.	羊土社		52-57	2021
池 裕之、稲葉 裕	5 側方進入. §1. BHA・THA に用いられる進入法. 第3章 手術手技の実際. BHA THA 人工股関節置換術パーフェクト	羊土社		101-112	2021
石田 崇、稲葉 裕	6 前方進入. §1. BHA・THA に用いられる進入法. 第3章 手術手技の実際. BHA THA 人工股関節置換術.	羊土社		113-121	2021
池 裕之 稲葉 裕	4 Zweymuller 型システムを用いた手術. §4. THA:システム. 第3章 手術手技の実際. BHA THA 人工股関節置換術.	羊土社		170-176	2021
崔 賢民、稲葉 裕	3 感染予防法. 第4章 合併症対策・術後管理 より安全な手術を行うために. BHA THA 人工股関節置換術.	羊土社		224-228	2021
手塚太郎、稲葉 裕	8 周術期 VTE 予防の実際と VTE への対応. 第4章 合併症対策・術後管理 より安全な手術を行うために. BHA THA 人工股関節置換術.	羊土社		255-260	2021
手塚太郎、稲葉 裕	術前患者教育から術後療法～クリニカルパスの活用～. 第4章 合併症対策・術後管理 より安全な手術を行うために. BHA THA 人工股関節置換術.	羊土社		266-272	2021

手塚太郎、稲葉 裕	1 術後 VTE 発症のメカニズム, 疫学など. 第 1 章 VTE (予防法, 発生時の対応). スペシャリストがすすめる人工関節手術合併症対策.	南江堂		2-4	2021
手塚太郎、稲葉 裕	2 術前検査 (エコー, 血液検査など). 第 1 章 VTE (予防法, 発生時の対応). スペシャリストがすすめる人工関節手術合併症対策.	南江堂		5-7	2021
手塚太郎、稲葉 裕	3 術中・術後管理 (抗凝固薬投与, 弾性ストッキング, フットポンプの使用). 第 1 章 VTE (予防法, 発生時の対応). スペシャリストがすすめる人工関節手術合併症対策.	南江堂		8-11	2021
池 裕之、稲葉 裕	整形外科学レビュー 2021-2022. III章 下肢 7-2 変形性股関節症.	総合医学社		150-157	2021
稲葉 裕	今日の整形外科治療指針. 23 股関節の疾患. 大腿骨頭壊死症.	医学書院		737-739	2021
兼氏 歩	成人寛骨臼形成不全股に対する骨切り術の適応と問題点	日本整形外科学会雑誌	95	523-534	2021
兼氏 歩	人工股関節インプラントの成績向上を目指したバイオメカニクス研究	金沢大学十全医学会雑誌	130(2)	63-66	2021
高橋詠二、兼氏 歩	【大腿骨頭部骨折に対する人工骨頭置換術 エビデンスに基づく手術手技と機種選択の実際】手術手技 セメント人工骨頭 手術手技、注意点および機種選択の実際 整形外科	Surgical Technique	11(3)	318-325	2021
植田修右、市堰 徹、兼氏 歩	ステロイド関連骨壊死に対する病態研究の最新情報	関節外科	40(12)	1261-1265	2021
坂井孝司	特発性大腿骨頭壊死症の診断基準と鑑別診断.	関節外科基礎と臨床	40	32-42	2021
加畑多文	Crowe group III/IV に対する人工股関節全置換術 術前計画と手術の実際.	日本整形外科学会雑誌	95(9)	622-627.	2021

西村愛世, 加畑多文, 吉谷純哉, 楫野良知, 井上大輔, 大森隆昭, 上岡顕, 山室裕紀, 谷中惇, 土屋弘行, 徳海裕史	. Short femoral nail 理想的挿入位置の 3D テンプレートニングソフトによる検討.	日本関節病学会誌	40(2)	89-93	2021
黒川由貴, 加藤仁志, 加畑多文, 出村諭, 松原秀憲, 八幡徹太郎, 土屋弘行	【ロコモティブシンドロームの現況】病態・診断ロコモ度判定と障害関節	整形外科	72(6)	543-546	2021
櫻井吾郎, 吉田信也, 麦井直樹, 加畑多文, 八幡徹太郎	重度の両股・両膝関節変形に対し, 4 ヶ月連続で人工関節置換術を施行された関節リウマチの 1 症例.	国立大学リハビリテーション	42	18-12	2021
井上大輔, 加畑多文, 楫野良知, 山室裕紀, 谷中惇, 片岡大往, 齊木理友, 土屋弘行	【インプラント周囲感染の対処法-人工関節・脊椎・骨折-】患者因子からみたインプラント周囲感染予防.	関節外科	40(4)	10-15	2021
井上大輔, 加畑多文, 楫野良知, 尾島朋宏, 土屋弘行.	【低侵襲手術における感染対策マニュアル】Surgical Site Infection(SSI)の予防 術前手指消毒と術中創洗浄のエビデンスと実際.	整形外科最小侵襲手術ジャーナル	98	39-45	2021
加畑多文, 楫野良知, 井上大輔, 大森隆昭, 吉谷純哉, 上野琢郎, 高木知治, 上岡顕, 山室裕紀, 谷中惇, 齊木理友, 土屋弘行	【人工股関節再置換術-最前線から難易度の高い症例まで-】寛骨臼の骨欠損に対する再建法 金属製補填材料による再建.	関節外科	40(2)	198-204	2021
関泰輔	大腿骨転子間弯曲内反骨切り術の適応と臨床成績.	関節外科	40(12)	49-56	2021
高橋大介, 清水智弘, 宮崎拓自, 中村夢志郎, 岩崎倫政	大腿骨頭軟骨下脆弱性骨折の特徴と治療方針.	関節外科	40(12)	43-47	2021
堀田和志, 清水淳也, 舘田健児, 江森誠人, 小助川維摩, 金泉新, 中橋尚也, 名越 智, 山下敏彦.	大腿骨頭に発生した悪性骨腫瘍に対する広範囲切除後に坐骨の骨溶解像を認めた 1 例.	Hip Joint	48	183-187	2022
舘田健児, 名越 智, 小助川維摩, 鈴木大輔, 清水淳也, 金泉新, 山下敏彦..	化膿性股関節炎後の巨大骨頭を伴う股関節変形に対し, 関節鏡下大腿骨頭骨軟骨形成術と寛骨臼回転骨切り術を行った一例.	Hip Joint	48	312-319,	2022