

## 研究成果の刊行に関する一覧表

## 書籍

1. 野口佳裕, 難聴遺伝子とめまい 大森孝一, 武田憲昭編 「プラクティス耳鼻咽喉科の臨床, めまい診療ハンドブック 最新の検査・鑑別診断と治療」 中山書店, 東京, 2022, 215–218.
2. 内藤 泰, 救急外来での危険なめまいの鑑別診断 ,大森孝一, 武田憲昭編 「最新の検査・鑑別診断と治療」 ,中山書店, 東京, 022, 14–20.

## 雑誌

1. Nishio SY, Usami SI. Frequency of the *STRC*-*CATSPER2* deletion in *STRC*-associated hearing loss patients. *Sci Rep.* 2022 ; 12(1) 634.
2. Usami SI, Isaka Y, Miyagawa M, Nishio SY. Variants in *CDH23* cause a broad spectrum of hearing loss from non-syndromic to syndromic hearing loss as well as from congenital to age-related hearing loss. *Hum Genet.* 2022 ; 141(3-4) 903–914.
3. Mori A, Takeda H, Kobayashi M, Misawa T, Watanabe R, Abe S, Kumakawa K, Nishio SY, Usami SI, Yamasoba T. Successful cochlear implantation in a patient with Epstein syndrome during long-term follow-up. *Auris Nasus Larynx.* 2022 ; 49:308–312.
4. Van de Heyning P, Roland P, Lassaletta L, Agrawal S, Atlas M, Baumgartner WD, Brown K, Caversaccio M, Dazert S, Gstöttner W, Hagen R, Hagr A, Jablonski G.E., Kameswaran M, Kuzovkov V, Leinung M, Yongxin Li, Loth A, Magel A, Mlynksi R, Mueller J, Parnes L, Radloff A, Raine C, Rajan G, Schmutzhard J, Skarzynski H, Skarzynski PH, Sprinzl G, Staecker H, Stover T, Tavora-Viera D, Topsakal V, Usami SI, Van Rompaey V, Weiss N.M., Wimmer W, Zernotti M, Gavilan J. Suitable Electrode Choice for Robotic-Assisted Cochlear Implant Surgery: A Systematic Literature Review of Manual Electrode Insertion Adverse Events. *Front Surg.* 2022 ; 9 : 823219.
5. Uehara N, Fujita T, Yamashita D, Yokoi J, Katsunuma S, Kakigi A, Nishio SY, Nibu KI, Usami SI. Genetic background in late-onset sensorineural hearing loss patients. *2022 ; J Hum Genet.* 2022 ; 67(4) 223–230.
6. Kitoh R, Nishio SY, Usami SI. Speech perception in noise in patients with idiopathic sudden hearing loss. *Acta Otolaryngol.* 2022 ; 142(3-4) 302–307.
7. Nishio SY, Usami SI. Prevalence and clinical features of autosomal dominant and recessive *TMCI*-associated hearing loss. *Hum Genet.* 2022 ; 141(3-4) 929–937
8. Usami SI, Nishio SY. The genetic etiology of hearing loss in Japan revealed

- by the social health insurance-based genetic testing of 10K patients. *Hum Genet.* 2022 ; 141(3-4) 665–681.
- 9. Iwasa YI, Nishio SY, Yoshimura H, Sugaya A, Kataoka Y, Maeda Y, Kanda Y, Nagai K, Naito Y, Yamazaki H, Ikezono T, Matsuda H, Nakai M, Tona R, Sakurai Y, Motegi R, Takeda H, Kobayashi M, Kihara C, Ishino T, Morita SY, Iwasaki S, Takahashi M, Furutate S, Oka SI, Kubota T, Arai Y, Kobayashi Y, Kikuchi D, Shintani T, Ogasawara N, Honkura Y, Izumi S, Hyogo M, Ninoyu Y, Suematsu M, Nakayama J, Tsukihashi N, Okami M, Sakata H, Yoshihashi H, Kobayashi T, Kumakawa K, Yoshida T, Esaki T, Usami SI. Detailed clinical features and genotype–phenotype correlation in an *OTOF*-related hearing loss cohort in Japan. *Hum Genet.* 2022 ; 141(3-4) 865–875.
  - 10. Miyoshi T, Belyantseva IA, Kitajiri SI, Miyajima H, Nishio SY, Usami SI, Kim BJ, Choi BY, Omori K, Shroff H, Friedman TB. Human deafness-associated variants alter the dynamics of key molecules in hair cell stereocilia F-actin cores. *Hum Genet.* 2022 ; 141(3-4) 363–382.
  - 11. Nishio SY, Moteki H, Miyagawa M, Yamasoba T, Kashio A, Iwasaki S, Takahashi M, Naito Y, Fujiwara K, Sugaya A, Takahashi H, Kitaoka K, Usami SI. Etiology of hearing loss affects auditory skill development and vocabulary development in pediatric cochlear implantation cases. *Acta Otolaryngol.* 2022 ; 142(3-4) 308–315.
  - 12. Ito S, Takakura H, Akaogi K, Shojaku H, Takeda N, Suzuki M, Watanabe Y, Aoki M, Doi K, Ikezono T, Kakigi A, Kitahara T, Koizuka I, Murofushi T, Naganuma H, Omori K, Takahashi K, Takumida M, Usami SI, Yamashita H. A 14-year nationwide epidemiological analysis of delayed endolymphatic hydrops in Japan. *Acta Otolaryngol.* 2022 ; 142(7-8) 568–574.
  - 13. Van de Heyning PH, Dazert S, Gavilan J, Lassaletta L, Lorens A, Rajan GP, Skarzynski H, Skarzynski PH, Tavora-Vieira D, Topsakal V, Usami SI, Van Rompaey V, Weiss NM, Polak M. Systematic Literature Review of Hearing Preservation Rates in Cochlear Implantation Associated With Medium- and Longer-Length Flexible Lateral Wall Electrode Arrays. *Front Surg.* 2022 ; 9 : 893839.
  - 14. Ito S, Takakura H, Akaogi K, Shojaku H, Kitahara T, Nishio SY, Usami SI. Intractable Hearing Disorder Consortium. Estimated number and prevalence of patients with delayed endolymphatic hydrops in Japan: a nationwide survey. *Acta Otolaryngol.* 2022 ; 142(9-12) 675–678.
  - 15. Kitoh R, Takumi Y, Nishio SY, Usami SI. Sound localization in patients with idiopathic sudden hearing loss. *Acta Otolaryngol.* 2023 ; 143(1):43–48.

16. Gürkov R, Barath K, de Foer B, Fukushima M, Gluth M, Hornibrook J, Perez-Fernandez N, Pyykkö I, Sone M, Usami SI, Wang W, Zou J, Naganawa S. A plea for systematic literature analysis and conclusive study design, comment on: "Systematic review of magnetic resonance imaging for diagnosis of Meniere disease". *J Vestib Res.* 2023 ; 33(2) 151-157.
17. 宇佐美真一. 難聴遺伝子の各タイプ別人工内耳術後の聴覚・言語発達の比較. *JOHNS.* 2022 ; 38(2) 187-191.
18. 宇佐美真一. 遺伝性難聴 解析技術の進歩と臨床応用. *耳鼻咽喉科・頭頸部外科.* 2022 ; 94 (4) 370-382.
19. 西尾信哉, 宇佐美真一. 遺伝学的検査の用語を理解する. *耳鼻咽喉科・頭頸部外科.* 2022 ; 94:1002-1008.
20. Y Iwasa, Y Kobayashi, S Usami, 他 42 名. Detailed clinical features and genotype-phenotype correlation in an OTOF-related hearing loss cohort in Japan. *Hum Genet.* 2022 Apr;141(3-4):993-995. doi: 10.1007/s00439-021-02392-y.
21. Iwasa YI, Nishio SY, Yoshimura H, Sugaya A, Kataoka Y, Maeda Y, Kanda Y, Nagai K, Naito Y, Yamazaki H, Ikezono T, Matsuda H, Nakai M, Tona R, Sakurai Y, Motegi R, Takeda H, Kobayashi M, Kihara C, Ishino T, Morita SY, Iwasaki S, Takahashi M, Furutate S, Oka SI, Kubota T, Arai Y, Kobayashi Y, Kikuchi D, Shintani T, Ogasawara N, Honkura Y, Izumi S, Hyogo M, Ninoyu Y, Suematsu M, Nakayama J, Tsuchihashi N, Okami M, Sakata H, Yoshihashi H, Kobayashi T, Kumakawa K, Yoshida T, Esaki T, Usami SI. Correction to: Detailed clinical features and genotype-phenotype correlation in an OTOF-related hearing loss cohort in Japan *Hum Genet.* 141(3-4):993-995. 2022/4.
22. Iwasa YI, Nishio SY, Yoshimura H, Sugaya A, Kataoka Y, Maeda Y, Kanda Y, Nagai K, Naito Y, Yamazaki H, Ikezono T, Matsuda H, Nakai M, Tona R, Sakurai Y, Motegi R, Takeda H, Kobayashi M, Kihara C, Ishino T, Morita SY, Iwasaki S, Takahashi M, Furutate S, Oka SI, Kubota T, Arai Y, Kobayashi Y, Kikuchi D, Shintani T, Ogasawara N, Honkura Y, Izumi S, Hyogo M, Ninoyu Y, Suematsu M, Nakayama J, Tsuchihashi N, Okami M, Sakata H, Yoshihashi H, Kobayashi T, Kumakawa K, Yoshida T, Esaki T, Usami SI. Detailed clinical features and genotype-phenotype correlation in an OTOF-related hearing loss cohort in Japan *Hum Genet.* 141(3-4):865-875. 2022/4.
23. Takeru M, Hidehiko T, Mitsuya S : Age-related changes in sound image localization during lateral gaze. *Toho J Med*, 8, 39-46, 2022.
24. 武田 英彦, 三澤 建, 小林 万里菜, 渡部 涼子: 特集 ここまで進化した補聴器と人工内耳診療 補聴器の最新情報 特殊な補聴器, *JOHNS*, 38巻2号. 162-167. 2022.

25. 武田 英彦, 小林 万里菜, 三澤 建, 渡部 涼子, 渡辺 健太: 特集 人工感覚器の最新情報 残存聴力活用型人工内耳の臨床経験, 耳鼻咽喉科, 2巻2号. 174-182. 2022.
26. 水本 結, 横尾 明憲, 尾形 エリカ, 赤松 裕介, 小山 一, 浦中 司, 山崎 達也, 当院で4歳以降に人工内耳を受けた128例の背景に関する検討, 小児耳鼻咽喉科, 2022;43巻, 3号, p. 305-312.
27. Dy AES, Kashio A, Fujimoto C, Kinoshita M, Kikkawa YS, Hoshi Y, Igarashi K, Uranaka T, Iwasaki S, Yamasoba T. Vestibular Imaging and Function in Patients With Inner Ear Malformation Presenting With Profound Hearing Loss. OTO Open. 2022;Sep 26;6(3).
28. Oyamada S, Iwasaki S : Analysis of outcomes for communication mode in cochlear implant in prelingually deafened adults. ANL Jun 13:S0385-8146(22)00161-4. doi: 10.1016/j.anl.2022.05.017. 2022.
29. Nishio SY, Iwasaki S, Usami SI : Eiology of hearing loss affects auditory skill development and vocabulary development in pediatric cochlear implantation cases. Acta Otolaryngol 2022 Mar-Apr;142(3-4):308-315. doi: 10.1080/00016489.2022.2065027.
30. Iwasa YI, Iwasaki S, Usami SI :Detailed clinical features and genotype-phenotype correlation in an *OTOF*-related hearing loss cohort in Japan. Hum Genet 141:993-995, 2022.
31. 野口佳裕, 上斗米愛実, 遺伝性難聴, 耳鼻頭頸, 94, 1024-1027 , 2022.
32. 野口佳裕, 遺伝性難聴入門, Audiology Jpn, 65;169-176, 2022.
33. Kajihara k Ganaha A, Nakamura T and Tono T: Active middle ear implant in a patient with neurofibromatosis type 1 and multiple calvarial defects: A case report. J Int Adv Otol 18(2):183-187, DOI: 10.5152/iao.2022.21279, 2022.
34. Ganaha A , Hishinuma E, Kaname T, Hiratsuka M, Kondo S, Tono T: Rapid Genetic Diagnosis for Okinawan Patients with Enlarged Vestibular Aqueduct Using Single-Stranded Tag Hybridization Chromatographic Printed-Array Strip. J Clin Med 11, 2022. <https://doi.org/10.3390/jcm11041099> 2022.
35. Okuda T, Matuda Y, Tsumagari S, Tono T: Speech Perception of Second Cochlear Implant after 6 Years of Age in Prelingually Deaf Children. Indian J Otolaryngol Head Neck Surg <https://doi.org/10.1007/s12070-022-03183-1>, 2022
36. 古賀浩之、我那覇章, 中村 雄, 後藤隆史, 東野哲也:骨固定型補聴器(Baha)植え込み術を行った好酸球性中耳炎例. 耳鼻臨床 116:3213-219, 2023.
37. Hamada R, Kikunaga K, Kaneko T, Okamoto S, Tomotsune M, Uemura O, Kamei K, Wada N, Matsuyama T, Ishikura K, Oka A, Honda M. Urine alpha 1-microglobulin-

- to-creatinine ratio and beta 2-microglobulin-to-creatinine ratio for detecting CAKUT with kidney dysfunction in children. *Pediatr Nephrol*. 2023 Feb;38(2):479–487.
38. Ishimori S, Horinouchi T, Fujimura J, Yamamura T, Matsunoshita N, Kamiyoshi N, Sato M, Ogura M, Kamei K, Ishikura K, Iijima K, Nozu K. Is influenza vaccination associated with nephrotic syndrome relapse in children? A multicenter prospective study. *Pediatr Nephrol*. 2022 Nov 30:1-10.
39. Takao H, Nishi K, Funaki T, Inoki Y, Osaka K, Nada T, Yokota S, Sato M, Ogura M, Ishikura K, Ishiguro A, Kamei K. Changes in patterns of infection associated with pediatric idiopathic nephrotic syndrome: A single-center experience in Japan. *J Pediatr*. 2022 Oct 9 Epub ahead of print.
40. Nishi K, Ogura M, Ishiwa S, Kanamori T, Okutsu M, Yokota S, Nada T, Sato M, Kamei K, Ishikura K, Ito S. Glucocorticoid discontinuation in pediatric-onset systemic lupus erythematosus: a single-center experience. *Pediatr Nephrol*. 2022 Sep;37(9):2131–2139.
41. Mikami N, Hamada R, Harada R, Hamasaki Y, Ishikura K, Honda M, Hataya H. Factors related to ultrafiltration volume with icodextrin dialysate use in children. *Pediatr Nephrol*. 2022 Sep 2. Epub ahead of print.
42. Nishi K, Uemura O, Harada R, Yamamoto M, Okuda Y, Miura K, Gotoh Y, Kise T, Hirano D, Hamasaki Y, Fujita N, Uchimura T, Ninchoji T, Isayama T, Hamada R, Kamei K, Kaneko T, Ishikura K; Pediatric CKD Study Group in Japan in conjunction with the Committee of Measures for Pediatric CKD of the Japanese Society of Pediatric Nephrology. Early predictive factors for progression to kidney failure in infants with severe congenital anomalies of the kidney and urinary tract. *Pediatr Nephrol*. 2022 Aug 11. Epub ahead of print.
43. Fujita N, Uemura O, Harada R, Matsumura C, Sakai T, Hamasaki Y, Kamei K, Nishi K, Kaneko T, Ishikura K, Gotoh Y; the Pediatric CKD Study Group in Japan in conjunction with the Committee of Measures for Pediatric CKD of the Japanese Society of Pediatric Nephrology. Ultrasonographic reference values and a simple yet Clin Exp Nephrol. practical formula for estimating average kidney length in Japanese children. *Clin Exp Nephrol*. 2022 Aug;26(8):808–818.
44. Terano C, Hamada R, Tatsuno I, Hamasaki Y, Araki Y, Gotoh Y, Nakanishi K, Nakazato H, Matsuyama T, Iijima K, Yoshikawa N, Kaneko T, Ito S, Honda M, Ishikura K; Japanese Study Group of Renal Disease in Children. Epidemiology of biopsy-proven Henoch-Schönlein purpura nephritis in children: A nationwide survey in Japan. *PLoS One*. 2022 Jul 8;17(7):e0270796.

45. Harada R, Hamasaki Y, Okuda Y, Hamada R, Ishikura K. Epidemiology of pediatric chronic kidney disease/kidney failure: learning from registries and cohort studies. *Pediatr Nephrol*. 2022 Jun;37(6):1215–1229.
46. Kanamori K, Ogura M, Ishikura K, Ishiguro A, Ito S. Tocilizumab for juvenile Takayasu arteritis complicated with acute heart failure at onset. *Mod Rheumatol Case Rep*. 2022 Jun 24;6(2):226–229.
47. Ishiwa S, Sato M, Kamei K, Nishi K, Kanamori T, Okutsu M, Ogura M, Sako M, Ito S, Orihashi Y, Ishikura K. Risks and renal outcomes of severe acute kidney injury in children with steroid-resistant nephrotic syndrome. *Clin Exp Nephrol*. 2022 Jul;26(7):700–708.
48. Chan EY, Yu ELM, Angeletti A, Arslan Z, Basu B, Boyer O, Chan CY, Colucci M, Dorval G, Dossier C, Drovandi S, Ghiggeri GM, Gipson DS, Hamada R, Hogan J, Ishikura K, Kamei K, Kemper MJ, Ma AL, Parekh RS, Radhakrishnan S, Saini P, Shen Q, Sinha R, Subun C, Teo S, Vivarelli M, Webb H, Xu H, Yap HK, Tullus K. Long-Term Efficacy and Safety of Repeated Rituximab to Maintain Remission in Idiopathic Childhood Nephrotic Syndrome: An International Study. *J Am Soc Nephrol*. 2022 Jun;33(6):1193–1207.
49. Deki S, Hamada R, Mikami N, Terano C, Harada R, Hamasaki Y, Ishikura K, Honda M, Hataya H. Half of children with IgA vasculitis-associated nephritis with nephrotic state spontaneously recover. *Nephrology (Carlton)*. 2022 Aug;27(8):681–689.
50. 近藤 千絵, 石倉 健司, 一岡 聰子, 大前 憲史, 奥田 雄介, 小板橋 賢一郎, 佐々木 彰, 陶山 浩一, 谷澤 雅彦, 水上 拓郎, 柴垣 有吾, 平田 純生, 安藤 雄一, 古市 賢吾, 西山 博之, 松原 雄, 星野 純一, 柳田 素子. 【がん薬物療法時の腎障害診療ガイドライン2022版のポイント】がんサバイバーにおける慢性腎臓病のマネジメント. *癌と化学療法* 49(11): 1200–1204. 2022. 11.
51. 奥田雄介 石倉健司. 「MCNS, FSGS(小児) MCNS and FSGS in children」 *日本腎臓学会誌*. 2022. 63(7) : 813–818. 2022. 10月.
52. 塚口裕康, 佐藤舞, 笠原克明, 上村治, 石倉健司. 【腎臓症候群(第3版)-その他の腎臓疾患を含めて-】先天性・遺伝性腎疾患 先天奇形症候群 Galloway-Mowat 症候群(脳・腎糸球体異形成). *日本臨床 別冊腎臓症候群II*. 129–134. 2022. 9 .
53. 西健太朗, 石倉健司. 【腎臓症候群(第3版)-その他の腎臓疾患を含めて-】先天性・遺伝性腎疾患 形態・位置・数などの異常 腎の形成異常 低形成・異形成腎を中心に. *日本臨床 別冊腎臓症候群II*. 194–198. 2022. 9.
54. 菊永佳織, 石倉健司. 【腎臓症候群(第3版)-その他の腎臓疾患を含めて-[I]】尿細管輸送異常症 特発性尿細管性タンパク尿症(Dent 病). *日本臨床 別冊腎臓症候群 I*

317–320. 2022. 8.

55. 野々田 豊, 岩崎 俊之, 伊藤 尚志, 土岐 平, 白井 宏直, 小阪 裕佳子, 昆 伸也, 橋田 一輝, 菊永 佳織, 石倉 健司. 小児在宅支援病棟における入院前 SARS-CoV-2 PCR 全例検査の試み. 北里医学. 52(1) 2022. 6.
56. 奥田雄介, 石倉健司. 指定難病最前線(Volume 131) ネフロン癆. 新薬と臨牀. 71(6) 627–632. 2022. 6.
57. 長岡 由修 石倉 健司. 「【ネフローゼ症候群 update】診断と治療 治療アルゴリズム 微小変化型ネフローゼ症候群(小児)」腎と透析. 92(4): 727–732. 2022. 4.
58. 菊永 佳織 石倉 健司. 「【ネフローゼ症候群 update】疫学 小児領域の疫学」腎と透析. 2022 92(4): 705–708. 2022. 4.
59. Tachino H, Takakura H, Shojaku H, Fujisaka M, Ito S, Oi Y, Do AT, Fuchizawa C, Yunoki T, Hayashi A. Flap suturing endonasal dacryocystorhinostomy assisted by ultrasonic bone aspirator. *Acta Otolaryngol*, 2022;142:316–22.
60. Nakazato A, Takakura H, Do TA, Ueda N, Takeda N, Watanabe Y, Shojaku H. Efficiency of a novel middle ear pressure device for intractable definite Meniere's disease and delayed endolymphatic hydrops after certification by the public health insurance system in Japan. *Acta Otolaryngol*, 2022;142:388–94.
61. Iwasaki S, Shojaku H, Kawahara T, Shindo S, Miyashita T, Aoki M, Tsubota M, Takeda N; Committee for Epidemiology of the Japan Society for Equilibrium Research Estimated prevalence and characteristics of bilateral vestibulopathy diagnosed in Japan: A nationwide survey. *Auris Nasus Larynx*, 2022;49:347–51.
62. Takakura H, Tachino H, Oi Y, Do TA, Shojaku H. Novel Application of an Ultrasonic Bone Aspirator for Endoscopic Modified Medial Maxillectomy. *Front Surg*. 2022 Jun 1;9:870380. doi: 10.3389/fsurg.2022.870380. eCollection 2022.
63. Nakazato A, Takakura H, Ueda N, Do TA, Takeda N, Watanabe Y, Shojaku H. 12-month effect of middle ear pressure therapy with the EFET01 device for intractable definite Meniere's disease and delayed endolymphatic hydrops after certification by the public health insurance system in Japan. *Acta Otolaryngol*, 2022;142:491–8.
64. Ito S, Takakura H, Akaogi K, Shojaku H, Takeda N, Suzuki M, Watanabe Y, Aoki M, Doi K, Ikezono T, Kakigi A, Kitahara T, Koizuka I, Murofushi T, Naganuma H, Omori K, Takahashi K, Takumida M, Usami SI, Yamashita H. A 14-year nationwide epidemiological analysis of delayed endolymphatic hydrops in Japan. *Acta Otolaryngol*, 2022;142:568–74.
65. Nakazato A, Mochizuki M, Shibuya-Takahashi R, Fujimori H, Fujii K, Saijoh S, Morita S, Yamazaki T, Imai T, Sato I, Satoh K, Yamaguchi K, Sugamura K, Yasuda

- J, Matsuura K, Shojaku H, Asada Y, Tamai K. RELA is required for CD271 expression and stem-like characteristics in hypopharyngeal cancer. *Sci Rep.* 2022;Oct 22;12(1):17751. doi: 10.1038/s41598-022-22736-6.
66. Do T Anh , Takakura H , Asai M , Ueda N and Shojaku H. Application of machine learning in the diagnosis of vestibular disease. *Sci Rep* 12, 20805 (2022). <https://doi.org/10.1038/s41598-022-24979-9>.
67. Ito S , Takakura H , Akaogi K , Shojaku H , Kitahara T , Nishio S , Usami S and The Intractable Hearing Disorder Consortium. Estimated number and prevalence of patients with delayed endolymphatic hydrops in Japan: a nationwide survey. *Acta Otolaryngol*, 2022; 142: 675–8.
68. Nakanishi H, Yamada S, Kita J, Shinmura D, Hosokawa K, Sahara S, Misawa K. Auditory and Vestibular Characteristics of NLRP3 Inflammasome Related Autoinflammatory Disorders: Monogenic Hearing Loss can be Improved by Anti-Interleukin-1 Therapy. *Front Neurol* 13, 865763, 2022.
69. Nakanishi H, Okano T, Ito T, Byung Yoon C, Hoa M. Autoinflammation of the inner ear. *Front Neurol* 13, 1071382, 2022.
70. Yamada S, Kita J, Shinmura D, Nakamura Y, Sahara S, Misawa K, Nakanishi H. Update on findings about sudden sensorineural hearing loss and insight into its pathogenesis. *J Clin Med* 11, 6387, 2022.
71. 中西啓, 喜多淳哉, 西尾信哉, 宇佐美真一, 三澤清. Zona pellucida ドメインの TECTA 遺伝子変異により発症した非症候群性常染色体優性遺伝性難聴家系における聽力像の解析：特徴的な皿型オージオグラムの加齢性変化. *Audiol Jpn* 65, 145–151, 2022.
72. Sone M, Yoshida T, Sugimoto S, Kobayashi M, Teranishi M, Naganawa S. Pathological significance and classification of endolymphatic hydrops in otological disorders. *Nagoya J Med Sci* 2022; 84: 497–505.
73. Yoshida T, Naganawa S, Kobayashi M, Sugimoto S, Katayama N, Nakashima T, Kato Y, Ichikawa K, Yamaguchi H, Nishida K, Sone M. 170-labeled water distribution in the human inner ear: insights into lymphatic dynamics and vestibular function. *Front Neurol*. <https://doi.org/10.3389/fneur.2022.1016577>.
74. Inagaki K, Yoshida T, Kobayashi M, Sugimoto S, Fukuda Y, Hara D, Naganawa S, Sone M. Impact of endolymphatic hydrops on DPOAE in subjects with normal to mild hearing loss. *Laryngoscope Investigative Otolaryngology* 2022; 8: 262–268.
75. Yoshida T, Kobayashi M, Sugimoto S, Fukunaga Y, Hara D, Naganawa S, Sone M. Endolymphatic hydrops on listening difficulties in patients with normal hearing level. *Acta Otolaryngol* 2023; 143: 163–169.

76. Wada-Y, Shiozaki-T, Yamanaka-T, Kitahara-T. Gravity perception disturbance in patients with unilateral Meniere's disease. Laryngoscope Investig. Otolaryngol. 8: 1–8, 2023.
77. Inui-H, Ito-T, Sakamoto-T, Kitahara-T. Magnetic resonance imaging of endolymphatic spaces in patients with long-lasting benign paroxysmal positional vertigo: volume ratio and distribution rate in the inner ear. Acta Otolaryngol. 142: 113–117, 2022.
78. Fujita-H, Kitahara-T, Koizumi-T, Ito-T, Inui-H, Kakudo-M. Investigation of endolymphatic hydrops positivity rates in patients with recurrent audiovestibular symptoms by inner ear MRI. Auris Nasus Larynx 49: 188–194, 2022.
79. Sakagami-M, Wada-Y, Shiozaki-T, Ota-I, Kitahara-T. Results in subjective visual vertical tests in patients with vertigo/dizziness. Auris Nasus Larynx 49: 342–346, 2022.
80. Iwasa Y, Nishio S, Sugaya A, Yoshimura H, Kataoka Y, Maeda Y, Kanda Y, Nagai K, Naito Y, Yamazaki H, Ikezono T, Matsuda H, Nakai M, Tona R, Sakurai Y, Motegi R, Takeda H, Kobayashi M, Kihara C, Ishino T, Morita S, Iwasaki S, Takahashi M, Furutate S, Ola S, Kubota T, Arai Y, Kobayashi Y, Kikuchi D, Shintani T, Ogasawara N, Honkura Y, Izumi S, Hyogo M, Ninoyu Y, Suematsu M, Nakayama J, Tsuchihashi N, Okami M, Sakata H, Yoshihashi H, Kobayashi T, Kumakawa K, Yoshida T, Usami S: Detailed clinical features and genotype-phenotype correlation in an OTOF related hearing loss cohort in Japan. Human Genetics 141: 865–875, 2022. DOI: 10.1007/s00439-021-02351-7
81. Nishio S, Moteki H, Miyagawa M, Yamasoba T, Kashio A, Iwasaki S, Takahashi M, Naito Y, Fujiwara K, Sugaya A, Takahashi H, Kitaoka K, Usami S: Etiology of hearing loss affects auditory skill development and vocabulary development in pediatric cochlear implantation cases. ACTA OTO-LARYNGOLOGICA 142: 3–4: 308–315, 2022. DOI: 10.1080/00016489.2022.2065027
82. Tobe Y, Yamazaki H, Shirakawa C, Shinohara S, Fujiwara K, Naito Y: Management of Already Inserted Ventilation Tubes During Pediatric Cochlear Implantation: To Remove or Leave the Tube? Otol Neurotol 44; 3: e140–e145, 2023. DOI: 10.1097/MAO.0000000000003797
83. 安本眞美, 山崎博司, 藤原敬三, 濱口清海, 道田哲彦, 戸部陽太, 上田啓史, 内藤泰: 後期高齢者における人工内耳の長期的有用性と問題点. Otol Jpn 32; 3:328–332, 2022.
84. 玉谷輪子, 山崎博司, 山崎朋子, 藤井直子, 諸頭三郎, 藤原敬三, 内藤 泰: Custom

Sound® Pro を使用した人工内耳の患者在宅マッピング. *Audiology Japan* 66: 44–48, 2023.

85. 内藤 泰: 人工内耳による医療. 赤ちゃんの聞こえで要精査と言わいたら－新生児聴覚スクリーニング後の精密検査と医療・教育－ (内藤 泰、諸頭三郎編). 厚生労働省聴覚障害児支援中核機能モデル事業, 神戸市, 2023, pp. 15–17.
86. 諸頭三郎: 難聴児の療育について(1)難聴児の療育とは. 赤ちゃんの聞こえで要精査と言わいたら－新生児聴覚スクリーニング後の精密検査と医療・教育－ (内藤 泰、諸頭三郎編). 厚生労働省聴覚障害児支援中核機能モデル事業, 神戸市, 2023, pp. 18–19.
87. 山崎朋子: (2)難聴児療育の実際について. 神戸市立医療センター中央市民病院. 赤ちゃんの聞こえで要精査と言わいたら－新生児聴覚スクリーニング後の精密検査と医療・教育－ (内藤 泰、諸頭三郎編). 厚生労働省聴覚障害児支援中核機能モデル事業, 神戸市, 2023, pp. 25–26.
88. Maeda Y, Kojima H, Omichi R, 15-year follow-up for steroid-responsive, fluctuating hearing loss in the ear with endolymphatic hydrops confirmed by magnetic resonance imaging. *Auris Nasus Larynx* 2023 Online ahead of print.
89. Takafumi Matsuura, Kazuma Sugahara, Yohei Yamamoto, Junko Tsuda, Makoto Hashimoto, Hiroshi Yamashita. Prevention of progressive hearing loss in a mouse model of diabetes by oral intake of eicosapentaenoic acid ethyl ester. *Acta Oto-Laryngologica*. 143(2):113–120, 2023.
90. Makoto Hashimoto, Izumi Koizuka, Hiroshi Yamashita, Mamoru Suzuki, Koichi Omori, Hideki Origasa, Noriaki Takeda, Hideo Shojaku. Diagnostic and therapeutic strategies for vestibular neuritis of the Japan society for equilibrium research. *Auris Nasus Larynx*:2022.
91. 山本陽平, 菅原一真, 橋本 誠, 山下裕司. 鼓膜原発と考えられた中耳カルチノイドの1例. *耳鼻咽喉科・頭頸部外科*. 94(3):276–281, 2022.
92. 菅原一真, 山下裕司. 特集 帰しちゃいけない! 外来診療のピットフォール 《本当はこわい耳疾患》 めまい-前下小脳動脈症候群/Wallenberg 症候群(延髄外側症候群). *耳鼻咽喉科・頭頸部外科*. 94(9):716–718, 2022.
93. 菅原一真, 山下裕司. 特集 薬にまつわる疑問に答える 耳鼻咽喉科頭頸部外科の症状別の薬 急性感音難聴. *JOHNS*. 38(9):1187–1189, 2022.
94. Iwasa YI, Nishio SY, Yoshimura H, Sugaya A, Kataoka Y, Maeda Y, Kanda Y, Nagai K, Naito Y, Yamazaki H, Ikezono T, Matsuda H, Nakai M, Tona R, Sakurai Y, Motegi R, Takeda H, Kobayashi M, Kihara C, Ishino T, Morita SY, Iwasaki S, Takahashi M, Furutate S, Oka SI, Kubota T, Arai Y, Kobayashi Y, Kikuchi D, Shintani T, Ogasawara N, Honkura Y, Izumi S, Hyogo M, Ninoyu Y, Suematsu M, Nakayama J, Tsuchihashi N, Okami M, Sakata H, Yoshihashi H, Kobayashi T,

- Kumakawa K, Yoshida T, Esaki T, Usami SI. Correction to: Detailed clinical features and genotype–phenotype correlation in an OTOF-related hearing loss cohort in Japan. *Hum Genet.* 2022 Apr;141(3–4):993–995. doi: 10.1007/s00439–021–02392–y. Erratum for: *Hum Genet.* 2022 Apr;141(3–4):865–875.
95. Matsuura K, Yoshimura H, Shinagawa J, Kurozumi M, Takumi Y. Audiological Features in 63 Patients With Cochlear Nerve Deficiency. *Otol Neurotol.* 2022 Jan 1;43(1):23–28.
96. 高橋 優宏, 岩崎 聰, 吉村 豪兼, 古館 佐起子, 岡 晋一郎, 西尾 信哉, 宇佐美 真一: 一側伝音・混合性難聴に対する人工中耳(Vibrant Soundbridge:VSB)装用効果の検討. *Otology Japan*(0917–2025)32巻1号 Page129–135(2022. 02)
97. 吉村豪兼, 工 穢: 実例から学ぶ医学統計 先天性難聴の疫学研究と原因遺伝子解析 Usher症候群を中心に. *JOHNS* 38巻6号 P647–650 (2022. 06)
98. Takeda R, Yamaguchi T, Hayashi S, Sano S, Kawame H, Kanki S, Taketani T, Yoshimura H, Nakamura Y, Kosho T. Clinical and molecular features of patients with COL1-related disorders: Implications for the wider spectrum and the risk of vascular complications. *Am J Med Genet A.* 2022 Sep;188(9):2560–2575.
99. Iwasa Y, Klimara MJ, Yoshimura H, Walls WD, Omichi R, West CA, Shibata SB, Ranum PT, Smith RJ. Mutation-agnostic RNA interference with engineered replacement rescues *Tmc1*-related hearing loss. *Life Sci Alliance.* 2022 Dec 27;6(3):e202201592.
100. 工 穢. 人工聴覚器の特徴と限界 適切な選択と聴力像について. *耳鼻臨床*, 115, 727–732, 2022.
101. 工 穢. 【知っておくべき周産期・新生児領域の遺伝学的検査を展望する】遺伝性難聴. *周産期医学*, 52, 705–710, 2022.