

## 研究成果の刊行に関する一覧

Yoshihiro Nakata, Hirotaka Ode, Mai Kubota, Takaaki Kasahara, Kazuhiro Matsuoka, Atsuko Sugimoto, Mayumi Imahashi, Yoshiyuki Yokomaku, Yasumasa Iwatani. Cellular APOBEC3A deaminase drives mutations in the SARS-CoV-2 genome. *Nucleic Acids Res.* 2023 Jan 25;51(2):783-795. doi: 10.1093/nar/gkac1238.

Mori M, Ode H, Kubota M, Nakata Y, Kasahara T, Shigemi U, Okazaki R, Matsuda M, Matsuoka K, Sugimoto A, Hachiya A, Imahashi M, Yokomaku Y, Iwatani Y. Nanopore Sequencing for Characterization of HIV-1 Recombinant Forms. *Microbiol Spectr.* 2022 Aug 31;10(4):e0150722. doi: 10.1128/spectrum.01507-22. Epub 2022 Jul 27. PMID: 35894615; PMCID: PMC9431566.

Hirotaka Ode, Yoshihiro Nakata, Mami Nagashima, Masaki Hayashi, Takako Yamazaki, Hiroyuki Asakura, Jun Suzuki, Mai Kubota, Kazuhiro Matsuoka, Masakazu Matsuda, Mikiko Mori, Atsuko Sugimoto, Mayumi Imahashi, Yoshiyuki Yokomaku, Kenji Sadamasu, Yasumasa Iwatani. Molecular epidemiological features of SARS-CoV-2 in Japan, 2020-1. *Virus Evol.* 2022;8(1):veac034. doi:10.1093/ve/veac034. eCollection 2022.

Shigemi U, Yamamura Y, Matsuda M, Okazaki R, Kubota M, Ibe S, Nemoto M, Maejima-Kitagawa M, Sukegawa S, Imahashi M, Kikuchi T, Sugiura W, Iwatani Y, Hachiya A, Yokomaku Y; Japanese Drug Resistance HIV-1 Surveillance Network. Evaluation of the Geenius HIV 1/2 confirmatory assay for HIV-2 samples isolated in Japan. *J Clin Virol.* 2022 Jul;152:105189. doi: 10.1016/j.jcv.2022.105189. Epub 2022 May 21. PMID: 35640401.

Ara T, Endo T, Goto H, Kasahara K, Hasegawa Y, Yokoyama S, Shiratori S, Nakagawa M, Kuwahara K, Takakuwa E, Hashino S, Teshima T. Antiretroviral therapy achieved metabolic complete remission of hepatic AIDS related Epstein-Barr virus-associated smooth muscle tumor. *Antiviral Therapy.* 27: 13596535221126828. DOI: 10.1177/13596535221126828, 2022

Fukushima A, Iwasaki K, Hishimura R, Matsubara S, Joutoku Z, Matsuoka M, Endo T, Onodera T, Kondo E, Iwasaki N. Three-stage total knee arthroplasty combined with deformity correction and leg lengthening using Taylor spatial frames and conversion to internal fixation for severe intra- and extra-articular deformities and hypoplasia in a patient with hemophilic knee arthropathy: A case report. *Knee.* 40:90-96, 2022

Kawatsu L, Kaneko N, Imahashi M, Kamada K, Uchimura K. Practices and attitudes towards tuberculosis and latent tuberculosis infection screening in people living with HIV/AIDS among HIV physicians in Japan. *AIDS Res Ther.* Dec 3 2022;19(1):60. doi:10.1186/s12981-022-00487-8

Keiji Nogami, Masashi Taki, Tadashi Matsushita, Tetsuhito Kojima, Toshiaki Oka, Shouichi Ohga, Kiyoshi Kawakami, Michio Sakai, Takashi Suzuki, Satoshi Higasa, Yasuo Horikoshi, Keiko Shinozawa, Shogo Tamura, Koji Yada, Masue Imaizumi, Yoshitoshi Ohtsuka, Fuminori Iwasaki, Masao Kobayashi, Junki Takamatsu, Hideyuki Takedani, Hisaya Nakadate, Yoko Matsuo, Takeshi Matsumoto, Teruhisa Fujii, Katsuyuki Fukutake, Akira Shirahata, Akira Yoshioka, Midori Shima, J-HIS2 study group: Clinical conditions and risk factors for inhibitor-development in patients with haemophilia: A decade-long prospective cohort study in Japan, J-HIS2 (Japan Hemophilia Inhibitor Study 2). *haemophilia.* 28(5): 745-759, 2022.

Tomie Fujii, Teruhisa Fujii, Yukiko Miyakoshi. Mothers' strategies for supporting daughters who are potential haemophilia carriers. *haemophilia.* 28(2): e91-94, 2022.

Naoya Yamasaki, Teruhisa Fujii. Perioperative Management of Hemophilia A With Recombinant VIII-SingleChain: A Case Series. *J Curr Surg*. 12(1): 15-20, 2022.

Nojiri S, Irie Y, Kanamori R, Naito T, Nishizaki Y. Mortality Prediction of COVID-19 in Hospitalized Patients Using the 2020 Diagnosis Procedure Combination Administrative Database of Japan. *Intern Med*. 2023;62(2):201-13.

Watanabe J, Ihara H, Takei S, Nakamura A, Fujimoto Y, Handoh T, et al. The synergetic effect of sitafloxacin-arbekacin combination in the Mycobacterium abscessus species. *Sci Rep*. 2023;13(1):2027.

Takahashi M, Saito K, Ai T, Nojiri S, Khasawneh A, Paran FJ, et al. Performance evaluation of the Ortho VITROS SARS-CoV-2 Spike-Specific Quantitative IgG test by comparison with the surrogate virus neutralizing antibody test and clinical assessment. *PLoS One*. 2023;18(1):e0279779.

Yokokawa H, Suzuki M, Aoki N, Sato Y, Naito T. Achievement of target blood pressure among community residents with hypertension and factors associated with therapeutic failure in the northern territory of Japan. *J Int Med Res*. 2022;50(10):3000605221126878.

Yan Y, Tomooka K, Naito T, Tanigawa T. Decreased number of inpatients with community-acquired pneumonia during the COVID-19 pandemic: A large multicenter study in Japan. *J Infect Chemother*. 2022;28(5):709-13.

Yan Y, Naito T, Tabe Y, Ito K, Nojiri S, Deshpande GA, et al. Increased delta variant SARS-CoV-2 infections in a highly vaccinated medical center in Japan. *Vaccine*. 2022;40(23):3103-8.

Wang X, Schmerold L, Naito T. Real-world medication persistence among HIV-1 patients initiating integrase inhibitor-based antiretroviral therapy in Japan. *J Infect Chemother*. 2022.

Wang QS, Edahiro R, Namkoong H, Hasegawa T, Shirai Y, Sonehara K, et al. The whole blood transcriptional regulation landscape in 465 COVID-19 infected samples from Japan COVID-19 Task Force. *Nat Commun*. 2022;13(1):4830.

Tsuchiya K, Yamamoto N, Hosaka Y, Wakita M, Hiki M, Matsushita Y, et al. Molecular characterization of SARS-CoV-2 detected in Tokyo, Japan during five waves: Identification of the amino acid substitutions associated with transmissibility and severity. *Front Microbiol*. 2022;13:912061.

Tsuchiya K, Hosaka Y, Takahashi T, Chonan M, Makita Y, Katayama I, et al. Meals and Room Temperature Storage do not Significantly Affect Feasibility of Direct RT-PCR Tests for SARS-CoV-2 Using Saliva. *Clin Lab*. 2022;68(6).

Takei S, Ai T, Yamamoto T, Igawa G, Kanno T, Tobiume M, et al. Performance evaluation of the Roche Elecsys® Anti-SARS-CoV-2 immunoassays by comparison with neutralizing antibodies and clinical assessment. *PLoS One*. 2022;17(9):e0274181.

Takahashi M, Ai T, Sinozuka K, Baba Y, Igawa G, Nojiri S, et al. Activation of SARS-CoV-2 neutralizing antibody is slower than elevation of spike-specific IgG, IgM, and nucleocapsid-specific IgG antibodies. *Sci Rep*. 2022;12(1):14909.

Sasano H, Yoshizawa T, Suzuki M, Fukui Y, Arakawa R, Tamura N, et al. A Case of Persistent *Bacillus cereus* Bacteremia Responding to a Combination of Vancomycin and Gentamicin. *Case Rep Infect Dis*. 2022;2022:8725102.

Saita M, Yan Y, Ito K, Sasano H, Seyama K, Naito T. Reactogenicity following two doses of the BNT162b2 mRNA COVID-19 vaccine: Real-world evidence from healthcare workers in Japan. *J Infect Chemother*. 2022;28(1):116-9.

Prasertbun R, Mori H, Mahittikorn A, Siri S, Naito T. Pneumonia, influenza, and dengue cases decreased after the COVID-19 pandemic in Thailand. *Trop Med Health*. 2022;50(1):27.

Nojiri S, Irie Y, Kanamori R, Naito T, Nishizaki Y. Mortality Prediction of COVID-19 in Hospitalized Patients Using the 2020 Diagnosis Procedure Combination Administrative Database of Japan. *Intern Med*. 2022.

Nishiyama M, Osawa K, Nakamura A, Kawakami T, Chonan M, Misawa S, et al. The 24-h reporting of Gram stains from positive blood cultures contributes to physician's use of appropriate antimicrobials: Experience at a university hospital. *J Infect Chemother*. 2022;28(6):836-9.

Nishida Y, Mita T, Hiki M, Matsushita Y, Naito T, Watada H. Retrospective Study on the Effects of Glucose Abnormality on COVID-19 Outcomes in Japan. *Diabetes Ther*. 2022;13(2):325-39.

Niimi N, Taga K, Miyagami T, Naito T, Mitaka C. Rhabdomyolysis secondary to hypervirulent *Klebsiella pneumoniae* infection: A case report. *Clin Case Rep*. 2022;10(12):e6764.

Namkoong H, Edahiro R, Takano T, Nishihara H, Shirai Y, Sonehara K, et al. *DOCK2* is involved in the host genetics and biology of severe COVID-19. *Nature*. 2022.

Naito T, Tsuchida N, Kusunoki S, Kaneko Y, Tobita M, Hori S, et al. Reactogenicity and immunogenicity of BNT162b2 or mRNA-1273 COVID-19 booster vaccinations after two doses of BNT162b2 among healthcare workers in Japan: a prospective observational study. *Expert Rev Vaccines*. 2022:1-11.

Naito T, Mori H, Fujibayashi K, Fukushima S, Yuda M, Fukui N, et al. Syphilis in people living with HIV does not account for the syphilis resurgence in Japan. *J Infect Chemother*. 2022.

Naito T, Fujibayashi K, Mori H, Fukushima S, Yuda M, Fukui N, et al. Delayed diagnosis of human immunodeficiency virus infection in people diagnosed with syphilis: A nationwide cohort study from 2011 to 2018 in Japan. *J Infect Chemother*. 2022;28(2):333-5.

Naito T. Will the Introduction of the Hospitalist System Save Japan? *Intern Med*. 2022.

Mori H, [Naito T](#). A rapid increase in the COVID-19 vaccination rate during the Olympic and Paralympic Games 2021 in Japan. *Hum Vaccin Immunother*. 2022;18(1):2010440.

Miyagami T, Nakayama I, [Naito T](#). What Causes Diagnostic Errors? Referred Patients and Our Own Cognitive Biases: A Case Report. *Am J Case Rep*. 2022;23:e935163.

Miyagami T, Kushiro S, Arikawa M, Murakami K, [Naito T](#). A Case of Infective Endocarditis Associated With Patent Ductus Arteriosus in Which PET/CT Was Useful for Diagnosis. *Clin Nucl Med*. 2022;47(9):832-3.

Mine Y, Miyagami T, Furuya S, Kondo Y, [Naito T](#). Aseptic Meningitis With an Isolated Positive Ocular Globe Compression Sign Diagnosed by Repeat Lumbar Puncture. *Cureus*. 2022;14(11):e32036.

Lee H, Chubachi S, Namkoong H, Asakura T, Tanaka H, Otake S, et al. Characteristics of hospitalized patients with COVID-19 during the first to fifth waves of infection: a report from the Japan COVID-19 Task Force. *BMC Infect Dis*. 2022;22(1):935.

Komori A, Mori H, [Naito T](#). The impact of the COVID-19 pandemic on other infections differs by their route of transmission: A retrospective, observational study in Japan. *J Infect Chemother*. 2022;28(12):1700-3.

Kano N, Fukui S, Kushiro S, Inui A, Saita M, Kura Y, et al. Basophilic stippling in red blood cells in the bone marrow: indication for lead poisoning diagnosis. *J Int Med Res*. 2022;50(2):3000605221078405.

Kagiyama N, Komatsu T, Nishikawa M, Hiki M, Kobayashi M, Matsuzawa W, et al. Impact of a telemedicine system on work burden and mental health of healthcare providers working with COVID-19: a multicenter pre-post prospective study. *JAMIA Open*. 2022;5(2):ooac037.

Jimbo H, Horimoto Y, Hiki M, Tabe Y, Watanabe J, Saito M, et al. Successful treatment with steroid pulse therapy for a COVID-19 case with progressive respiratory failure during treatment for pleural metastasis of breast cancer. *Surg Case Rep*. 2022;8(1):96.

Igawa G, Ai T, Yamamoto T, Ito K, Nojiri S, Saito K, et al. Antibody response and seroprevalence in healthcare workers after the BNT162b2 vaccination in a University Hospital at Tokyo. *Sci Rep*. 2022;12(1):8707.

Honjo S, Miyagami T, Suzuki M, Ito A, [Naito T](#). Rare presentation of emphysematous pyelonephritis due to faulty catheter insertion. *Clin Case Rep*. 2022;10(8):e6251.

Hisamatsu D, Ikeda A, Ito L, Matsushita Y, Hiki M, Mori H, et al. Longitudinal Analyses after COVID-19 Recovery or Prolonged Infection Reveal Unique Immunological Signatures after Repeated Vaccinations. *Vaccines (Basel)*. 2022;10(11).

Heissig B, Salama Y, Iakoubov R, Vehreschild JJ, Rios R, Nogueira T, et al. COVID-19 Severity and Thrombo-Inflammatory Response Linked to Ethnicity. *Biomedicines*. 2022;10(10).

Hasegawa T, Hato T, Okayama T, Ikeo K, Miyamoto Y, Iwanaga N, et al. Th1 cytokine endotype discriminates and predicts severe complications in COVID-19. *Eur Cytokine Netw*. 2022;33(2):1-12.

- Haba Y, [Naito T](#). Acrocyanosis Secondary to Esophageal Cancer. *J Gen Intern Med*. 2022.
- Haba Y, [Naito T](#). Pneumomediastinum in a cheerleading student. *Clin Case Rep*. 2022;10(7):e6053.
- Haba Y, [Naito T](#). Psittacosis with a reversed halo sign. *Indian J Med Res*. 2022.
- Haba Y, Akizuki H, Hashiguchi N, [Naito T](#). Hypoprothrombinemia During Cefmetazole Treatment: A Case Report. *Am J Case Rep*. 2022;23:e936712.
- Gohda T, Murakoshi M, Suzuki Y, Hiki M, [Naito T](#), Takahashi K, et al. Circulating tumor necrosis factor receptors are associated with mortality and disease severity in COVID-19 patients. *PLoS One*. 2022;17(10):e0275745.
- Furuya S, Fukui S, Maekawa Y, Aoki N, Inui A, [Naito T](#). *Paragonimus westermani* as a cause of Löeffler's syndrome. *IDCases*. 2022;27:e01427.
- Furusaka T, Miyagami T, Suzuki M, [Naito T](#). Uncommon presentation of Kikuchi disease. *Clin Case Rep*. 2022;10(4):e05673.
- Fukushima T, Chubachi S, Namkoong H, Asakura T, Tanaka H, Lee H, et al. Clinical significance of pre-diabetes, undiagnosed diabetes, and diagnosed diabetes on clinical outcomes in COVID-19: Integrative analysis from the Japan COVID-19 Task Force. *Diabetes Obes Metab*. 2022.
- Fukui S, Kushiro S, Kano N, Yamamoto Y, Furusaka T, Aoki N, et al. *Streptococcus bovis* as a cause of uncontrollable colon bleeding. *IDCases*. 2022;29:e01547.
- Fukui S, Kobayashi D, Inui A, Katahira T, Komatsu R, Sugita M, et al. Clinical prediction rules for COVID-19: Using a Chi-squared automatic interaction detector (CHAID) decision tree analysis model. *J Hosp Gen Med*. 2022;4(3):125-43.
- Fukui S, Inui A, Saita M, Kobayashi D, [Naito T](#). Clinical prediction rule for bacteremia with pyelonephritis and hospitalization judgment: chi-square automatic interaction detector (CHAID) decision tree analysis model. *J Int Med Res*. 2022;50(1):3000605211065658.
- Fukui S, Inui A, Saita M, Kobayashi D, [Naito T](#). Comparison of the clinical parameters of patients with COVID-19 and influenza using blood test data: a retrospective cross-sectional survey. *J Int Med Res*. 2022;50(2):3000605221083751.
- Fujisawa T, Fukuda H, Sakamoto N, Hojo M, Tomishima K, Ishii S, et al. Relief Effect of Carbon Dioxide Insufflation in Transnasal Endoscopy for Health Checks-A Prospective, Double-Blind, Case-Control Trial. *J Clin Med*. 2022;11(5).
- Arikawa M, Takahashi Y, Kano N, Yamada K, Ando J, Ochiai T, et al. Bilateral Adrenal Primary Malignant Lymphoma with Inappropriate Secretion of Antidiuretic Hormone. *J Hosp Gen Med*. 2022;4(4):178-83.

Yokokawa H, Fukuda H, Saita M, Goto K, Kaku T, Miyagami T, et al. An association between visceral or subcutaneous fat accumulation and diabetes mellitus among Japanese subjects. *Diabetol Metab Syndr*. 2021;13(1):44.

遠藤知之、後藤秀樹、荒 隆英、長谷川祐太、横山翔大、高橋承吾、米田和樹、橋本大吾、橋野 聡、豊嶋崇徳。 HIV関連悪性リンパ腫の臨床的特徴。 *日本エイズ学会誌*. 24: 13-20, 2022.

渡邊 大。 あなたに知ってほしいこと。 大阪。 P1-14, 2023

井上暢子、山崎尚也、梶原亨子、藤井輝久。 抗ウイルス療法開始後に自己免疫性溶血性貧血を発症したHIV感染症の1例。 *日臨検医誌*. 70(3): 200-203, 2022.

石井聡一郎、阿部憲介、榎田崇志、大道淳二、近藤 旭、藤井健司、田中まりの、大東敏和、藤井輝久、畝井浩子、矢倉裕輝、松尾裕彰。 学校薬剤師におけるHIV感染症/AIDSをはじめとした性感染症予防啓発活動の実態調査。 *日本薬剤師会雑誌*. 74(10):1123-1128, 2022.

藤井宝恵、柊中智恵子、兵頭麻希、折山早苗、藤井輝久。 血友病保因者への遺伝カウンセリングの実態。 *日本遺伝看護学会誌*. 20(2): 35-42, 2022.

矢倉裕輝、根本英一。 抗ウイルス薬。 *Evidence Update 2023*. 南山堂。 東京。 111-115, 2023

矢倉裕輝、松岡武志。 Q&A形式Case Study。 *HIV感染症とAIDSの治療*。 メディカルレビュー社。 東京。 32-35, 2022

日ノ下文彦。 5) 透析室の感染管理と患者治療 2) 血液感染 (肝炎ウイルス・HIV)。 「腎と透析」編集委員会。 *腎代替療法のすべて*。 東京医学社。 東京。 332-336, 2022

日ノ下文彦。 HIV透析ネットワークの現状と課題。 *日本透析医会雑誌*. 37(2), 213-219, 2022