

## 研究成果の刊行に関する一覧

Yoshihiro Nakata, Hirotaka Ode, Mai Kubota, Takaaki Kasahara, Kazuhiro Matsuoka, Atsuko Sugimoto, Mayumi Imahashi, Yoshiyuki Yokomaku, Yasumasa Iwatani. Cellular APOBEC3A deaminase drives mutations in the SARS-CoV-2 genome. *Nucleic Acids Res.* 2023 Jan 25;51(2):783-795. doi: 10.1093/nar/gkac1238.

Mori M, Ode H, Kubota M, Nakata Y, Kasahara T, Shigemi U, Okazaki R, Matsuda M, Matsuoka K, Sugimoto A, Hachiya A, Imahashi M, Yokomaku Y, Iwatani Y. Nanopore Sequencing for Characterization of HIV-1 Recombinant Forms. *Microbiol Spectr.* 2022 Aug 31;10(4):e0150722. doi: 10.1128/spectrum.01507-22. Epub 2022 Jul 27. PMID: 35894615; PMCID: PMC9431566.

Hirotaka Ode, Yoshihiro Nakata, Mami Nagashima, Masaki Hayashi, Takako Yamazaki, Hiroyuki Asakura, Jun Suzuki, Mai Kubota, Kazuhiro Matsuoka, Masakazu Matsuda, Mikiko Mori, Atsuko Sugimoto, Mayumi Imahashi, Yoshiyuki Yokomaku, Kenji Sadamasu, Yasumasa Iwatani. Molecular epidemiological features of SARS-CoV-2 in Japan, 2020-1. *Virus Evol.* 2022;8(1):veac034. doi:10.1093/ve/veac034. eCollection 2022.

Shigemi U, Yamamura Y, Matsuda M, Okazaki R, Kubota M, Ibe S, Nemoto M, Maejima-Kitagawa M, Sukegawa S, Imahashi M, Kikuchi T, Sugiura W, Iwatani Y, Hachiya A, Yokomaku Y; Japanese Drug Resistance HIV-1 Surveillance Network. Evaluation of the Geenius HIV 1/2 confirmatory assay for HIV-2 samples isolated in Japan. *J Clin Virol.* 2022 Jul;152:105189. doi: 10.1016/j.jcv.2022.105189. Epub 2022 May 21. PMID: 35640401.

Matsuoka K, Imahashi N, Ohno M, Ode H, Nakata Y, Kubota M, Sugimoto A, Imahashi M, Yokomaku Y, Iwatani Y. SARS-CoV-2 accessory protein ORF8 is secreted extracellularly as a glycoprotein homodimer. *J Biol Chem.* 2022 Mar;298(3):101724. doi: 10.1016/j.jbc.2022.101724. Epub 2022 Feb 11.

Hachiya A, Kubota M, Shigemi U, Ode H, Yokomaku Y, Kirby KA, Sarafianos SG, Iwatani Y. Specific mutations in the HIV-1 G-tract of the 3'-polypurine tract cause resistance to integrase strand transfer inhibitors. *J Antimicrob Chemother.* 2022 Feb 23;77(3):574-577. doi: 10.1093/jac/dkab448.

Kasahara T, Imahashi M, Hashiba C, Mori M, Kogure A, Yokomaku Y, Hashimoto N, Iwatani Y, Hasegawa Y. Retrospective Analysis of the Efficacy of Early Antiretroviral Therapy in HIV-1-Infected Patients Coinfected with *Pneumocystis jirovecii*. *AIDS Res Hum Retroviruses.* 2021 Oct;37(10):754-760. doi: 10.1089/AID.2021.0025. Epub 2021 Aug 3.

Hashiba C, Imahashi M, Imamura J, Nakahata M, Kogure A, Takahashi H, Yokomaku Y. Factors Associated with Attrition: Analysis of an HIV Clinic in Japan. *J Immigr Minor Health.* 2021 Apr;23(2):250-256. doi: 10.1007/s10903-020-00982-y.

Kazuko Kikuchi, Toshiharu Komachi, Yoshinori Honma, Tomoyuki Endo, Keiko Watabe, Yoshiyuki Yokomaku, Chieko Hashiba, Masahiro Yamamoto, Yukiko Nagayo, Toshihiro Ito, Junji Imamura, Tomoko Suzuki, Junko Fujitani. Survey of motor function and activities of daily living in hemophilia patients with HIV. *GHM Open.* 2021. Volume 1 Issue 1 Pages 20-27. doi: <https://doi.org/10.35772/ghmo.2021.01007>.

Noboru Urata, Tsunamasa Watanabe, Noboru Hirashima, Yoshiyuki Yokomaku, Junji Imamura, Yasumasa Iwatani, Masaaki Shimada and Yasuhito Tanaka. Cytokines and Chemokines Involved in Hepatitis B Surface Antigen Loss in Human Immunodeficiency Virus/Hepatitis B Virus Coinfected Patients. *J. Clin. Med.* 10(4), 833.2021. doi:10.3390/jcm10040833.

Imahashi M, Ode H, Kobayashi A, Nemoto M, Matsuda M, Hashiba C, Hamano A, Nakata Y, Mori M, Seko K, Nakahata M, Kogure A, Tanaka Y, Sugiura W, Yokomaku Y, Iwatani Y. Impact of long-term antiretroviral therapy on gut and oral microbiotas in HIV-1-infected patients. *Scientific Reports*. 11(1):960. doi: 10.1038/s41598-020-80247-8. 2021.

Shiroishi-Wakatsuki T, Maejima-Kitagawa M, Hamano A, Murata D, Sukegawa S, Matsuoka K, Ode H, Hachiya A, Imahashi M, Yokomaku Y, Nomura N, Sugiura W, Iwatani Y. Discovery of 4-oxoquinolines, a new chemical class of anti-HIV-1 compounds. *Antiviral research*. 162:101-9.2019.

Ode H, Kobayashi A, Matsuda M, Hachiya A, Imahashi M, Yokomaku Y, Iwatani Y. Identifying integration sites of the HIV-1 genome with intact and aberrant ends through deep sequencing. *Journal of virological methods*. 267:59-65.2019.

Matsuoka T, Nagae T, Ode H, Awazu H, Kurosawa T, Hamano A, Matsuoka K, Hachiya A, Imahashi M, Yokomaku Y, Watanabe N, Iwatani Y. Structural basis of chimpanzee APOBEC3H dimerization stabilized by double-stranded RNA. *Nucleic acids research*. 46(19):10368-79.2018.

Imahashi M, Yokomaku Y. Middle-aged man with symmetrical lesions in his throat. *European journal of internal medicine*. 55:e7-e8.2018.

Ara T, Endo T, Goto H, Kasahara K, Hasegawa Y, Yokoyama S, Shiratori S, Nakagawa M, Kuwahara K, Takakuwa E, Hashino S, Teshima T. Antiretroviral therapy achieved metabolic complete remission of hepatic AIDS related Epstein-Barr virus-associated smooth muscle tumor. *Antiviral Therapy* 27: 13596535221126828. DOI: 10.1177/13596535221126828, 2022

Fukushima A, Iwasaki K, Hishimura R, Matsubara S, Joutoku Z, Matsuoka M, Endo T, Onodera T, Kondo E, Iwasaki N. Three-stage total knee arthroplasty combined with deformity correction and leg lengthening using Taylor spatial frames and conversion to internal fixation for severe intra- and extra-articular deformities and hypoplasia in a patient with hemophilic knee arthropathy: A case report. *Knee*. 40:90-96, 2022

Kensuke Abe, Taku Obara, Satomi Kamio, Asahi Kondo, Junji Imamura, Tatsuya Goto, Toshihiro Ito, Hiroshi Sato, Nobuyuki Takahashi. Renal function in Japanese HIV-1-positive patients who switch to tenofovir alafenamide fumarate after long-term tenofovir disoproxil fumarate. *AIDS Research and Therapy volume 18*, Article number:94(2021). (<https://www.researchsquare.com/article/rs-265066/v1>)

Yuuki Bamba, Kei Nagano, Hiroshi Moro, Hideyuki Ogata, Mariko Hakamata, Satoshi Shibata, Takeshi Koizumi, Nobumasa Aoki, Yasuyoshi Ohshima, Satoshi Watanabe, Takeshi Nakamura, Sugako Kobayashi, Yoshiki Hoshiyama, Toshiyuki Koya, Toshinori Takada, Toshiaki Kikuchi. Efficacy of the new  $\beta$ -D-glucan measurement kit for diagnosing invasive fungal infections, as compared with that of four conventional kits *PLOS ONE* 16(8) e0255172, 2021

Hakamata M, Takihara H, Iwamoto T, Tamaru A, Hashimoto A, Tanaka T, Kaboso SA, Gebretsadik G, Ilinov A, Yokoyama A, Ozeki Y, Nishiyama A, Tateishi Y, Moro H, Kikuchi T, Okuda S, Matsumoto S. Higher genome mutation rates of Beijing lineage of *Mycobacterium tuberculosis* during human infection. *Scientific Reports* 2020 17997

Ando N, Mizushima D, Watanabe K, Takano M, Shiojiri D, Uemura H, Aoki T, Yanagawa Y, Kikuchi Y, Oka S, and Gatanaga H. Modified self-obtained pooled sampling to screen for Chlamydia trachomatis and Neisseria gonorrhoeae infection in men who have sex with men. *Sex Trans Infect*. 2021 Aug;97(5):324-328. doi: 10.1136/sextrans-2020-054666. Epub 2020 Oct 20.

Matsumoto S, Yamaoka K, Nguyen HDT, Nguyen DT, Nagai M, Tanuma J, Mizushima D, Nguyen KV, Pham TN, Oka S. Validation of the Brief Coping Orientation to Problem Experienced (Brief COPE) inventory in people living with HIV/AIDS in Vietnam. *Global Health and Medicine* 2(6): 374-383, 2020.

Uchitsubo K, Masuda J, Akazawa T, Inoue R, Tsukada K, Gatanaga H, Terakado H, Oka S. Nucleos(t)ide reverse transcriptase inhibitor-sparing regimens in the era of standard 3-drug combination therapies for HIV-1 infection. *Global Health and Medicine* 2(6): 384-387, 2020.

Nagai R, Kubota S, Ogata M, Yamamoto M, Tanuma J, Gatanaga H, Hara H, Oka S, Hiroi Y. Unexpected high prevalence of severe coronary artery stenosis in Japanese hemophiliacs living with HIV-1. *Global Health and Medicine* 2(6): 367-373, 2020.

Rizzardini G, Overton ET, Orkin C, Swindells S, Arasteh K, Górgolas M, Mora H, Pokrovsky V, Girard PM, Oka S, Villanueva JFA, Richmond GJ, Baumgarten A, Masiá MDM, Latiff G, Pharma GS, Harrington CM, Hudson KJ, Clair MS, Talarico C, Eygen VV, D' Amico R, Mrus JM, Wu S, Chow K, Roberts J, Vanveggel S, Margolis DA, Smith K, Spreen WR. Long-Acting Injectable Cabotegravir + Rilpivirine Through 48 Weeks of Maintenance Therapy in the Phase 3 ATLAS and FLAIR Trials: Pooled Analysis. *JAIDS* 85(4): 498-506, 2020.

Mizushima D, Takano M, Uemura H, Yanagawa Y, Aoki T, Watanabe K, Gatanaga H, Kikuchi Y, and Oka S. Efficacy of doxycycline 100 mg twice daily for 7 days and azithromycin 1 g single dose for the treatment of rectal Chlamydia trachomatis infection among men who have sex with men. *J Antimicrob Chemother*. 2021 Jan 19;76(2):495-498. doi: 10.1093/jac/dkaa437.

Yanagawa Y, Shimogawara R, Endo T, Fukushima R, Gatanaga H, Hayasaka K, Kikuchi Y, Kobayashi T, Koga M, Koibuchi T, Miyagawa T, Nagata A, Nakata H, Oka S, Otsuka R, Sakai K, Shibuya M, Shingyochi H, Tsuchihashi E, Watanabe K, and Yagita K. Utility of the rapid antigen detection test, E. HISTOLYTICA QUIK CHEK, for the diagnosis of Entamoeba histolytica infection in non-endemic situations. *J Clin Microbiol* 58(11); e01991-20, 2020.

Chan CR, Uemura H, Kwan T, Ho W, Ngai S, Oka S, Chan DPC, Lee SS. Review on the molecular epidemiology of sexually acquired hepatitis C virus infection in the Asia-Pacific region. *JIAS* 23(9); e25618, 2020.

Zhang Y, Kuse N, Akahoshi T, Chikata T, Tran G, Gatanaga H, Oka S, Murakoshi H, Takiguchi M. Role of escape mutant-specific T cells in suppression of HIV-1 replication and co-evolution with HIV-1. *J Virol* 2020, 94 (19): e01151-20.

Yanagawa Y, Nagata N, Yagita K, Watanabe K, Okubo E, Kikuchi Y, Gatanaga H, Oka S, and Watanabe K. Clinical features and gut microbiome of asymptomatic Entamoeba histolytica infection. *Clin Infect Dis*. 2021 Nov 2;73(9):e3163-e3171. doi: 10.1093/cid/ciaa820.

Imai K, Kimura S, Kiryu Y, Watanabe A, Kinai E, [Oka S](#), Kikuchi Y, Kimura S, Ogata M, Takano M, Minamimoto R, Hotta M, Yokoyama K, Noguchi T, Komatsu K. Neurocognitive dysfunction and brain FDG-PET/CT findings in HIV-infected hemophilia patients and HIV-infected non-hemophilia patients. *PONE* 15(3): e0230292, 2020.

Ishida Y, Hayashida T, Sugiyama M, Uemura H, Tsuchiya K, Kikuchi Y, Mizokami M, [Oka S](#), Gatanaga H. Full-genome analysis of hepatitis C virus in HIV-coinfected hemophiliac Japanese patients. *Hepatol Res.* 2020; 50: 763-769.

Orkin C, Arasteh K, Hernández-Mora MG, Pokrovsky V, Overton ET, Girard PM, [Oka S](#), Walmsley S, Bettacchi C, Brinson C, Philibert P, Lombaard J, St Clair M, Crauwels H, Ford SL, Patel P, Chounta V, D'Amico R, Vanveggel S, Dorey D, Cutrell A, Griffith S, Margolis DA, Williams PE, Parys W, Smith KY, Spreen WR. Long-Acting Cabotegravir and Rilpivirine after Oral Induction for HIV-1 Infection. *N Engl J Med.* 2020 Mar 19;382(12):1124-1135.

Nishijima T, Inaba Y, Kawasaki Y, Tsukada K, Teruya K, Kikuchi Y, Gatanaga H, and [Oka S](#). Mortality and causes of death in people living with HIV in the era of combination antiretroviral therapy compared with general population in Japan. *AIDS* 34; 913-921, 2020.

Takano M, Jagdagsuren D, Gombo E, Bat-Erdene B, Dorjgotov M, Galsanjamts N, Zayasaikhan S, Takaku M, Sugiyama M, Mizokami M, Ichikawa S, [Oka S](#). Prevalence and incidence of HIV-1 infection in a community-based men who have sex with men (MSM) cohort in Ulaanbaatar, Mongolia. *Global Health & Medicine.* 2 (1); 33-38, 2020.

Mizushima D, Dung NTH, Dung NT, Matsumoto S, Tanuma J, Gatanaga H, Trung NV, Kinh NV, [Oka S](#). Dyslipidemia and cardiovascular disease in Vietnamese people with HIV on antiretroviral therapy. *Global Health & Medicine.* 2 (1); 39-43, 2020.

[Oka S](#), Ikeda K, Takano M, Ogane M, Tanuma J, Tsukada K, and Gatanaga H. Pathogenesis, clinical course, and recent issues in HIV-1-infected Japanese hemophiliacs: a three-decade follow-up. *Global Health & Medicine.* 2 (1); 9-17, 2020. (Review)

Yanagawa Y, Nagashima M, Gatanaga H, Kikuchi Y, [Oka S](#), Yokoyama K, Shinkai T, Sadamastu K, and Watanabe K. Seroprevalence of *Entamoeba histolytica* at a voluntary counselling and testing centre in Tokyo: a cross-sectional study. *BMJ Open* 2020; 10: e031605

Matsumoto S, Nguyen HD, Nguyen DT, Tran GV, Tanuma J, Mizushima D, Nguye KV; [Oka S](#). The patient voice: A survey of worries and anxieties during health system transition in HIV services in Vietnam. *BMC Int Heal Hum Right* 2(6); 374-383, 2020.

[Oka S](#), M Ogata, M Takano, R Minamimoto, M Hotta, T Tajima, N Nagata, K Tsukada, K Teruya, Y Kikuchi, H Gatanaga, the Cancer Screening in Hemophiliac/HIV Patient Study Group. Non-AIDS-defining malignancies in Japanese hemophiliacs with HIV-1 infection. *Global Health & Medicine* 2019 Nov;1(1): 49-54.

Kawatsu L, Kaneko N, Imahashi M, Kamada K, Uchimura K. Practices and attitudes towards tuberculosis and latent tuberculosis infection screening in people living with HIV/AIDS among HIV physicians in Japan. *AIDS Res Ther*. Dec 3 2022;19(1):60. doi:10.1186/s12981-022-00487-8

Kawatsu L, Uchimura K, Kaneko N, Imahashi M. Epidemiology of coinfection with tuberculosis and HIV in Japan, 2012-2020. *Western Pac Surveill Response J*. Jan-Mar 2022;13(1):1-8. doi:10.5365/wpsar.2022.13.1.896

Imahashi M, Fujimoto K, Kuhns LM, Amith M, Schneider JA. Network overlap and knowledge of a partner's HIV status among young men who have sex with men. *AIDS care*. 31(12):1533-9.2019.

Keiji Nogami, Masashi Taki, Tadashi Matsushita, Tetsuhito Kojima, Toshiaki Oka , Shouichi Ohga, Kiyoshi Kawakami, Michio Sakai, Takashi Suzuki , Satoshi Higasa, Yasuo Horikoshi, Keiko Shinozawa, Shogo Tamura, Koji Yada, Masue Imaizumi, Yoshitoshi Ohtsuka, Fuminori Iwasaki, Masao Kobayashi, Junki Takamatsu, Hideyuki Takedani, Hisaya Nakadate, Yoko Matsuo, Takeshi Matsumoto, Teruhisa Fujii, Katsuyuki Fukutake, Akira Shirahata, Akira Yoshioka, Midori Shima, J-HIS2 study group: Clinical conditions and risk factors for inhibitor-development in patients with haemophilia. *A decade-long prospective cohort study in Japan*. J-HIS2 (Japan Hemophilia Inhibitor Study 2). 28(5): 745-759, 2022.

Tomie Fujii, Teruhisa Fujii, Yukiko Miyakoshi. Mothers' strategies for supporting daughters who are potential haemophilia carriers. 28(2): e91-94, 2022.

Naoya Yamasaki, Teruhisa Fujii. Perioperative Management of Hemophilia A With Recombinant VIII-SingleChain: A Case Series. *J Curr Surg*. 12(1): 15-20, 2022.

Teruhisa Fujii, Yuko Kidoguchi, Noriko Takahashi, Eric Yu, Dilinuer Ainiwaer, Aidan Byrne. Budget impact analysis of Jivi® (damoctocog alfa pegol, BAY 94-9027) in severe Hemophilia A in Japan. *J Med Econom*. 24:1;218-225, 2021.

Shintani T, Fujii T, Shiba H, et al. Clinical Outcomes of Post-exposure Prophylaxis following Occupational Exposure to Human Immunodeficiency Virus at Dental Departments of Hiroshima University Hospital. *Curr HIV Res* 18:6;475-9, 2020.

Teruhisa Fujii, Tomie Fujii, Naoya Yamasaki, Seiji Saito. Weather changes leading to bleeding in arthropathic joints among individuals with haemophilia: symptoms of meteoropathy? *Haemophilia*. 26:6;e346-8, 2020.

Teruhisa Fujii, Tomie Fujii, Hideyuki Takedani. Long-term impact of haemarthrosis on arthropathy and activities of daily living in Japanese persons with haemophilia. *Haemophilia*. 26:3:e124-7, 2020.

Yu Kaku, Takeo Kuwata, Hasan Md Zahid, Takao Hashiguchi, Takeshi Noda, Noriko Kuramoto, Shashwata Biswas, Kaho Matsumoto, Mikiko Shimizu, Yoko Kawanami, Kazuya Shimura, Chiho Onishi, Yukiko Muramoto, Tateki Suzuki, Jiei Sasaki, Yoji Nagasaki, Rumi Minami, Chihiro Motozono, Mako Toyoda, Hiroshi Takahashi, Hiroto Kishi, Kazuhiko Fujii, Tsuneyuki Tatsuke, Terumasa Ikeda, Yosuke Maeda, Takamasa Ueno, Yoshio Koyanagi, Hajime Iwagoe, Shuzo Matsushita. Resistance of SARS-CoV-2 variants to neutralization by antibodies induced in convalescent patients with COVID-19. *Cell Rep*. 2021 Jul 13; 36(2): 109385. Published online 2021 Jun 25. doi: 10.1016/j.celrep.2021.10938

Chihiro Motozono, Mako Toyoda, Jiri Zahradnik, Akatsuki Saito, Hesham Nasser, Toong Seng Tan, Isaac Ngare, Izumi Kimura, Keiya Uriu, Yusuke Kosugi, Yuan Yue, Ryo Shimizu, Jumpei Ito, Shiho Torii, Akiko Yonekawa, Nobuyuki Shimono, Yoji Nagasaki, Rumi Minami, Takashi Toya, Noritaka Sekiya, Takasuke Fukuhara, Yoshiharu Matsuura, Gideon Schreiber, The Genotype to Phenotype Japan (G2P-Japan) Consortium, Terumasa Ikeda, So Nakagawa, Takamasa Ueno, Kei Sato. SARS-CoV-2 spike L452R variant evades cellular immunity and increases infectivity. *Cell Host Microbe*. 2021 Jul 14; 29(7): 1124–1136.e11. Published online 2021 Jun 15. doi: 10.1016/j.chom.2021.06.006

Nojiri S, Irie Y, Kanamori R, Naito T, Nishizaki Y. Mortality Prediction of COVID-19 in Hospitalized Patients Using the 2020 Diagnosis Procedure Combination Administrative Database of Japan. *Intern Med*. 2023;62(2):201-13.

Watanabe J, Ihara H, Takei S, Nakamura A, Fujimoto Y, Handoh T, et al. The synergetic effect of sitafloxacin-arbekacin combination in the Mycobacterium abscessus species. *Sci Rep*. 2023;13(1):2027.

Takahashi M, Saito K, Ai T, Nojiri S, Khasawneh A, Paran FJ, et al. Performance evaluation of the Ortho VITROS SARS-CoV-2 Spike-Specific Quantitative IgG test by comparison with the surrogate virus neutralizing antibody test and clinical assessment. *PLoS One*. 2023;18(1):e0279779.

Yokokawa H, Suzuki M, Aoki N, Sato Y, Naito T. Achievement of target blood pressure among community residents with hypertension and factors associated with therapeutic failure in the northern territory of Japan. *J Int Med Res*. 2022;50(10):3000605221126878.

Yan Y, Tomooka K, Naito T, Tanigawa T. Decreased number of inpatients with community-acquired pneumonia during the COVID-19 pandemic: A large multicenter study in Japan. *J Infect Chemother*. 2022;28(5):709-13.

Yan Y, Naito T, Tabe Y, Ito K, Nojiri S, Deshpande GA, et al. Increased delta variant SARS-CoV-2 infections in a highly vaccinated medical center in Japan. *Vaccine*. 2022;40(23):3103-8.

Wang X, Schmerold L, Naito T. Real-world medication persistence among HIV-1 patients initiating integrase inhibitor-based antiretroviral therapy in Japan. *J Infect Chemother*. 2022.

Wang QS, Edahiro R, Namkoong H, Hasegawa T, Shirai Y, Sonehara K, et al. The whole blood transcriptional regulation landscape in 465 COVID-19 infected samples from Japan COVID-19 Task Force. *Nat Commun*. 2022;13(1):4830.

Tsuchiya K, Yamamoto N, Hosaka Y, Wakita M, Hiki M, Matsushita Y, et al. Molecular characterization of SARS-CoV-2 detected in Tokyo, Japan during five waves: Identification of the amino acid substitutions associated with transmissibility and severity. *Front Microbiol*. 2022;13:912061.

Tsuchiya K, Hosaka Y, Takahashi T, Chonan M, Makita Y, Katayama I, et al. Meals and Room Temperature Storage do not Significantly Affect Feasibility of Direct RT-PCR Tests for SARS-CoV-2 Using Saliva. *Clin Lab*. 2022;68(6).

Takei S, Ai T, Yamamoto T, Igawa G, Kanno T, Tobiume M, et al. Performance evaluation of the Roche Elecsys® Anti-SARS-CoV-2 immunoassays by comparison with neutralizing antibodies and clinical assessment. *PLoS One*. 2022;17(9):e0274181.

Takahashi M, Ai T, Sinozuka K, Baba Y, Igawa G, Nojiri S, et al. Activation of SARS-CoV-2 neutralizing antibody is slower than elevation of spike-specific IgG, IgM, and nucleocapsid-specific IgG antibodies. *Sci Rep*. 2022;12(1):14909.

Sasano H, Yoshizawa T, Suzuki M, Fukui Y, Arakawa R, Tamura N, et al. A Case of Persistent *Bacillus cereus* Bacteremia Responding to a Combination of Vancomycin and Gentamicin. *Case Rep Infect Dis*. 2022;2022:8725102.

Saita M, Yan Y, Ito K, Sasano H, Seyama K, Naito T. Reactogenicity following two doses of the BNT162b2 mRNA COVID-19 vaccine: Real-world evidence from healthcare workers in Japan. *J Infect Chemother*. 2022;28(1):116-9.

Prasertbun R, Mori H, Mahittikorn A, Siri S, Naito T. Pneumonia, influenza, and dengue cases decreased after the COVID-19 pandemic in Thailand. *Trop Med Health*. 2022;50(1):27.

Nojiri S, Irie Y, Kanamori R, Naito T, Nishizaki Y. Mortality Prediction of COVID-19 in Hospitalized Patients Using the 2020 Diagnosis Procedure Combination Administrative Database of Japan. *Intern Med*. 2022.

Nishiyama M, Osawa K, Nakamura A, Kawakami T, Chonan M, Misawa S, et al. The 24-h reporting of Gram stains from positive blood cultures contributes to physician's use of appropriate antimicrobials: Experience at a university hospital. *J Infect Chemother*. 2022;28(6):836-9.

Nishida Y, Mita T, Hiki M, Matsushita Y, Naito T, Watada H. Retrospective Study on the Effects of Glucose Abnormality on COVID-19 Outcomes in Japan. *Diabetes Ther*. 2022;13(2):325-39.

Niimi N, Taga K, Miyagami T, Naito T, Mitaka C. Rhabdomyolysis secondary to hypervirulent *Klebsiella pneumoniae* infection: A case report. *Clin Case Rep*. 2022;10(12):e6764.

Namkoong H, Edahiro R, Takano T, Nishihara H, Shirai Y, Sonehara K, et al. *DOCK2* is involved in the host genetics and biology of severe COVID-19. *Nature*. 2022.

Naito T, Yan Y, Tabe Y, Seyama K, Deshpande GA. Real-world evidence for the effectiveness and breakthrough of BNT162b2 mRNA COVID-19 vaccine at a medical center in Japan. *Hum Vaccin Immunother*. 2022;18(1):1-2.

Naito T, Tsuchida N, Kusunoki S, Kaneko Y, Tobita M, Hori S, et al. Reactogenicity and immunogenicity of BNT162b2 or mRNA-1273 COVID-19 booster vaccinations after two doses of BNT162b2 among healthcare workers in Japan: a prospective observational study. *Expert Rev Vaccines*. 2022:1-11.

Naito T, Suzuki M, Fukushima S, Yuda M, Fukui N, Tsukamoto S, et al. Comorbidities and co-medications among 28 089 people living with HIV: A nationwide cohort study from 2009 to 2019 in Japan. *HIV Med*. 2022;23(5):485-93.



Naito T, Mori H, Fujibayashi K, Fukushima S, Yuda M, Fukui N, et al. Analysis of antiretroviral therapy switch rate and switching pattern for people living with HIV from a national database in Japan. *Sci Rep*. 2022;12(1):1732.

Naito T, Mori H, Fujibayashi K, Fukushima S, Yuda M, Fukui N, et al. Syphilis in people living with HIV does not account for the syphilis resurgence in Japan. *J Infect Chemother*. 2022.

Naito T, Fujibayashi K, Mori H, Fukushima S, Yuda M, Fukui N, et al. Delayed diagnosis of human immunodeficiency virus infection in people diagnosed with syphilis: A nationwide cohort study from 2011 to 2018 in Japan. *J Infect Chemother*. 2022;28(2):333-5.

Naito T. Will the Introduction of the Hospitalist System Save Japan? *Intern Med*. 2022.

Mori H, Naito T. A rapid increase in the COVID-19 vaccination rate during the Olympic and Paralympic Games 2021 in Japan. *Hum Vaccin Immunother*. 2022;18(1):2010440.

Miyagami T, Yamada T, Kanzawa Y, Kosugi S, Nagasaki K, Nagano H, et al. Large-Scale Observational Study on the Current Status and Challenges of General Medicine in Japan: Job Description and Required Skills. *Int J Gen Med*. 2022;15:975-84.

Miyagami T, Nakayama I, Naito T. What Causes Diagnostic Errors? Referred Patients and Our Own Cognitive Biases: A Case Report. *Am J Case Rep*. 2022;23:e935163.

Miyagami T, Kushiro S, Arikawa M, Murakami K, Naito T. A Case of Infective Endocarditis Associated With Patent Ductus Arteriosus in Which PET/CT Was Useful for Diagnosis. *Clin Nucl Med*. 2022;47(9):832-3.

Mine Y, Miyagami T, Furuya S, Kondo Y, Naito T. Aseptic Meningitis With an Isolated Positive Ocular Globe Compression Sign Diagnosed by Repeat Lumbar Puncture. *Cureus*. 2022;14(11):e32036.

Lee H, Chubachi S, Namkoong H, Asakura T, Tanaka H, Otake S, et al. Characteristics of hospitalized patients with COVID-19 during the first to fifth waves of infection: a report from the Japan COVID-19 Task Force. *BMC Infect Dis*. 2022;22(1):935.

Komori A, Mori H, Naito T. The impact of the COVID-19 pandemic on other infections differs by their route of transmission: A retrospective, observational study in Japan. *J Infect Chemother*. 2022;28(12):1700-3.

Kano N, Fukui S, Kushiro S, Inui A, Saita M, Kura Y, et al. Basophilic stippling in red blood cells in the bone marrow: indication for lead poisoning diagnosis. *J Int Med Res*. 2022;50(2):3000605221078405.

Kagiyama N, Komatsu T, Nishikawa M, Hiki M, Kobayashi M, Matsuzawa W, et al. Impact of a telemedicine system on work burden and mental health of healthcare providers working with COVID-19: a multicenter pre-post prospective study. *JAMIA Open*. 2022;5(2):o0ac037.

Jimbo H, Horimoto Y, Hiki M, Tabe Y, Watanabe J, Saito M, et al. Successful treatment with steroid pulse therapy for a COVID-19 case with progressive respiratory failure during treatment for pleural metastasis of breast cancer. *Surg Case Rep*. 2022;8(1):96.

Igawa G, Ai T, Yamamoto T, Ito K, Nojiri S, Saito K, et al. Antibody response and seroprevalence in healthcare workers after the BNT162b2 vaccination in a University Hospital at Tokyo. *Sci Rep.* 2022;12(1):8707.

Honjo S, Miyagami T, Suzuki M, Ito A, Naito T. Rare presentation of emphysematous pyelonephritis due to faulty catheter insertion. *Clin Case Rep.* 2022;10(8):e6251.

Hisamatsu D, Ikeda A, Ito L, Matsushita Y, Hiki M, Mori H, et al. Longitudinal Analyses after COVID-19 Recovery or Prolonged Infection Reveal Unique Immunological Signatures after Repeated Vaccinations. *Vaccines (Basel).* 2022;10(11).

Heissig B, Salama Y, Iakoubov R, Vehreschild JJ, Rios R, Nogueira T, et al. COVID-19 Severity and Thrombo-Inflammatory Response Linked to Ethnicity. *Biomedicines.* 2022;10(10).

Hasegawa T, Hato T, Okayama T, Ikeo K, Miyamoto Y, Iwanaga N, et al. Th1 cytokine endotype discriminates and predicts severe complications in COVID-19. *Eur Cytokine Netw.* 2022;33(2):1-12.

Haba Y, Naito T. Acrocyanosis Secondary to Esophageal Cancer. *J Gen Intern Med.* 2022.

Haba Y, Naito T. Pneumomediastinum in a cheerleading student. *Clin Case Rep.* 2022;10(7):e6053.

Haba Y, Naito T. Psittacosis with a reversed halo sign. *Indian J Med Res.* 2022.

Haba Y, Akizuki H, Hashiguchi N, Naito T. Hypoprothrombinemia During Cefmetazole Treatment: A Case Report. *Am J Case Rep.* 2022;23:e936712.

Gohda T, Murakoshi M, Suzuki Y, Hiki M, Naito T, Takahashi K, et al. Circulating tumor necrosis factor receptors are associated with mortality and disease severity in COVID-19 patients. *PLoS One.* 2022;17(10):e0275745.

Furuya S, Fukui S, Maekawa Y, Aoki N, Inui A, Naito T. *Paragonimus westermani* as a cause of Löeffler's syndrome. *IDCases.* 2022;27:e01427.

Furusaka T, Miyagami T, Suzuki M, Naito T. Uncommon presentation of Kikuchi disease. *Clin Case Rep.* 2022;10(4):e05673.

Fukushima T, Chubachi S, Namkoong H, Asakura T, Tanaka H, Lee H, et al. Clinical significance of pre-diabetes, undiagnosed diabetes, and diagnosed diabetes on clinical outcomes in COVID-19: Integrative analysis from the Japan COVID-19 Task Force. *Diabetes Obes Metab.* 2022.

Fukui S, Kushiro S, Kano N, Yamamoto Y, Furusaka T, Aoki N, et al. *Streptococcus bovis* as a cause of uncontrollable colon bleeding. *IDCases.* 2022;29:e01547.

Fukui S, Kobayashi D, Inui A, Katahira T, Komatsu R, Sugita M, et al. Clinical prediction rules for COVID-19: Using a Chi-squared automatic interaction detector (CHAID) decision tree analysis model. *J Hosp Gen Med.* 2022;4(3):125-43.

Fukui S, Inui A, Saita M, Kobayashi D, [Naito T](#). Clinical prediction rule for bacteremia with pyelonephritis and hospitalization judgment: chi-square automatic interaction detector (CHAID) decision tree analysis model. *J Int Med Res*. 2022;50(1):3000605211065658.

Fukui S, Inui A, Saita M, Kobayashi D, [Naito T](#). Comparison of the clinical parameters of patients with COVID-19 and influenza using blood test data: a retrospective cross-sectional survey. *J Int Med Res*. 2022;50(2):3000605221083751.

Fujisawa T, Fukuda H, Sakamoto N, Hojo M, Tomishima K, Ishii S, et al. Relief Effect of Carbon Dioxide Insufflation in Transnasal Endoscopy for Health Checks-A Prospective, Double-Blind, Case-Control Trial. *J Clin Med*. 2022;11(5).

Arikawa M, Takahashi Y, Kano N, Yamada K, Ando J, Ochiai T, et al. Bilateral Adrenal Primary Malignant Lymphoma with Inappropriate Secretion of Antidiuretic Hormone. *J Hosp Gen Med*. 2022;4(4):178-83.

Yokokawa H, Fukuda H, Saita M, Goto K, Kaku T, Miyagami T, et al. An association between visceral or subcutaneous fat accumulation and diabetes mellitus among Japanese subjects. *Diabetol Metab Syndr*. 2021;13(1):44.

Yano S, Fukui S, Inui A, [Naito T](#). Cavitory pulmonary Kaposi's sarcoma in AIDS. *IDCases*. 2021;24:e01162.

Yan Y, [Naito T](#), Hsu NC, Shin DH, Kang HJ, Vidyarthi AR, et al. Adoption of Hospitalist Care in Asia: Experiences From Singapore, Taiwan, Korea, and Japan. *J Hosp Med*. 2021;16(7):443-5.

Wakita M, Idei M, Saito K, Horiuchi Y, Yamatani K, Ishikawa S, et al. Comparison of the clinical performance and usefulness of five SARS-CoV-2 antibody tests. *PLoS One*. 2021;16(2):e0246536.

Sasano H, Yoshizawa T, Kawakami T, Takahashi T, Suzuki M, Fukui Y, et al. Improvements in Quality Indicators for the Treatment of Infectious Diseases with Intervention by an Antimicrobial Stewardship Team. *J Hosp Gen Med*. 2021;3(1):1-10.

Saito K, Ai T, Kawai A, Matsui J, Fukushima Y, Kikukawa N, et al. Performance and usefulness of a novel automated immunoassay HISCL SARS-CoV-2 Antigen assay kit for the diagnosis of COVID-19. *Sci Rep*. 2021;11(1):23196.

Okamoto A, Yokokawa H, Nagamine T, Fukuda H, Hisaoka T, [Naito T](#). Efficacy and safety of semaglutide in glycemic control, body weight management, lipid profiles and other biomarkers among obese type 2 diabetes patients initiated or switched to semaglutide from other GLP-1 receptor agonists. *J Diabetes Metab Disord*. 2021;20(2):2121-8.

[Naito T](#), Endo K, Fukushima S, Suzuki M, Fukui Y, Saita M, et al. A preliminary analysis of the performance of a targeted HIV electronic medical records alert system: A single hospital experience. *J Infect Chemother*. 2021;27(1):123-5.

Miyagami T, Uehara Y, Harada T, Watari T, Shimizu T, Nakamura A, et al. Delayed treatment of bacteremia during the COVID-19 pandemic. *Diagnosis (Berl)*. 2021;8(3):327-32.

Miyagami T, Takada A, Shimizu T, Naito T. Delayed diagnosis of a piriformis abscess due to hyposkillia and communication error. *BMJ Case Rep*. 2021;14(8):e242088.

Miyagami T, Harada T, Terukina H, Komori A, Watari T, Shimizu T, et al. Diagnostic Difficulties in Treating a Typical Case of a Patient Being a Doctor. *Am J Med*. 2021;134(1):52-3.

Matsushita Y, Kusaoi M, Hiki M, Murayama G, Abe Y, Nozawa K, et al. Combination therapy with plasma exchange and glucocorticoid may be effective for severe COVID-19 infection: A retrospective observational study. *Ther Apher Dial*. 2021;25(4):390-400.

Kushiro S, Miyagami T, Kanai Y, Yang KS, Naito T. Delayed Diagnosis of Portal Vein Thrombosis Due to Premature Closure of Cholecystitis. *Am J Med*. 2021;134(11):e543-e5.

Komori A, Mori H, Naito T. The COVID-19 pandemic increased the demand for pneumococcal vaccination in Japan. *Hum Vaccin Immunother*. 2021;17(11):4673-4.

Komori A, Mori H, Kojima Y, Tabe Y, Naito T. Preoperative Universal SARS-CoV-2 Screening for Asymptomatic Patients: A Report From Tokyo, Japan. *J Cardiothorac Vasc Anesth*. 2021;35(4):1265-7.

Komori A, Iriyama H, Kainoh T, Aoki M, Naito T, Abe T. The impact of infection complications after trauma differs according to trauma severity. *Sci Rep*. 2021;11(1):13803.

Komori A, Iriyama H, Aoki M, Deshpande GA, Saitoh D, Naito T, et al. Assessment of blood consumption score for pediatrics predicts transfusion requirements for children with trauma. *Medicine (Baltimore)*. 2021;100(9):e25014.

Kogai T, Fujibayashi K, Yanagisawa N, Fukui N, Takahashi A, Naito T, et al. Impact on Diabetes Management Due to Social Participation Restrictions Associated with the COVID-19 Pandemic. *Juntendo Medical Journal*. 2021;67(4):333-7.

Kainoh T, Iriyama H, Komori A, Saitoh D, Naito T, Abe T. Risk Factors of Fat Embolism Syndrome After Trauma: A Nested Case-Control Study With the Use of a Nationwide Trauma Registry in Japan. *Chest*. 2021;159(3):1064-71.

Iriyama H, Saita M, Yokomaku Y, Tsukada K, Naito T. Online-Learning Program for Japanese General Physicians to Promote an Appropriate Screening Test for Human Immunodeficiency Virus Infection. *J Hosp Gen Med*. 2021;3(4):118-23.

Iriyama H, Komori A, Kainoh T, Kondo Y, Naito T, Abe T. A nested case-control study of risk for pulmonary embolism in the general trauma population using nationwide trauma registry data in Japan. *Sci Rep*. 2021;11(1):19192.

Ikeda N, Masubuchi H, Sato H, Nakashima S, Fujii T, Akashi S, et al. Clinical features and outcomes of a nosocomial outbreak of COVID-19 pneumonia associated with survival in hospitalized patients. *J Hosp Gen Med.* 2021;3(4):111-7.

Hiki M, Tabe Y, Ai T, Matsue Y, Harada N, Sugimoto K, et al. Seroprevalence of anti-SARS-CoV-2 antibodies in Japanese COVID-19 patients. *PLoS One.* 2021;16(4):e0249449.

Hayashi Y, Yokokawa H, Fukuda H, Saita M, Miyagami T, Takahashi Y, et al. Association between Visceral or Subcutaneous Fat Accumulation and B-Type Natriuretic Peptide among Japanese Subjects: A Cross-Sectional Study. *J Clin Med.* 2021;10(6):1315.

Goto K, Yokokawa H, Fukuda H, Saita M, Hamada C, Hisaoka T, et al. An association between subcutaneous fat mass accumulation and hypertension. *J Gen Fam Med.* 2021;22(4):209-17.

Fukui S, Kawamura W, Uehara Y, Naito T. A patient with psittacosis from a pigeon: A reminder of the importance of detailed interviews and relative bradycardia. *IDCases.* 2021;25:e01164.

Fukui S, Inui A, Nakanishi Y, Furusaka T, Saita M, Nakiri Y, et al. Inflammatory Findings of Blood Test: Comparison between Rheumatoid Arthritis and Polymyalgia Rheumatica in Departments of General Medicine. *J Hosp Gen Med.* 2021;3(3):71-8.

Fukuda H, Seyama K, Ito K, Ai T, Nojiri S, Hori S, et al. SARS-CoV-2 seroprevalence in healthcare workers at a frontline hospital in Tokyo. *Sci Rep.* 2021;11(1):8380.

Fukao Y, Nagasawa H, Nihei Y, Hiki M, Naito T, Kihara M, et al. COVID-19-induced acute renal tubular injury associated with elevation of serum inflammatory cytokine. *Clin Exp Nephrol.* 2021;25(11):1240-6.

Du M, Hu W, Tamura T, Alshahni MM, Satoh K, Yamanishi C, et al. Investigation of the Physiological, Biochemical and Antifungal Susceptibility Properties of *Candida auris*. *Mycopathologia.* 2021;186(2):189-98.

Chen Q, Tsubaki M, Minami Y, Fujibayashi K, Yumoto T, Kamei J, et al. Using Mobile Phone Data to Estimate the Relationship between Population Flow and Influenza Infection Pathways. *Int J Environ Res Public Health.* 2021;18(14):7439.

Aoki N, Miyagami T, Shikino K, Yang KS, Naito T. Polymyalgia Rheumatica in a Patient with Pseudogout and Dementia. *Am J Case Rep.* 2021;22:e933926.

Yokokawa H, Fukuda H, Saita M, Miyagami T, Takahashi Y, Hisaoka T, et al. Serum zinc concentrations and characteristics of zinc deficiency/marginal deficiency among Japanese subjects. *J Gen Fam Med.* 2020;21(6):248-55.

Takahashi H, Yokomaku K, Tsukada K, Otsuka F, Morita H, Naito T. Educational program for general physicians to promote early diagnosis and initiation of treatment of human immune deficiency virus infection. *J AIDS Res.* 2020;22:46-50.

Suzuki M, Fukui Y, Saita M, Tanei M, Inui A, [Naito T](#). Trend and cause of death of HIV-infected patients in Japan: A descriptive study using hospital admission records. *J Hosp Gen Med*. 2020;2:56-61.

[Naito T](#), Suzuki M, Kanazawa A, Takahashi H, Fujibayashi K, Yokokawa H, et al. Pneumococcal vaccination reduces in-hospital mortality, length of stay and medical expenditure in hospitalized elderly patients. *J Infect Chemother*. 2020;26(7):715-21.

[Naito T](#), Suzuki M, Fujibayashi K, Kanazawa A, Takahashi H, Yokokawa H, et al. The estimated impact of the 5-year national vaccination program on the trend of 23-valent pneumococcal polysaccharide vaccine vaccination rates in the elderly in Japan, 2009-2018. *J Infect Chemother*. 2020;26(4):407-10.

Miyagami T, Yokokawa H, Fujibayashi K, Fukuda H, Hisaoka T, [Naito T](#). Assessing lifestyle-related diseases with body and muscle mass using bioelectrical impedance analysis. *Osteoporos Sarcopenia*. 2020;6(1):27-32.

Miyagami T, Takahashi H, Murai K, Deshpande GA, [Naito T](#). PET/CT, a useful approach to improving the diagnosis of large vessel vasculitis when conventional imaging fails. *J Hosp Gen Med*. 2020;2(3):78-84.

Miyagami T, Suyama Y, Takahashi Y, Yang K-S, [Naito T](#). Man With Thigh Pain. *Annals of Emergency Medicine*. 2020;75(2):305-8.

Miyagami T, Suyama Y, Takahashi Y, Yahagi Y, Harada M, Sugisaki N, et al. Anti-melanoma differentiation-associated gene 5 dermatomyositis and lung disease. *QJM: An International Journal of Medicine*. 2020;113(11):832-3.

Komori A, Abe T, Yamakawa K, Ogura H, Kushimoto S, Saitoh D, et al. Characteristics and outcomes of frail patients with suspected infection in intensive care units: a descriptive analysis from a multicenter cohort study. *BMC Geriatr*. 2020;20(1):485.

Komori A, Abe T, Kushimoto S, Ogura H, Shiraishi A, Saitoh D, et al. Characteristics and outcomes of bacteremia among ICU-admitted patients with severe sepsis. *Sci Rep*. 2020;10(1):2983.

Kaito S, Taniguchi Y, Kitamura A, Seino S, Amano H, Yokoyama Y, et al. Trajectories of kidney function and associated factors among community-dwelling older Japanese: a 16-year longitudinal study. *Clin Exp Nephrol*. 2020;24(4):330-8.

Ishiguro M, Ueno Y, Ishiguro Y, Takanashi M, Murai K, Taieb G, et al. CD8(+) T-cell encephalitis mimicking PRES in AIDS: a case report. *BMC Neurol*. 2020;20(1):179.

Iriyama H, Abe T, Kushimoto S, Fujishima S, Ogura H, Shiraishi A, et al. Risk modifiers of acute respiratory distress syndrome in patients with non-pulmonary sepsis: a retrospective analysis of the FORECAST study. *J Intensive Care*. 2020;8:7.

Hosoda T, Uehara Y, [Naito T](#). An HIV-infected Patient with No Serious Adverse Events after Overdosing on Raltegravir. *Intern Med*. 2020;59(2):285-7.

Hosoda T, Uehara Y, Naito T. Were Additional Treatments Affecting Pharmacokinetics Administered after Raltegravir Overdosing?: Authors' Reply. *Intern Med*. 2020;59(10):1343.

Hosoda T, Uehara Y, Kasuga T, Naito T. An HIV-infected patient with acute retinal necrosis as immune reconstitution inflammatory syndrome due to varicella-zoster virus. *Aids*. 2020;34(5):795-6.

Haba Y, Yano S, Akizuki H, Hashimoto T, Naito T, Hashiguchi N. Boerhaave syndrome due to excessive alcohol consumption: two case reports. *Int J Emerg Med*. 2020;13(1):56.

矢倉裕輝、増田純一、平野 淳、大石裕樹、田澤佑基、石井聡一郎、阿部憲介、成田綾香、國本雄介、外山 聡、田中和行、西 勇治、安井淳子、井上正朝、田川尚行、中内崇夫、長島浩二、松岡梨恵、合原嘉寿、藤井健司、神尾咲留未、安田明子、又村了輔、鈴木啓記、菅原隆文、井上千鶴、佐藤雄大、櫛田宏幸、吉野宗宏、山内一恭、横幕能行. エイズ診療ブロック拠点病院における抗HIV薬の処方動向調査. *日本エイズ学会誌* (23): 150-155, 2021

今橋真弓、金子典代、高橋良介、石田敏彦、横幕能行. 名古屋市無料匿名感染症検査会受検者における性感染症既往認識と検査結果. *日本感染症学会誌*, 31(1), 2020.

蜂谷敦子、今橋真弓、岩谷靖雅、横幕能行. HIV-1陽性検体を用いたAlinity mシステムによるHIV-1ウイルスの核酸定量検査の検討. *医学と薬学*. 77(10):1443-8.2020.

重見 麗、岡崎玲子、大出裕高、松田昌和、久保田舞、矢野邦夫、鶴見 寿、奥村暢将、谷口晴記、志智大介、池谷 健、伊藤公人、松本剛史、倉井華子、川端 厚、羽柴知恵子、中畑征史、小暮あゆみ、服部純子、伊部史朗、今橋真弓、岩谷靖雅、杉浦 互、吉村和久、蜂谷敦子、横幕能行. 東海ブロックで流行するHIV-1の遺伝子多型とインテグラーゼ阻害剤に対する耐性変異の経年的頻度解析. *感染症学雑誌* 93(3):312-8.2019.

岡崎玲子、重見 麗、松田昌和、久保田舞、矢野邦夫、鶴見 寿、奥村暢将、谷口晴記、志智大介、池谷 健、伊藤公人、松本剛史、倉井華子、川端 厚、羽柴知恵子、中畑征史、小暮あゆみ、服部純子、伊部史朗、今橋真弓、岩谷靖雅、杉浦 互、吉村和久、蜂谷敦子、横幕能行. 東海ブロックにおけるHIV-1非サブタイプBの動向調査と伝播性薬剤耐性変異の頻度. *感染症学雑誌* 93(3):298-305.2019.

遠藤知之、後藤秀樹、荒 隆英、長谷川祐太、横山翔大、高橋承吾、米田和樹、橋本大吾、橋野 聡、豊嶋崇徳. HIV関連悪性リンパ腫の臨床的特徴. *日本エイズ学会誌*. 24: 13-20, 2022.

中川雄真、茂呂 寛、川口 玲、内山正子、新保明日香、三枝祐美、野田順子、鈴木啓記、柴田 怜、張 仁美、佐藤瑞穂、菊地利明. 医療従事者の HIV 感染者受け入れへの不安— HIV 出張研修アンケートからの検討—. *日本エイズ学会誌*. 23(3) 113-121, 2021

中川雄真. HIV感染例における睡眠障害：多角的視点からの検討. *日本エイズ学会雑誌* 2020 22(3), 157-164.

渡邊 大. あなたに知ってほしいこと. 大阪. P1-14, 2023

井上暢子、山崎尚也、梶原享子、藤井輝久. 抗ウイルス療法開始後に自己免疫性溶血性貧血を発症したHIV感染症の一例. *日本臨床検査医学会誌*. 70:3:200-203, 2022.

石井聡一郎、阿部憲介、榎田崇志、大道淳二、近藤 旭、藤井健司、田中まりの、大東敏和、藤井輝久、畝井浩子、矢倉裕輝、松尾裕彰. 学校薬剤師におけるHIV感染症/AIDSをはじめとした性感染症予防啓発活動の実態調査. *日本薬剤師会雑誌*. 74(10):1123-1128, 2022.

藤井宝恵、柊中智恵子、兵頭麻希、折山早苗、藤井輝久. 血友病保因者への遺伝カウンセリングの実態. *日本遺伝看護学会誌*. 20:2:35-42, 2022.

南 留美、高濱宗一郎、小山和彦、小松真梨子、城崎真弓、長与由紀子、犬丸真司、山本政弘. HIV感染者における血漿Pentraxin3濃度と生活習慣病. *日本エイズ学会誌* vol.22(1), p28-35, 2020.

宮上泰樹、内藤俊夫. 問診であぶりだす隠れた慢性感染症. *総合診療* 30巻7号, 839-843, 2020.

矢倉裕輝、根本英一. 抗ウイルス薬. *Evidence Update 2023*. 南山堂. 東京. 111-115, 2023

矢倉裕輝、松岡武志. Q&A形式Case Study. *HIV感染症とAIDSの治療*. メディカルレビュー社. 東京. 32-35, 2022

矢倉裕輝、根本英一. 抗ウイルス薬. *Evidence Update 2022*. 南山堂. 東京. 110-114, 2022

中内崇夫、矢倉裕輝、榎田宏幸、廣田和之、上地隆史、渡邊 大、西田恭治、上平朝子、吉野宗宏、白阪琢磨. 抗HIV療法施行中患者のポリファーマシーに関する調査. *日本エイズ学会誌*. (24):21-28, 2022

白阪琢磨、矢倉裕輝. HIV感染症. *抗菌化学療法認定薬剤師テキスト改訂版*. 日本化学療法学会. 東京. 345-352, 2021

矢倉裕輝、望月眞弓. 抗ウイルス薬. *臨床薬学テキストシリーズ*. 中山書店. 東京. 162-166, 2021

榎田宏幸、中内崇夫、矢倉裕輝、渡邊 大、上平朝子、白阪琢磨. HIV-1, HBV 共感染血液透析症例におけるテノホビル血中濃度推移を測定した1症例. *感染症誌*. (95):319-323, 2021

矢倉裕輝、根本英一. 抗ウイルス薬. *薬局 1月号 Evidence Update 2021*. 南山堂. 東京. 123-126, 2021

日ノ下文彦. 5) 透析室の感染管理と患者治療 2) 血液感染 (肝炎ウイルス・HIV). 「腎と透析」編集委員会. *腎代替療法のすべて*. 東京医学社. 東京. 332-336, 2022

日ノ下文彦. HIV透析ネットワークの現状と課題. *日本透析医会雑誌*. 37(2), 213-219, 2022

日ノ下文彦. 新型コロナウイルス感染症透析患者の退院基準と退院の問題点について. *日本透析医会雑誌*. 36 (2), 200-207, 2021

日ノ下文彦. 2) ウイルス関連糸球体腎炎 ①HIV関連腎炎・腎障害. *腎臓内科*. 14 (6), 667-671, 2021

日ノ下文彦. 特集：感染症と医療安全, 各論 4. ヒト免疫不全ウイルス (HIV). *臨床透析*. 37 (2), 153-159, 2021

日ノ下文彦. 「透析施設における標準的な透析操作と感染予防に関するガイドライン」改定に向けたワーキンググループ. 第5章 各種感染症患者に対する感染予防とその治療 II HIV (human immuno-deficiency



virus). 日本透析医会. 透析施設における標準的な透析操作と感染予防に関するガイドライン (五訂版). 日本透析医会. 東京. 98-104, 2020

日ノ下文彦. 第9章 腎・尿路疾患、水・電解質異常. 全身性疾患に伴う腎障害 9 感染症に伴う腎障害 3 HIV感染症に伴う腎障害. 矢崎義雄 監修. 新臨床内科学第10版. 医学書院. 東京. 1220-1222, 2020

日ノ下文彦. HIV感染患者の透析と受入れ体制について. 日本透析医会雑誌. 35 (2), 455-458, 2020