

Ⅲ. 研究成果の刊行に関する一覧

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yoshimoto T, <u>Oka H</u> , Ochiai H, Ishikawa S, Kokaze A, Muranaga S, <u>Matsudaira K</u> .	Presenteeism and Associated Factors Among Nursing Personnel with Low Back Pain: A Cross-Sectional Study.	J Pain Res	13	2979-2986	2020
Tabira T, Maruta M, <u>Matsudaira K</u> , Matsuo T, Hasegawa T, Sagari A, Han G, Takahashi H, Tayama J.	Relationship Between Attention Bias and Psychological Index in Individuals With Chronic Low Back Pain: A Preliminary Event-Related Potential Study.	Front Hum Neurosci.	14	561726	2020
Jinnouchi H, <u>Matsudaira K</u> , Kitamura A, Kakihana H, <u>Oka H</u> , Hayama-Terada M, Yamagishi K, Kiyama M, Iso H; CIRCS Investigators.	Effects of brief self- exercise education on the management of chronic low back pain: A community- based, randomized, parallel-group pragmatic trial.	Mod Rheumatol		1-9	2020
Yoshimoto T, <u>Oka H</u> , Fujii T, Nagata T, <u>Matsudaira K</u> .	The Economic Burden of Lost Productivity due to Presenteeism Caused by Health Conditions Among Workers in Japan.	J Occup Environ Med	62	883-888	2020
Kakihana H, Jinnouchi H, Kitamura A, <u>Matsudaira K</u> , Kiyama M, Hayama-Terada M, Muraki I, Kubota Y, Yamagishi K, Okada T, Imano H, Iso H.	Overweight and Hypertension in Relation to Chronic Musculoskeletal Pain Among Community- Dwelling Adults: The Circulatory Risk in Communities Study (CIRCS).	J Epidemiol.			2020
<u>Osuka Y</u> , Kim H, Watanabe Y, Taniguchi Y, Kojima N, Seino S, Kawai H, Sakurai R, Inagaki H, Awata H, Shinkai S.	A combined stepping and visual tracking task predicts cognitive decline in older adults better than gait or visual tracking tasks alone: A prospective study.	Aging Clin Exp Res,			in press.
<u>Osuka Y</u> , Kojima N, Sasai H, Ohara Y, Watanabe Y, Hirano H, Kim H.	Exercise types and the risk of developing cognitive decline in older women: A prospective study.	J Alzheimers Dis,	77	1733-1742	2020
<u>Osuka Y</u> , Kim H, Watanabe Y, Taniguchi Y, Kojima N, Seino S, Kawai H, Sakurai R, Inagaki H, Awata H, Shinkai S.	A Stepping Trail Making Test as an indicator of cognitive impairment in older adults.	J Clin Med,	9	2835	2020
<u>Osuka Y</u> , Kim H, Kawai H, Taniguchi Y, Yokoyama Y, Seino S, Obuchi S, Kitamura A, Shinkai S.	Sarcoscore: a novel approach for assessing sarcopenia and functional disability in older adults.	J Clin Med,	9	692	2020

Osuka Y , Kojima N, Sakurai R, Watanabe Y, Kim H.	Reliability and construct validity of a novel motor-cognitive dual-task test: A Stepping Trail Making Test.	Geriatr Gerontol Int,	20	291-296	2020
Kosaki K, Tanahashi K, Matsui M, Akazawa N, Osuka Y , Tanaka K, Dunstan DW, Owen N, Shibata A, Oka K, Maeda S.	Sedentary behaviour, physical activity, and renal function in older adults: isotemporal substitution modelling.	BMC Nephrology,	21	211	2020
Osuka Y , Okubo Y, Nofuji Y, Maruo K, Fujiwara Y, Oka H , Shinkai S, Lord SR, Sasai H.	Occupational Fall Risk Assessment Tool for older workers	Occup Med (Lond).	9	kqad035	2023
Osuka Y , Nofuji Y, Seino S, Maruo K, Oka H , Shinkai S, Fujiwara Y, Sasai H.	The effect of a multicomponent intervention on occupational fall-related factors in older workers: A pilot randomized controlled trial	J Occup Health	64(1)	e12374	2022
Osuka Y , Takeshima N, Kojima N, Kohama T, Fujita E, Kusunoki M, Imai A, Kitabayashi Y, Brechue WF, Sasai H.	Qualitative assessment of standing motion with kinect™ is a useful additional diagnostic marker for sarcopenia	Arch Gerontol Geriatr.	10:	104915	2023
Osuka Y , Okubo Y, Nofuji Y, Sasai H, Seino S, Maruo K, Fujiwara Y, Oka H , Shinkai S, Lord SR, Kim H.	Modifiable intrinsic factors related to occupational falls in older workers	Geriatr Gerontol Int	22(4)	338-343.	2022