

## 研究成果の刊行に関する一覧表

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
Ono R, Yoshioka Y, Furukawa Y, Naruse M, Kuwagata M, Ochiya T, Kitajima S, <u>Hirabayashi Y</u>	EV (Extracellular Vesicle)-associ ated miRNAs as Biomarkers of Toxicity	Saura C. Sahu	Genomic and Epigenomic Biomarkers of Toxicology and Disease: Clinical and Therapeutic Actions	Wiley	USA	2022	37-62

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yuda M, Aizawa S, Tsuboi I., <u>Hirabayashi Y</u> , Harada T, Hino H, Hirai S	Imbalanced M1 and M2 Macrophage Polarization in Bone Marrow Provokes Impairment of the Hematopoietic Microenvironment in a Mouse Model of Hemophagocytic Lymphohistiocytosis	<i>Biol Pharm Bull</i>	45	1602-1608	2022
JPMA 課題対応 チーム (13 名), ICH S6 対応研究 班 (5 名)	核酸医薬品の非臨床安 全性評価における疑問 と考え方について	<i>医薬品医療機 器レギュラト リーサイエン ス</i>	53 (3)	211-218	2022
Kimura Y, Yasuno R, Iwaki T, Fujimura C, Ohmiya Y, Nakajima Y, Omori T, Corsini E, Inoue T, Rogen EL, <u>Kojima H</u> , Aiba S.	An international validation study of the interleukin-2 luciferase leukocyte toxicity test (IL-2 Luc LTT) to evaluate potential immunosuppressive chemicals and its performance after use with the interleukin-2 luciferase assay (IL-2 Luc assay)	<i>Toxicol In Vitro.</i>	88	105535	2022
Imamura M, Yamamoto Y, Fujita M, Wanibuchi S, Nakashima N, <u>Kojima H</u> , Ono A, Kasahara T	Applicability of ADRA (4 mM) for the prediction of skin sensitization by combining multiple alternative methods to evaluate key events	<i>J Appl Toxicol.</i>	42(7)	1159-1167	2022

Yamamoto Y, Fujita M, Watanabe S, Yamaga H, Wakabayashi K, Tahara Y, Horie N, Fujimoto K, Takeuchi K, Kamiya K, Kawakami T, Kojima K, Sozu T, <u>Kojima H</u> , Kasahara T, Ono A	Within- and between-laboratory reproducibility and predictive capacity of amino acid derivative reactivity assay (ADRA) using a 0.5 mg/mL test chemical solution: Results of the study for reproducibility confirmation implemented in five participating laboratories	<i>J Appl Toxicol.</i>	42(6)	1078-1090	2022
Fujita M, Yamamoto Y, Wanibuchi S , Watanabe S, Yamaga H, Wakabayashi K, Tahara Y, Horie N, Fujimoto K, Takeuchi K, Kamiya K, Kawakami T, Kojima K, SozuT, <u>Kojima H</u> , Kasahara T, Ono A	The within- and between-laboratories reproducibility and predictive capacity of Amino acid Derivative Reactivity Assay using 4 mM test chemical solution: Results of ring study implemented at five participating laboratories	<i>J Appl Toxicol.</i>	42(2)	318-333	2022
Piersma AH, Baker NC, Daston GP, Flick B, Fujiwara M, Knudsen TB, Spielmann H, Suzuki N, Tsaion K, <u>Kojima H</u>	Pluripotent stem cell assays: Modalities and applications for predictive developmental toxicity	<i>Current Research in Toxicology</i>	3	100074	2022
Anklam E, Bahl MI, Ball R, Beger RD, Cohen J, Fitzpatrick S, <u>Kojima H</u> , et al	Emerging technologies and their impact on regulatory science.	<i>Exp Biol Med (Maywood)</i>	247(1)	1-75	2022
<u>小島肇</u> , <u>渡辺美香</u>	一般財団法人食品薬品 安全センターにおける 代替法研究	<i>秦野研究所年 報</i>	45	8-17	2022

Uno K, <u>Miyajima K</u> , Toma M, Suzuki-Kemuriyama N, Nakae D	CD44 expression in the bile duct epithelium is related to hepatic fibrosis in nonalcoholic steatohepatitis rats induced by a choline-deficient, methionine-lowered, L-amino acid diet	<i>J Toxicol Pathol.</i>	35(2)	149-157	2022
<u>Toyoda T</u> , <u>Ogawa K</u>	Early detection of urinary bladder carcinogens in rats by immunohistochemistry for $\gamma$ -H2AX: a review from analyses of 100 chemicals	<i>J Toxicol Pathol.</i>	35	283-298	2022
<u>Toyoda T</u> , Kobayashi T, Miyoshi N, <u>Matsushita K</u> , Akane H, Morikawa T, <u>Ogawa K</u>	Toxicological effects of two metabolites derived from <i>o</i> -toluidine and <i>o</i> -anisidine after 28-day oral administration to rats	<i>J Toxicol Sci.</i>	47	457-466	2022
Yamada T, <u>Toyoda T</u> , <u>Matsushita K</u> , Akane H, Morikawa T, Cho YM, <u>Ogawa K</u>	Persistent $\gamma$ -H2AX formation and expression of stem cell markers in <i>N</i> -butyl- <i>N</i> -(4-hydroxybutyl)nitrosamine-induced bladder carcinogenesis in rats	<i>Toxicol Sci.</i>	189	51-61	2022
Akane H, <u>Toyoda T</u> , Mizuta Y, Cho YM, Ide T, Kosaka T, Tajima H, Aoyama H, <u>Ogawa K</u>	Histopathological and immunohistochemical evaluation for detecting changes in blood hormone levels caused by endocrine disruptors in a 28-day repeated-dose study in rats	<i>J Appl Toxicol.</i>	42	1603-1617	2022
Kobayashi T, Kishimoto S, Watanabe S, Yoshioka Y, <u>Toyoda T</u> , <u>Ogawa K</u> , Watanabe K, Totsuka Y, Wakabayashi K, Miyoshi N	Cytotoxic homo- and hetero-dimers of <i>o</i> -toluidine, <i>o</i> -anisidine, and aniline formed by <i>in vitro</i> metabolism	<i>Chem Res Toxicol.</i>	35	1625-1630	2022

Arakawa N, Ushiki A, Abe M, Matsuyama S, Saito Y, Kashiwada T, Horimasu Y, Gemma A, Tatsumi K, Hattori N, Tsushima K, Miyashita K, Saito K, Nakamura R, <u>Toyoda T</u> , <u>Ogawa K</u> , Sato M, Takamatsu K, Mori K, Nishiya T, Izumi T, Ohno Y, Saito Y, Hanaoka M	Stratifin as a novel diagnostic biomarker in serum for diffuse alveolar damage	<i>Nat Commun.</i>	13	5854	2022
Grúz P, Yasui M, Ukai A, <u>Horibata K</u> , Honma M, Sugiyama KI	Potent mutagenicity of an azide, 3-azido-1,2-propanediol, in human TK6 cells	<i>Mutation Research</i>	876-877	50347531	2022
Iso T, Natsume M, Murata Y, Shigeta Y, Hirose N, Umano T, <u>Horibata K</u> , Masumura K, Sugiyama KI, Matsumoto M, Hirose A	Absence of <i>in vivo</i> mutagenicity of 4,4'-oxybis(benzenesulfo nohydrazide) in liver and glandular stomach of Muta™ Mouse	<i>Fundam. Toxicol. Sci.</i>	9(2)	31-36	2022
Honma M, Yamada M, Yasui M, <u>Horibata K</u> , Sugiyama KI, Masumura K	Genotoxicity assessment of food-flavoring chemicals used in Japan	<i>Toxicology Reports</i>	9	1008-1012	2022
<u>Horibata K</u> , Takasawa H, Hojo M, Taquahashi Y, Shigano M, Yokota S, Kobayashi N, Sugiyama KI, Honma M, Hamada S	In vivo genotoxicity assessment of a multiwalled carbon nanotube in a mouse ex vivo culture	<i>Genes and Environment</i>	44	24	2022

Ohtake H, Tokuyoshi Y, Iyama Y, Nukaga T, Nishida H, Ohtake T, Hirota M, Yamada K, Seto Y, Sato H, Kouzuki H, <u>Onoue S</u>	Reactive oxygen species (ROS) assay-based photosafety screening for complex ingredients: Modification of the ROS assay protocol	<i>J. Toxicol. Sci</i>	47(11)	483-492	2022
Nakamura K, Kambayashi A, <u>Onoue S</u>	Quantitative assessment of disintegration rate is important for predicting the oral absorption of solid dosage forms containing poorly soluble weak base drugs	<i>Eur J Pharm Biopharm</i>	180	23-32	2022
Halder S, Mibe Y, Rikimura S, Kuromi K, Sato H, <u>Onoue S</u>	Strategic application of liposomal system to R- $\alpha$ -lipoic acid for the improvement of nutraceutical properties	<i>Drug Dev Ind Pharm</i>	48	239-246	2022
Sato H, Yamane C, Higuchi K, Shindo T, Shikama H, Yamada K, <u>Onoue S</u>	Development of stabilized fuzapladib solution for injection: forced degradation study and pharmacokinetic evaluation	<i>Pharm Dev Technol</i>	27(5)	565-571	2022
Banik S, Yamada K, Sato H, <u>Onoue S</u>	Development of poly(lipoic acid) nanoparticles with improved oral bioavailability and hepatoprotective effects of quercetin	<i>Mol. Pharm</i>	19(5)	1468-1476	2022
Yamada K, Hayashi Y, Sasaki K, Higuchi K, Shindo T, Shikama H, Sato H, <u>Onoue S</u>	Nanocrystal solid dispersion of fuzapladib free acid with improved oral bioavailability	<i>Biopharm Drug Dispos</i>	43(3)	89-97	2022
Yamada S, Niiya R, Ito Y, Kato Y, <u>Onoue S</u>	Comparative characterization of $\beta$ -adrenoceptors in the bladder, heart, and lungs of rats: Alterations in spontaneously hypertensive rats	<i>J. Pharmacol. Sci.</i>	148(1)	51-55	2022

高橋祐次, 齊藤洋克, 栞形麻樹子, 北嶋聡	加圧式定量噴霧式吸入器 (pMDI) 製剤のげっ歯類を対象とした鼻部ばく露装置の開発	<i>Jpn J Clin Toxicol.</i>	35	255-259	2022
Kuroda K, Ishii Y, Takasu S, <u>Matsushita K</u> , Kijima A, Nohmi T, Umemura T	Toxicity, genotoxicity, and carcinogenicity of 2-methylfuran in a 90-day comprehensive toxicity study in <i>gpt</i> delta rats	<i>Food Chem Toxicol.</i>	168	113365	2022
Murayama N, <u>Yamada T</u> , Yamazoe Y	Application of CYP1A2-Template system to understand metabolic processes in the safety assessment	<i>Food Safety</i>	10(4)	129-139	2022
<u>Yamada T</u> , Kawamura T, Tsujii S, Miura M, Ohata H, Katsutani K, Matsumoto M, Hirose A	Formation and evaluation of mechanism-based chemical categories for regulatory read-across assessment of repeated-dose toxicity: a case of hemolytic anemia	<i>Regul. Toxicol. Pharmacol.</i>	136	105275	2022
<u>Yamada T</u> , Katsutani K, Maruyama T, Kawamura T, Yamazaki H, Murayama N, Tong W, Yamazoe Y, Hirose A	Combined risk assessment of food-derived coumarin with <i>in silico</i> approaches	<i>Food Safety</i>	10(3)	73-82	2022
<u>山田 隆志</u>	Cefic LRI/ILSI Europe Joint Workshopでの Carcinogen Dose Response Database for Threshold of Toxicological Concern (TTC) の概要ならびにTTCに関する近年の国際動向	<i>イルシー</i>	150	4-12	2022
Murata Y, Umamo T, Iso T, Shigeta Y, Hirose N, Inoue K, <u>Yamada T</u> , Masumura K, Matsumoto M	Summary information of human health hazard assessment of existing chemical substances (VIII)	<i>Bull. Natl. Inst. Health Sci.</i> ,	140	54-60	2022

Fujita M, Nakashima N, Wanibuchi S, Yamamoto Y, <u>Kojima H</u> , Ono A, Kasahara T	Assessment of commercial polymers with and without reactive groups using amino acid derivative reactivity assay based on both molar concentration approach and gravimetric approach	<i>J Appl Toxicol</i>	43(3)	446-457	2023
Uno K, <u>Miyajima K</u> , Ogawa S, Suzuki-Kemuriyama N, Nakae D	Effects of Siraitia grosvenorii extract on nonalcoholic steatohepatitis-like lesions in Sprague Dawley rats fed a choline-deficient, methionine-lowered, l-amino acid-defined diet	<i>J Toxicol Pathol</i>	36(1)	1-10	2023
Colacci A, Corvi R, <u>Ohmori K</u> , Paparella M, Serra S, Carrico IR, Vasseur P, Jacobs NM	The Cell Transformation Assay: A Historical Assessment of Current Knowledge of Applications in an Integrated Approach to Testing and Assessment for Non-Genotoxic Carcinogens	<i>Int. J. Mol. Sci.</i>	24(6)	5659	2023
<u>Matsushita K</u> , <u>Toyoda T</u> , Akane H, Morikawa T, <u>Ogawa K</u>	A 13-week subchronic toxicity study of heme iron in SD rats	<i>Food Chem Toxicol.</i>	175	113702	2023
Ghosh A, Banik S, Suzuki Y, Mibe Y, Rikimura S, Komamoto T, Kuromi K, Yamada K, Sato H, <u>Onoue S</u>	Lysophosphatidylcholine-based liposome to improve oral absorption and nephroprotective effects of astaxanthin	<i>Journal of the Science of Food and Agriculture</i>	103(6)	2981-2988	2023
<u>Saito H</u> , Tanemura K, Furukawa Y, Sasaki T, Kanno J, Kitajima S	Behavioral effects induced by the oral administration of acetaminophen in male mice during the postnatal lactation period or adulthood	<i>J Toxicol Sci.</i>	48(4)	203-210	2023

Sasaki T, <u>Saito H</u> , Furukawa Y, Tominaga T, Kitajima S, Kanno J, Tanemura K	Exposure to bisphenol A or its phenolic analogs during early life induces different types of anxiety-like behaviors after maturity in male mice	<i>J Toxicol Sci.</i>	48(4)	211-219	2023
Murata Y, Natsume M, Iso T, Shigeta Y, Hirose N, Umano T, <u>Horibata K</u> , Sugiyama KI, Masumura K, Hirose A, Matsumoto M	In vivo mutagenicity assessment of styrene in MutaMouse liver and lung	<i>Genes and Environment</i>	45(1)	12	2023
<u>Toyoda T</u> , Sone M, <u>Matsushita K</u> , Akane H, Akagi J, Morikawa T, Mizuta Y, Cho YM, <u>Ogawa K</u>	Early detection of hepatocarcinogens in rats by immunohistochemistry of $\gamma$ -H2AX.	<i>J Toxicol Sci.</i>	in press		2023
<u>Matsushita K</u> , Toyoda T, Akane H, Morikawa T, Ogawa K	A 13-week subchronic toxicity study of heme iron in SD rats.	<i>Food Chem Toxicol.</i>	in press		2023