

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書 籍 名	出版社名	出版地	出版年	ページ
岡田浩一、 他	最新ガイドラインに基づく腎・透析診療指針2023-24序文、腎画像診断	岡田浩一	最新ガイドラインに基づく腎・透析診療指針2023-24	総合医学社	東京	2023	22
岡田浩一、 他	第13章高齢者CKD	丸山彰一	エビデンスに基づくCKD診療ガイドライン2023	東京医学社	東京	2023	149
岡田浩一	第1章3CKD：標準治療の理解と実践	南学正臣、高野秀樹	腎臓内科診療の掟	中外医学社	東京	2023	17
黒澤陽一、 成田一衛	薬剤性腎障害	岡田浩一	最新ガイドラインに基づく腎・透析診療指針 2023-24	総合医学社	東京	2023	63-69
藤井美里、 成田一衛	MPGN (C3腎症)：わかってきた新しい病型分類と概念	南学正臣、高野秀樹	腎臓内科診療の掟	中外医学社	東京	2023	129-134
旭浩一	尿検査（蛋白尿・血尿）	岡田浩一	最新ガイドラインに基づく腎・透析診療指針	総合医学社	東京	2023	7-13
栞原孝成	薬剤性腎障害	福井次矢、高木 誠、小室一成	今日の治療指針 2024年版	医学書院	東京	2024	616-618
栞原孝成	がんと腎臓	今井圓裕、丸山彰一、猪阪善隆	腎臓内科レジデントマニュアル	医学書院	東京	2023	641-649
川嶋聡子、 要 伸也	ANCA検査のピットフォール		SRL宝函44(2)			2023	42-44

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Okada H, et al.	Development of a prognostic risk score to predict early mortality in incident elderly Japanese hemodialysis patients.	PLoS One.	19(4)	e0302101.	2024

Yano Y, et al.	Kidney outcomes associated with hematuria and proteinuria trajectories among patients with IgA nephropathy in real-world clinical practice: The Japan Chronic Kidney Disease Database	Nephrology	29	65-75	2023
岡田浩一	腎不全患者の予後と予測式の開発	日本腎臓学会誌	65	876-879	2023
岡田浩一、他	腎臓病領域における20年のあゆみと今後の展望	日本内科学会創立120周年記念誌	特別号	209	2023
Matsuzaki K, et al.	Current treatment status of IgA nephropathy in Japan: a questionnaire survey.	Clin Exp Nephrol	(in press)	(in press)	(in press)
Yamamoto T, Katsuhara M, Ueshima K, Uemura S, Kashiwara N, Kimura K, Koyama T, Shoji T, Mima A, Mukoyama M, Saito Y.	Multicenter randomized controlled trial of intensive uric acid lowering therapy for CKD patients with hyperuricemia: TARGET-UA.	Clin Exp Nephrol.			2024 Online ahead of print.
Kishi S, Nakashima T, Goto T, Nagasu H, Brooks CR, Okada H, Tamura K, Nakano T, Narasita I, Maruyama S, Yano Y, Yokoo T, Wada T, Wada J, Nangaku M, Kashiwara N.	Association of serum magnesium levels with renal prognosis in patients with chronic kidney disease.	Clin Exp Nephrol.			2024 Online ahead of print.
Yusei O, Nagasu H, Nakagawa N, Terawaki S, Moriwaki T, Itano S, Kishi S, Sasaki T, Kashiwara N, Otomo T.	A case series of Fabry diseases with CKD in Japan.	Clin Exp Nephrol.			2024 Online ahead of print.
Kanda E, Epurpleanu BI, Adachi T, Sasaki T, Kashiwara N.	Mathematical expansion and clinical application of chronic kidney disease stage as vector field.	PLoS One.	19(3)	e0297389.	2024

Kishi S, Nagasu H, Kidokoro K, Kashihara N.	Oxidative stress and the role of redox signalling in chronic kidney disease.	Nat Rev Nephrol.	20(2)	101-119.	2024
Yanagita M, et al.	Clinical questions and good practice statements of clinical practice guidelines for management of kidney injury during anticancer drug therapy 2022.	Clin Exp Nephrol.	28(2)	85-122.	2024
Sugawara Y, Kanda E, Ohsugi M, Ueki K, Kashihara N, Nangaku M.	eGFR slope as a surrogate endpoint for end-stage kidney disease in patients with diabetes and eGFR > 30 mL/min/1.73 m ² in the J-DREAM S cohort.	Clin Exp Nephrol.	28(2)	144-152.	2024
Kanda E, Epureanu BI, Adachi T, Sasaki T, Kashihara N.	New marker for chronic kidney disease progression and mortality in medical-world virtual space.	Sci Rep.	14(1)	1661.	2024
Hirano A, Kadoya H, Yamanouchi Y, Kishi S, Sasaki T, Kashihara N.	IL-1 β may be an indicator of peritoneal deterioration after healing of peritoneal dialysis-associated peritonitis.	BMC Nephrol.	24(1)	374.	2023
Li Y, Fujii M, Ohno Y, Ikeda A, Godai K, Nakamura Y, Akagi Y, Yabe D, Tsushita K, Kashihara N, Kamide K, Kabayama M.	Lifestyle factors associated with a rapid decline in the estimated glomerular filtration rate over two years in older adults with type 2 diabetes—Evidence from a large national database in Japan.	PLoS One.	18(12)	e0295235.	2023
Kurasawa S, Yasuda Y, Kato S, Maruyama S, Okada H, Kashihara N, Narita I, Wada T, Yamagata K; REACH-J CKD collaborators.	Relationship between the lower limit of systolic blood pressure target and kidney function decline in advanced chronic kidney disease: an instrumental variable analysis from the REACH-J CKD cohort study.	Hypertens Res.	46(11)	2478-2487.	2023

Kidokoro K, Kadoya H, Cherney DZI, Kondo M, Wada Y, Umenono R, Kishi S, Nagasu H, Nagai K, Suzuki T, Sasaki T, Yamamoto M, Kanwar YS, Kashihara N.	Insights into the Regulation of GFR by the Keap1-Nrf2 Pathway.	Kidney360.	4(10)	1454-1466.	2023
Itano S, Kanda E, Nagasu H, Nangaku M, Kashihara N.	eGFR slope as a surrogate endpoint for clinical study in early stage of chronic kidney disease: from The Japan Chronic Kidney Disease Database.	Clin Exp Nephrol.	27(10)	847-856.	2023
Kadoya H, Hirano A, Umeno R, Kajimoto E, Iwakura T, Kondono M, Wada Y, Kidokoro K, Kishi S, Nagasu H, Sasaki T, Taniguchi S, Takahashi M, Kashihara N.	Activation of the inflammasome drives peritoneal deterioration in a mouse model of peritoneal fibrosis.	FASEB J.	37(9)	e23129.	2023
Nangaku M, Takama H, Ichikawa T, Mukai K, Kojima M, Suzuki Y, Watada H, Wada T, Ueki K, Narita I, Kashihara N, Kadowaki T, Hase H, Akizawa T.	Randomized, double-blind, placebo-controlled phase 3 study of bardoxolone methyl in patients with diabetic kidney disease: design and baseline characteristics of the AYAME study.	Nephrol Dial Transplant.	38(5)	1204-1216.	2023
Koshino A, Schachter M, Chernew GM, Vart P, Jongs N, Toot RD, Rossing P, Correa-Rotter R, McMurray JJV, Górriz JL, Isidoro R, Kashihara N, Langkilde AM, Wheeler DC, Heerspink HJL.	Dapagliflozin and Anemia in Patients with Chronic Kidney Disease.	NEJM Evid.	2(6)	EVIDoa2300049.	2023

Fujii M, Ohno Y, Ikeda A, Godai K, Li Y, Nakamura Y, Yabe D, Tsushita K, Kashiwara N, Kamide K, Kobayama M.	Current status of the rapid decline in renal function due to diabetes mellitus and its associated factors: analysis using the National Database of Health Checkups in Japan.	Hypertens Res	46(5)	1075-1089.	2023	
柏原直樹, 岸誠司, 山内佑, 山本稔也.	J-CKD-DBが解き明かすSGLT2阻害薬の腎保護効果.	糖尿病・内分泌代謝科	56(4)	386-394.	2023	
城所研吾, 柏原直樹.	腎臓病研究におけるイメージング技術の進歩を展望.	日本腎臓学会誌	65(8)	942-950.	2023	
渡邊昌, 柏原直樹.	慢性腎臓病進行をいかに予防するかThe International Workshop on Dietary Therapy for Chronic Kidney Diseaseを踏まえて.	アンチ・エイジング医学	19(5)	430-436	2023	
柏原直樹, 岸誠司, 山内佑, 山本稔也.	リアルワールドデータからみた糖尿病性腎臓病.	月刊糖尿病	15(4)	12-20.	2023	
Fukui A, Takeshita K, Nakashima A, Maruyama Y, Tsuboi N, Hoshina T, Yokoo T.	The relation between proteinuria and the severity of COVID-19.	Clin Exp Nephrol.	28(3)	235-244	2024	
Shimohata H, Usui J, Tawara-Iida T, Ebihara I, Ishizu T, Mameda Y, Kobayashi H, Numajiri D, Kaneshige A, Segami M, Yamashita M, Ohgi K, Maruyama H, Takayasu M, Hirayama K, Kobayashi M, Yamagata K;	Study Group of the Ibaraki Dialysis Initiation Cohort Study. NT-pro BNP level at dialysis initiation is a useful biomarker for predicting hospitalization for ischemic heart disease.	Clin Exp Nephrol.	Epub ahead of print.		2024	
Nishitani N, Kotsaki K, Mori S, Matsui M, Sugaya T, Kuro-O M, Saito C, Yamagata K, Maeda S.	Association of Lower Extremity Muscle Strength and Function with Renal Resistive Index in Individuals with and without Chronic Kidney Disease.	Geriatrics (Basel).	8(6)	118	2023	

Mathur M, Barraclough J, Chacko B, Chan TM, Kooiey L, Oh KH, Saha M, Suzuki Y, Wong MG, Yarbrough J, Xia J, Pereira BJG; ENVISION Trial Investigators Group.	A Phase 2 Trial of Sipeprelimab in Patients with IgA Nephropathy.	N Engl J Med.	390(1)	20-31	2024
Okubo R, Kondo M, Imasawa T, Saito C, Kai H, Tsunoda R, Hoshino J, Watanabe T, Narita I, Matsuo S, Makino H, Hishida A, Yamagata K.	Health-related quality of life in 10 years long-term survivors of chronic kidney disease: a Frodo-J study.	J Ren Nutr.	S1051-2276(23)	11:S1051-2276(23)	2023
Writing Group for the CKD Prognosis Consortium; Grams ME, et al.	Estimated Glomerular Filtration Rate, Albuminuria, and Adverse Outcomes: An Individual-Participant Data Meta-Analysis.	JAMA.	330(13)	1266-1277	2023
Tasaki H, Eriguchi M, Yoshida H, Uemura T, Fujikata F, Nishimoto M, Kosugi T, Matsui M, Samejima KI, Iseki K, Asahi K, Yamagata K, Konta T, Fujimoto S, Narita I, Kasahara M, Shibagaki Y, Moriyama T, Kondo M, Watanabe T, Tsuruya K.	Synergistic effect of proteinuria on dipstick hematuria-related decline in kidney function: The Japan Specific Health Checkups (J-SHC) Study.	Clin Exp Nephrol.	Epub ahead of print.		2023
Nagai K, Harada T, Mase K, Iseki K, Moriyama T, Tsuruya K, Fujimoto S, Narita I, Konta T, Kondo M, Kasahara M, Shibagaki Y, Asahi K, Watanabe T, Yamagata K.	Weight Loss Improves Liver Dysfunction and Dipstick Proteinuria in Obesity: The Japan Specific Health Checkups Study.	JMA J.	6(3)	312-320	2023

Takahashi-Kobayashi M, Usui J, Kawanishi K, Saito C, Ebihara I, Yamagata K.	Adding Cases to the Study of Bucillamine-Associated Neuronal Epidermal Growth Factor-Like-Positive Membranous Nephropathy.	Kidney Int R8(8)	1698-1699	2023
Kosugi T, Eriguchi M, Yoshida H, Tamaki H, Uekura T, Tasaki H, Furuyama R, Fukata F, Nishimoto M, Matsui M, Samejima KI, Iseki K, Fujimoto S, Konta T, Moriyama T, Yamagata K, Narita I, Kasahara M, Shibagaki Y, Kondo M, Asahi K, Watanabe T, Tsuruya K.	Trace proteinuria detected via dipstick test is associated with kidney function decline and new-onset overt proteinuria: the Japan Specific Health Checkups (J-SHC) Study.	Clin Exp Nephrol. 27(10)	801-808	2023
Kurasawa S, Yasuda Y, Kato S, Maruyama S, Okada H, Kashiwara N, Narita I, Wada T, Yamagata K;	REACH-J CKD collaborators. Relationship between the lower limit of systolic blood pressure target and kidney function decline in advanced chronic kidney disease: an instrumental variable analysis from the REACH-J CKD cohort study.	Hypertens Res Epub ahead of print.		2023
Kosaki K, Park J, Matsui M, Sugaya T, Kuro-O M, Saito C, Yamagata K, Maeda S.	Elevated urinary angiotensinogen excretion links central and renal hemodynamic alterations.	Sci Rep. 13(1)	11518	2023
Calice-Silva V, Muenz D, Wong MMY, McCullough K, Charytan D, Reichel H, Robinson B, Stengehl B, Massy ZA, Pecoits-Filho R; CKDopps Investigators.	International practice patterns of dyslipidemia management in patients with chronic kidney disease under nephrology care: is it time to review guideline recommendations?	Lipids Health Dis. 22(1)	67	2023

Murano H, Inoue S, Sato K, Sato M, Igarashi A, Fujimoto S, Iseki K, Moriyama T, Shibagaki Y, Kasahara M, Narita I, Yamagata K, Tsuruya K, Kondo M, Asahi K, Watanabe T, Konta T, Watanabe M.	The effect of lifestyle on the mortality associated with respiratory disease in the general population.	Sci Rep.	13(1)	8272	2023
蒲澤 佳子、伊藤 由美、田中 純太、成田 一衛	大規模コホート追跡による慢性腎臓病 (CKD) の生活習慣リスク因子の解明	新潟県医師会報	877	7-8	2023
Wakasugi M, Yokoseki A, Wada M, Momotsu T, Sato K, Kawashima H, Nakamura K, Onodera O, Narita I.	Vegetable and Fruit Intake Frequency and Mortality in Patients With and Without Chronic Kidney Disease: A Hospital-Based Cohort Study.	J Ren Nutr.	33(4)	566-74.	2023
Wakasugi M, Narita I.	Trends in the incidence of renal replacement therapy by type of primary kidney disease in Japan, 2006-2020.	Nephrology (Carlton)	28(2)	119-29	2023
Wakasugi M, Narita I.	Birth cohort effects in incident renal replacement therapy in Japan, 1982-2021.	Clin Exp Nephrol.	27(8)	707-14	2023
Shirai N, Yamamoto S, Osawa Y, Tsubaki A, Morishita S, Narita I.	Dynamic and static balance functions in hemodialysis patients and non-dialysis dependent CKD patients.	Ther Apher Dial.	27(3)	412-8	2023
Sato Y, Kabasawa K, Ito Y, Tsugane S, Nakamura K, Tanaka J, Narita I.	Association between Physical Activity in Rural Life and Sarcopenia in Community-Dwelling Middle-Aged and Older Japanese Adults: A Cross-Sectional Study.	Tohoku J Exp Med.	261(4)	317-23	2023

Otake Y, Watanabe T, Konta T, Watanabe M, Fujimoto S, Sato Y, Asahi K, Yamagata K, Tsuruya K, Narita I, Kasahara M, Shibagaki Y, Iseki K, Moriyama T, Kondo M, Watanabe T.	A Body Shape Index and Aortic Disease-Related Mortality in Japanese General Population.	J Atheroscler Thromb.	30(7)	754-66	2023
Okubo R, Kondo M, Imasawa T, Saito C, Kai H, Tsunoda R, Hoshino J, Watanabe T, Narita I, Matsuo S, Makino H, Hishida A, Yamagata K.	Health-related Quality of Life in 10 years Long-term Survivors of Chronic Kidney Disease: A Follow-up Study.	J Ren Nutr.			2023
Kurasawa S, Yasuda Y, Kato S, Maruyama S, Okada H, Kashiwara N, Narita I, Wada T, Yamagata K.	Relationship between the lower limit of systolic blood pressure target and kidney function decline in advanced chronic kidney disease: an instrumental variable analysis from the REACH-J CKD cohort study.	Hypertens Res	46(11)	2478-87.	2023
Kosugi T, Eriguchi M, Yoshida H, Uemura T, Takasaki H, Fukata F, Nishimoto M, Matsui M, Samejima KI, Iseki K, Fujimoto S, Konta T, Moriyama T, Yamagata K, Ichiei N, Kasahara M, Shibagaki Y, Kondo M, Asahi K, Watanabe T, Tsuruya K.	Height loss is associated with decreased kidney function: The Japan Specific Health Checkups (J-SHC) Study.	Geriatr Gerontol Int.	23(4)	282-8.	2023
Iwasaki T, et al.	Association between height loss and mortality in the general population.	Sci Rep	13(1)	3593	2023
Shirai N, Yamamoto S, Osawa Y, Tsubaki A, Morishita S, Sugahara T, Narita T	Low muscle strength and physical function contribute to falls in hemodialysis patients, but not muscle mass	Clin Exp Nephrol	28(1)	67-74	2024

Kitabayashi K, Yamamoto S, Narita I.	Appropriate Anthropometric Indices for Geriatric Nutritional Risk Index in Predicting Mortality in Older Japanese Patients: A Comparison of the Lorentz Formula and Body Mass Index.	Tohoku J Exp Med.			2024
Kabasawa H, Hosojima M, Narita I.	Questionnaire survey of the frequency of dietary intake during hemodialysis and the impact of COVID-19 in Japan.	Clin Exp Nephrol	28(3)	254-60.	2024
Wakasugi M, Narita I.	Higher participation rates for specific health checkups are associated with a lower incidence of treated ESKD in Japan.	Clin Exp Nephrol.	doi: 10.1007/s10157-023-02412-3.	Epub ahead of print.	2023
Wakasugi M, Narita I.	Trends in the Incidence of Renal Replacement Therapy due to Rapidly Progressive Glomerulonephritis in Japan, 2006-2021	Intern Med	doi: 10.2169/innermedicine.3343-23	Epub ahead of print.	2024
若杉 三奈子, 成田 一衛.	健康診断データを活用した地域レベルでのCKD 患者数の推計.	日腎会誌	65(5)	485-490	2023
若杉 三奈子, 成田 一衛.	腎硬化症による透析導入患者は、導入年末時での脳出血既往・喫煙率・過体重割合が高い	日腎会誌	65(8)	975-987	2023
若杉 三奈子, 成田 一衛.	近年の透析導入率の変化, 2006~2021.	日腎会誌	66(1)	333-342.	2024
猪阪 善隆	日本のCKD患者数の概算	日本医師会雑誌	7	In press	2024
Onishi Y, Uchida HA, Maeshima Y, Okuyama Y, Ohtaka N, Ujike H, Tanaka K, Takeuchi H, Tsujikawa K, Kitagawa M, Tanabe K, Morinaga H, Kinomura M, Kitamura S, Sugiyama H, Ota K, Maruyama K, Hiramatsu	The Effect of Medical Cooperation in the CKD Patients: 10-Year Multicenter Cohort Study.	J Pers Med.	13(4)	582	2023 Mar 26

Osakabe Y, Taniuchi Y, Hamada Ode K, Shimamura Y, Inotani S, Nishikawa H, Matsumoto T, Horino T, Fujimoto S, Terada Y.	Clinical significance of amphiregulin in patients with chronic kidney disease.	Clin Exp Nephrol.	doi: 10.1007/s10157-023-02445-8.	Online ahead of print. PMID: 38402497	2024
Horino T, Osakabe Y, Ishihara M, Nakajima K, Terada Y.	Nephrotic syndrome caused by IgA vasculitis flare up following COVID-19 vaccination.	QJM	116(7)	556-558	2023
Hatakeyama Y, Horino T, Yasui S, Komori M, Terada Y, Okuhara Y.	Incidence of acute kidney injury and decreased estimated glomerular filtration rate according to the site of cancer.	Clin Exp Nephrol.	27(3)	262-271	2023
Hara A, et al; LICENSE study group	Effect of Low-Density Lipoprotein Apolipoprotein A-I on Quality of Life in Patients with Diabetes, Proteinuria, and Hypercholesterolemia	Blood Purif	52(4)	373-381	2023
Miyasato Y, Hanana RM, Mukoyama M, et al.	Associations of interdialytic weight gain in the long intervals with mortality and residual kidney function decline.	Hemodial Int	27 (3)	326-338	2023
Fujimoto D, Kuwabara T, Mukoyama M.	Need to continue or discontinue RAS inhibitors as CKD stage advances? Any alternative?	Hypertens Res	46 (8)	2048-2050	2023
Miyasato Y, Mukoyama M.	More delicate blood pressure management in patients with chronic kidney disease: is lower not the better?	Hypertens Res	46 (12)	2757-2758	2023
Mukoyama M, Kuwabara T.	Pre-dialysis blood pressure and cardiovascular mortality in Japan: need for much stricter control?	Hypertens Res	47 (3)	811-812	2024

Yamamoto T, Katsuhara M, Mukoyama M, et al.	Multicenter randomized controlled trial of intensive uric acid lowering therapy for CKD patients with hyperuricemia: TARGET-UA	Clin Exp Nephrol			In press
栞原孝成、向山政志	ARNI（サクビトリルバールサルタン）の高血圧治療戦略における位置づけ.	カレントセラピー	41(5)	470-475	2023
栞原孝成	総説「がん薬物療法時の腎障害診療ガイドライン2022」の概説	日本病院薬剤師雑誌	59(9)	940-943	2023
國友理恵, 要伸也	透析導入直後に現れやすい症状とその治療は?	月間薬事	65(12)	2405-2406	2023
Abe M, Hatta T, Imamura Y, Sakurada T, Kaname S.	Inpatient multidisciplinary care can prevent deterioration of renal function in patients with chronic kidney disease: a nationwide cohort study.	Front Endocrinol (Lausanne)	14	1180477	2023
Abe M, Hatta T, Imamura Y, Sakurada T, Kaname S	Effectiveness and current status of multidisciplinary care for patients with chronic kidney disease in Japan: a nationwide multicenter cohort study.	Clin Exp Nephrol	27(6)	528-541	2023
Abe M, Hatta T, Imamura Y, Sakurada T, Kaname S	Examine the optimal multidisciplinary care teams for patients with chronic kidney disease from a nationwide cohort study.	Kidney Res Clin Pract			In press