

研究成果の刊行に関する一覧表

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書 籍 名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|---------|-----------|-------|------|-----|-----|-----|
|      |         |           |       |      |     |     |     |

雑誌

| 発表者氏名                                                                                                                                                            | 論文タイトル名                                                                                                                                                                                                                                   | 発表誌名                                         | 巻号     | ページ       | 出版年  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|--------|-----------|------|
| Odani S, Koyama S, Miyashiro I, <u>Tanigami H</u> , Ohashi Y, <u>Tabuchi T</u> .                                                                                 | Association between heated tobacco product use and airway obstruction: a single-centre observational study, Japan                                                                                                                         | BMJ Open Respiratory Research                | 11(1)  | e001793   | 2024 |
| Kyriakos CN, Erinoso O, Driezen P, Thrasher JF, Katanoda K, Quah ACK, <u>Tabuchi T</u> , Perez CA, Seo HG, Kim SY, Nordin ASA, Hairi FM, Fong GT, Filippidis FT. | Prevalence and perceptions of flavour capsule cigarettes among adults who smoke in Brazil, Japan, Republic of Korea, Malaysia and Mexico: findings from the ITC surveys                                                                   | BMJ Open                                     | 14(4)  | e083080   | 2024 |
| Odani S, <u>Tabuchi T</u> .                                                                                                                                      | Tobacco usage in the home: a cross-sectional analysis of heated tobacco product (HTP) use and combustible tobacco smoking in Japan, 2023                                                                                                  | Environmental Health and Preventive Medicine | 29     | 11        | 2024 |
| Chiba S, <u>Yamada K</u> , Kawai A, Hamaoka S, Ikemiya H, Hara A, Wakaizumi K, <u>Tabuchi T</u> , Yamaguchi K, Kawagoe I, Iseki M.                               | Association between smoking and central sensitization pain: a web-based cross-sectional study                                                                                                                                             | Journal of Anesthesia                        | 38(2)  | 198-205   | 2024 |
| Matsuyama Y, <u>Tabuchi T</u> .                                                                                                                                  | Does Tobacco Smoking Increase Social Isolation? A Mendelian Randomization Study                                                                                                                                                           | American Journal of Epidemiology             | 193(4) | 626-635   | 2024 |
| Suzuki H, Aono N, Zhang Y, Yuri K, Bassole Epse Brou MAM, Takemura S, Higashiyama A, <u>Tabuchi T</u> , Fujiyoshi A.                                             | Comparison of Publications on Heated Tobacco Products With Conventional Cigarettes and Implied Desirability of the Products According to Tobacco Industry Affiliation: A Systematic Review                                                | Nicotine & Tobacco Research                  | 26(5)  | 520-526   | 2024 |
| Noguchi S, Ishimaru T, Fujino Y, Yatera K, <u>Tabuchi T</u> .                                                                                                    | Association of cigarette smoking with increased use of heated tobacco products in middle-aged and older adults with self-reported chronic obstructive pulmonary disease, asthma, and asthma-COPD overlap in Japan, 2022: the JASTIS study | BMC Pulmonary Medicine                       | 23(1)  | 365       | 2023 |
| Yamamoto T, Abbas H, Kanai M, Yokoyama T, <u>Tabuchi T</u> .                                                                                                     | Factors associated with smoking behaviour changes during the COVID-19 pandemic in Japan: a 6-month follow-up study                                                                                                                        | Tobacco Control                              | 33(3)  | 287-294   | 2024 |
| Nakai M, Iwanaga Y, Sumita Y, Amano T,                                                                                                                           | Long-Term Follow-up Study of Hospitalizations for Acute                                                                                                                                                                                   | Circulation Journal                          | 87(11) | 1680-1685 | 2023 |

|                                                                                                                                          |                                                                                                                                                                           |                                              |      |                        |      |
|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|------|------------------------|------|
| Fukuda I, Hirano T, Iida M, Katanoda K, Miyamoto Y, Nakamura M, Saku K, <u>Tabuchi T</u> , Yamato H, Zhang B, Fujiwara H.                | Coronary Syndrome in Kobe-City and Other Districts Under the Hyogo Smoking Ban Legislation - A Nationwide Database Study                                                  |                                              |      |                        |      |
| Odani S, <u>Tabuchi T</u> .                                                                                                              | Unavoidable exposure to secondhand smoke in indoor places: a cross-sectional comparison to the Health Japan 21 (second term) objectives, 2022                             | Environmental Health and Preventive Medicine | 28   | 45                     | 2023 |
| <u>Yamada K</u> , Imano H, <u>Tabuchi T</u> , Shimizu Y, Kubota Y, Muraki I, Umesawa M, Yamagishi K, Okada T, Kiyama M, Sankai T, Iso H. | Longitudinal trajectories of smoking status using 25 year annually-updated data and allcause mortality followed over 30 years: A community-based prospective cohort study | Preventive Medicine                          | 173  | 107575                 | 2023 |
| Tsushima S, Watanabe K, Hirohashi S, Yoshimi T, Fujino Y, <u>Tabuchi T</u> , <u>Zaitzu M</u> .                                           | Occupational fall incidence associated with heated tobacco product smoking and lifestyle behaviors: a nationwidecross-sectional study in Japan                            | preprint(2025.2.15 公開)として発表・論文投稿中            |      |                        |      |
| <u>Yamada K</u> , Chiba S, Iseki M, <u>Tabuchi T</u> .                                                                                   | Population Using Tobacco for Pain Relief: A Preliminary Cross-Sectional Study in Japan.                                                                                   | Neuropsychopharmacol Rep                     | 45   | e12516.                | 2025 |
| Tamada Y, Takeuchi K, <u>Tabuchi T</u> .                                                                                                 | Response to Letter to the Editor: Stepwise rather than linear trend in prevalence of secondhand tobacco exposure among children.                                          | Nicotine Tob Res                             |      | online                 | 2025 |
| Takase M, Nakaya N, Tanno K, et al.                                                                                                      | Has the impact of cigarette smoking on mortality been underestimated by overlooking second-hand smoke? Tohoku medical megabank community-based cohort study.              | BMJ Public Health                            | 3    | (1):e001746            | 2025 |
| Ooba H, Maki J, <u>Tabuchi T</u> , et al.                                                                                                | Relationship Between Heated Tobacco Products and Placental Abrupton: A Prospective Cohort Study Using Online Questionnaire.                                               | J Epidemiol Glob Health                      | 15   | (1):30                 | 2025 |
| Kiyohara K, Ikeda T, Ishimaru T, et al.                                                                                                  | Discomfort Experienced due to the Odor and Physiological Responses of Residual Tobacco Smoke Brought into Workplaces by Smokers on Work Performance and Mental Health.    | J Epidemiol                                  |      | Online                 | 2025 |
| El-Haddad N, Li Y, Delaney GP, et al.                                                                                                    | It is never too late to stop smoking. Applying working estimates of smoking cessation on five-year overall survival gains after a cancer diagnosis.                       | Cancer Epidemiol                             | 96   | 102775                 | 2025 |
| Sugihara M, <u>Tabuchi T</u> .                                                                                                           | Three in four smokers want to quit tobacco (reference to reassessing the smoking target in Japan): findings from the JASTIS2021 study.                                    | Environ Health Prev Med                      | 29   | 28                     | 2024 |
| Yamamoto T, Abbas H, Cooray U, Yokoyama T, <u>Tabuchi T</u> .                                                                            | Estimating the prevalence of and clarifying factors associated with multiple tobacco product use in Japan: a cross-sectional study in 2022 .                              | Journal of Epidemiology                      |      | online ahead of print. | 2024 |
| <u>Yamada K</u> , Kimura T, Mizunuma N, <u>Tabuchi T</u> .                                                                               | Pain-related smoking expectancies across tobacco product use patterns, including heated tobacco products: psychometric validation of the Japanese Pain and Smoking        | Neuropsychopharmacology Reports              | 掲載予定 | 掲載予定                   | 2026 |

|                                                                                                                                                                                              |                                                                                                                                                                       |                                              |                       |                       |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------------|-----------------------|------|
|                                                                                                                                                                                              | Inventory                                                                                                                                                             |                                              |                       |                       |      |
| Noguchi S, Ishimaru T, Yatera K, Fujino Y, <u>Tabuchi T.</u>                                                                                                                                 | Association between heated tobacco product and worsening asthma symptoms: Findings from a nationwide internet survey in Japan, 2023                                   | Environmental Health and Preventive Medicine | online ahead of print | online ahead of print | 2025 |
| Hirai K, <u>Yamada K.</u> , Asai K, Tsutsumi M, Ueda T, Toyokura E, Furukawa Y, Miyamoto A, Nishimura M, Sato K, Watanabe T, Maruoka S, Gon Y, <u>Tabuchi T.</u> , Kawaguchi T.              | Prevalence of dysfunctional breathing in the Japanese community and the involvement of tobacco use status: The JASTIS study 2024                                      | Respiratory Investigation                    | 63(6)                 | 1377-1382             | 2025 |
| Isaka Y, <u>Hori A.</u> , Dhungel B, <u>Tabuchi T.</u> , Katanoda K.                                                                                                                         | Prevalence and associated factors of waterpipe tobacco smoking in Japan                                                                                               | Tobacco Induced Diseases                     | 23                    | —                     | 2025 |
| Kitajima T, <u>Hisamatsu T.</u> , Kanda H, <u>Tabuchi T.</u>                                                                                                                                 | Nicotine dependence based on the tobacco dependence screener among heated tobacco products users in Japan, 2022-2023: The JASTIS study                                | Neuropsychopharmacology Reports              | 45(1)                 | e12512                | 2025 |
| Kiyohara K, Ikeda T, Ishimaru T, Okubo R, <u>Tabuchi T.</u>                                                                                                                                  | Discomfort Experienced Due to the Odor and Physiological Responses of Residual Tobacco Smoke Brought Into Workplaces by Smokers on Work Performance and Mental Health | Journal of Epidemiology                      | 35(9)                 | 393-401               | 2025 |
| Lotfy N, <u>Tabuchi T.</u>                                                                                                                                                                   | Spatial analysis of the percentages of smokers, alcohol drinkers, social welfare expenditure and insomniacs in Japan                                                  | Scientific Reports                           | 15(1)                 | 24652                 | 2025 |
| Miyoshi K, <u>Tabuchi T.</u> , Miyawaki T.                                                                                                                                                   | Alcohol dependence and consumption status are related to smoking status: A cross-sectional study of data from the Japan Society and New Tobacco Internet Survey 2023  | Tobacco Prevention & Cessation               | 11                    | —                     | 2025 |
| Noguchi S, Ishimaru T, Yatera K, Fujino Y, <u>Tabuchi T.</u>                                                                                                                                 | Association between heated tobacco product use and worsening asthma symptoms: findings from a nationwide internet survey in Japan, 2023                               | Environmental Health and Preventive Medicine | 30                    | 77                    | 2025 |
| Ooba H, Maki J, <u>Tabuchi T.</u> , Masuyama H.                                                                                                                                              | Relationship Between Heated Tobacco Products and Placental Abruptio: A Prospective Cohort Study Using Online Questionnaire                                            | Journal of Epidemiology and Global Health    | 15(1)                 | 30                    | 2025 |
| Sonoda K, Okawa S, <u>Tabuchi T.</u>                                                                                                                                                         | Association of remote work with tobacco and alcohol use: a cross-sectional study in Japan                                                                             | BMC Public Health                            | 25(1)                 | 103                   | 2025 |
| Sun T, Chan G, Gravely S, Quah ACK, Meng G, Fong GT, Xu SS, Katanoda K, Seo HG, <u>Tabuchi T.</u> , Yoshimi I, Kang CB, Vu G, Cho A, Lim C, Togawa K, Lim S, Lee S, Cho SI, Kim GY, Leung J. | Knowledge and Concerns About Smoking-Related Health Risks: A Cross-Sectional Analysis of the 2021 International Tobacco Control Japan and Korea Surveys               | Drug and Alcohol Review                      | 44(7)                 | 2127-2137             | 2025 |
| <u>Tabuchi T.</u> , Takenobu K, Katanoda K.                                                                                                                                                  | Statement of Continued Commitment to the Issue of Tobacco Industry Money                                                                                              | Nicotine & Tobacco Research                  | 27(3)                 | 564-565               | 2025 |
| Tamada Y, Takeuchi K, <u>Tabuchi T.</u>                                                                                                                                                      | Response to Letter to the Editor: Stepwise rather than linear trend in prevalence of                                                                                  | Nicotine & Tobacco Research                  | 27(10)                | 1854-1855             | 2025 |

|                                                                                                                                                             |                                                                                                                                                                                               |                                 |       |         |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-------|---------|------|
|                                                                                                                                                             | secondhand tobacco exposure among children                                                                                                                                                    |                                 |       |         |      |
| Togawa K, <u>Tabuchi T</u> , Katanoda K.                                                                                                                    | Longitudinal impact of tobacco advertising, promotion and sponsorship on perceptions of harmfulness of tobacco and uptake of heated tobacco products in Japan: findings from the JASTIS study | Tobacco Control                 | —     | —       | 2025 |
| Toyokura E, <u>Yamada K</u> , Asai K, Tsutsumi M, Ueda T, Hirai K, Furukawa Y, Miyamoto A, Nishimura M, Sato K, Watanabe T, <u>Tabuchi T</u> , Kawaguchi T. | Dual use of combustible and heated tobacco products associates persistent symptoms with a history of COVID-19: a JASTIS 2023 cross-sectional study                                            | Scientific Reports              | 15(1) | 38659   | 2025 |
| Tsushima S, Watanabe K, Hirohashi S, Yoshimi T, Fujino Y, <u>Tabuchi T</u> , <u>Zaitsu M</u> .                                                              | Occupational fall incidence associated with heated tobacco product use and lifestyle behaviors in Japan                                                                                       | Scientific Reports              | 15(1) | 20035   | 2025 |
| <u>Yamada K</u> , Chiba S, Iseki M, <u>Tabuchi T</u> .                                                                                                      | Population Using Tobacco for Pain Relief: A Preliminary Cross-Sectional Study in Japan                                                                                                        | Neuropsychopharmacology Reports | 45(1) | e12516  | 2025 |
| Yamamoto T, Abbas H, Cooray U, Yokoyama T, <u>Tabuchi T</u> .                                                                                               | Estimating the Prevalence of and Clarifying Factors Associated With Multiple Tobacco Product Use in Japan: A Cross-sectional Study in 2022                                                    | Journal of Epidemiology         | 35(5) | 222-229 | 2025 |
| Yuri K, Higashiyama A, Takemura S, Suzuki H, Bassole Epse Brou MAM, Zhang Y, Aono N, <u>Tabuchi T</u> , Fujiyoshi A.                                        | Do perceptions of the harm of heated tobacco products differ by smoking status? A cross-sectional analysis of the Japan Society and New Tobacco Internet Survey (JASTIS) 2020 in Japan        | BMJ Public Health               | 3(2)  | e002516 | 2025 |