

研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表レイアウト（参考）

書籍

| 著者氏名 | 論文タイトル名   | 書籍全体の編集者名            | 書 籍 名          | 出版社名 | 出版地 | 出版年  | ページ     |
|------|-----------|----------------------|----------------|------|-----|------|---------|
| 栞原孝成 | 代謝性アシドーシス | 福井次矢, 高木 誠, 小室一成 総編集 | 今日の治療指針 2025年版 | 医学書院 | 東京  | 2025 | 641-642 |
|      |           |                      |                |      |     |      |         |
|      |           |                      |                |      |     |      |         |

雑誌

| 発表者氏名               | 論文タイトル名                                                                                                                                          | 発表誌名              | 巻号     | ページ       | 出版年  |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------|-----------|------|
| Usui J, et al.      | Status of initial treatment for rapidly progressive glomerulonephritis in Japan: an analysis of a personal clinical records database.            | Clin Exp Nephrol. | 29(8)  | 1095-1101 | 2025 |
| Nakamura H, et al.  | Exploring factors associated with Kidney Disease Quality of Life in patients with advanced chronic kidney disease: The Reach-J CKD cohort study. | Clin Exp Nephrol. | 29(6)  | 765-776   | 2025 |
| Takano M, et al.    | Peritoneal dialysis-associated peritonitis due to <b>Nocardia farcinica</b> : A case report.                                                     | IDCases           | 42     | e02379    | 2025 |
| Nakamura Y, et al.  | IgG-secreting lymphoplasmacytic lymphoma presenting massive kidney infiltration.                                                                 | Clin Case Rep     | 13(11) | e71290    | 2025 |
| Kashihara N, et al. | Efficacy and safety of patiromer for hyperkalemia: a randomized, placebo-controlled phase 3 study.                                               | Clin Exp Nephrol. | 29(7)  | 899-911   | 2025 |
| 中川直樹                | 多職種の協働で、患者の笑顔と安心を守る                                                                                                                              | 透析ケア              | 31     | 7         | 2025 |

|                                                                                                                                                                                      |                                                                                                                                                                 |                          |       |           |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------|-----------|------|
| Konta T, Asahi K, Tamura K, Tanaka F, Fukui A, Nakamura Y, Hirose J, Ohara K, Shiohara Y, Carter M, Meredith K, Harris J, Åkerborg Ö, Kashihara N, Yokoo T.                          | The health-economic impact of urine albumin-to-creatinine ratio testing for chronic kidney disease in Japanese non-diabetic patients.                           | Clin Exp Nephrol.        | 29(5) | 583-595   | 2025 |
| Ortiz A, Kramer A, Rychlík I, Nangaku M, Yanagita M, Jager KJ, Caskey FJ, Stel VS, Kashihara N, Kuragano T, Suzuki Y, Takemoto Y, Yokoi H, Palladino G, Fliser D, Torra R, Wanner C. | Maintaining kidney health in aging societies: a JSN and ERA call to action                                                                                      | Nephrol Dial Transplant. | 40(8) | 1498-1511 | 2025 |
| Yano Y, Okami S, Kanegae H, Oberprieler NG, Johannes C, Yamashita S, Yoshikawa-Ryan K, Kovesdy CP, Vizcaya D, Kashihara N.                                                           | Transitional changes in medication-initiation cohort profiles in persons with chronic kidney disease and type 2 diabetes-A hospital-based cohort study in Japan | Diabetes Obes Metab.     | 27(7) | 3714-3724 | 2025 |
| Nagasu H, Nakashima T, Ihara K, Fujimori R, Goto T, Nitta D, Kishi S, Sasasaki T, Kashihara N.                                                                                       | Prediction of estimated glomerular filtration rate slope and kidney prognosis of patients with chronic kidney disease                                           | Sci Rep.                 | 16(1) | 8883      | 2026 |
| Kashihara N, Itano S, Nakashima T, Goto T, Yoshihara K, Eguchi S, Iekushi K, Isaka Y, Nagasu H; J-CKD-DB collaborators.                                                              | Proteinuria reduction as a surrogate endpoint for clinical study of IgA nephropathy in Japanese patients: data from the J-CKD-DB-Ex                             | Clin Exp Nephrol         | 30(2) | 309-319   | 2026 |
| Tanaka M, Hosojima M, Kabasawa H, Goto S, Itano S, Kishi S, Nagasu H, Kashihara N, Yamamoto S.                                                                                       | Assessment and treatment of metabolic acidosis in CKD: a registry-based study                                                                                   | Sci Rep                  | 16(1) | 5104      | 2026 |

|                                                                                                      |                                                                                                                                                                                       |                                      |        |                         |      |
|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--------|-------------------------|------|
| Yano Y, Nagasu H, Kanegae H, Itano S, Nangaku M, Suzuki H, Ohashi M, Okada H, Suzuki Y, Kashiwara N. | Association between early proteinuria reduction and kidney outcomes in Japanese patients with IgA nephropathy: The Japanese Chronic Kidney Disease Database                           | Clin Exp Nephrol                     | 30(3)  | 424-433                 | 2026 |
| 角谷裕之、柏原直樹                                                                                            | 多職種連携によるCKD実践モデル - 医師・看護師・薬剤師・ソーシャルワーカーなどのチームケア                                                                                                                                       | 腎と透析                                 | 100(2) | 167-171                 | 2026 |
| 柏原直樹                                                                                                 | 腎臓病学の歩みと今後の方向性                                                                                                                                                                        | 医学のあゆみ                               | 296(5) | 332-339                 | 2026 |
| Junko Nakamura, Ryohei Kaseda, Mizuki Takeuchi, Kou Kitabayashi, Ichiei Narita                       | Adolescents and parents' knowledge of chronic kidney disease: the potential of school-based education.                                                                                | Clinical and Experimental Nephrology | 29(3)  | 292-300                 | 2025 |
| 若杉三奈子, 岡田浩一, 山本卓                                                                                     | 統計調査からみた透析非導入の実態                                                                                                                                                                      | 腎と透析                                 | 100(2) | 256-260                 | 2026 |
| Watanabe S; Nakayama M; Yokoo T; 他                                                                   | Lubiprostone in Chronic Kidney Disease: Insights into Mitochondrial Function and Polyamines from a Randomized Phase 2 Clinical Trial                                                  | Science Advances                     | 11(35) | eadw3934                | 2025 |
| Kadariswantini Ningsih IN; Okunevaga I; Yamasaki K; 他                                                | CCL5 paradoxically regulates glomerular injury by skewing macrophage polarization                                                                                                     | JCI Insight                          |        | e173742                 | 2025 |
| Ida M; Yamada H; Shirata N; 他                                                                        | MAGI-2 regulates the organization of podocyte actin cytoskeleton through its interaction with $\alpha$ -actinin-4 and synaptopodin                                                    | Kidney360                            |        | 10.34067/KID.0000001034 | 2025 |
| Nimura T, Harada M, Aomura D, Yamaka K, Hashimoto K, Kamijo Y.                                       | Impact of prepared vascular access on mortality and medical expenses in elderly and non-elderly Japanese patients with chronic kidney disease stage G5: a retrospective cohort study. | Clin Exp Nephrol.                    | 29     | 1063-1074.              | 2025 |

|                                                                                                                                          |                                                                                                                                                      |                  |        |         |      |
|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------|---------|------|
| Nakamura H, Okubo R, Kumagai M, Anayama M, Makino Y, Tamura K, Nagasawa M, Okada H, Maruyama S, Hoshino J, Wada T, Narita I, Yamagata K. | Exploring factors associated with Kidney Disease Quality of Life in patients with advanced chronic kidney disease: the Reach-J CKD cohort study.     | Clin Exp Nephrol | 29(6)  | 765-776 | 2025 |
| Imaizumi T, Komaba H, Hamano T, Nangaku M, Murotani K, Hasegawa T, Fujii N, Nitta K, Isaka Y, Wada T, Maruyama S, Fukagawa M.            | Clinically meaningful eGFR slope as a surrogate endpoint differs across CKD stages and slope evaluation periods: the CKD-JAC study.                  | Clin Kidney J    | 18(2)  | sfae398 | 2025 |
| Asano Y, Imaizumi T, Katsurabayashi Y, Sakurai D, Takai N, Toda T, Mikami T, Maekawa M, Kato S, Hagiwara Y, Yoshida Y, Maruyama S.       | Impact of eGFR-based physician-visit recommendations on CKD-related clinical practices following health screening: a regression discontinuity study. | BMC Nephrol      | 27(1)  | 94      | 2026 |
| 小杉 智規, 丸山 彰一                                                                                                                             | 【慢性腎臓病診療におけるポイント】慢性腎臓病の診断・診療のポイント                                                                                                                    | 日本内科学会雑誌         | 114(5) | 800-807 | 2025 |
| 小池 和彦, 大島 恵, 大西 康博, 丸山 彰一                                                                                                                | 【慢性腎臓病(CKD)「CKD診療ガイドライン2023」および「CKD診療ガイド2024」の要点】これからのCKDの診療 かかりつけ医と腎臓専門医の連携                                                                         | Medical Practice | 42(6)  | 802-817 | 2025 |
| 古橋 和弘                                                                                                                                    | 特集 慢性腎臓病(CKD)「CKD診療ガイドライン2023」および「CKD診療ガイド2024」の要点 難治性腎疾患に対する再生治療                                                                                    | Medical Practice | 42 (6) | 914-917 | 2025 |
| 田中 章仁, 古橋 和弘, 丸山 彰一                                                                                                                      | 【CKD・DKDの新規治療法】脂肪細胞由来間葉系間質細胞の慢性腎臓病・糖尿病関連腎臓病に対する治療効果                                                                                                  | 日本腎臓学会誌          | 67(5)  | 640-645 | 2025 |

|                                                                                                                                                  |                                                                                                                                                                          |                                      |        |           |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--------|-----------|------|
| 小杉 智規, 丸山 彰一                                                                                                                                     | 【革新する腎臓病学-臨床と研究の最前線】<br>診断と評価 CKD診療を拓くガイドライン<br>実践的活用(解説)                                                                                                                | 医学のあゆみ                               | 296(5) | 414-418   | 2026 |
| Matsuoka-Uchiyama N, Uchida HA, Asakawa T, Sakurabu Y, Katayama K, Okamoto S, Onishi Y, Tanaka K, Takeuchi H, Takemoto R, Umemabayashi R, Wada J | The association of fasting triglyceride variability with renal dysfunction and proteinuria in medical checkup participants.                                              | Clin Exp Nephrol                     | 29(7)  | 920-927   | 2025 |
| Uchida HA, Wada J, Nagao Y, Ihara K.                                                                                                             | First-time diagnosis and referral practices for individuals with CKD by primary care physicians: a study of electronic medical records across multiple clinics in Japan. | Clin Exp Nephrol.                    | 29(10) | 1342-1353 | 2025 |
| 栗原孝成                                                                                                                                             | CKD対策の現在地「日本のCKD対策の現場1：専門医の立場から」                                                                                                                                         | 日腎会誌                                 | 67 (3) | 289-293   | 2025 |
| Sugawara Y; Iwagami M; Nagasu H; Miyamoto Y; Oshima M; Kuwabara T; Sotofue T; Nakagawa N                                                         | Review no. 1: designing clinical kidney research using real-world data: research questions, data sources, and analytical skills                                          | Clinical and Experimental Nephrology | 30(2)  | 183-197   | 2026 |
| Wang Y; Guan Y; Feng D; MacCioni L; Parra MA; Peiffer B; Mackowiak B; Kuwabara T; Misori K; Mukoyama M; Bataller R; Sun Z; Gao B                 | Infiltrating macrophages replace Kupffer cells and play diverse roles in severe alcohol-associated hepatitis                                                             | Cellular & Molecular Immunology      | 22(10) | 1262-1275 | 2025 |

|                                                                                                                                                               |                                                                                                                                                        |                                      |        |           |                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--------|-----------|-----------------|
| Suetsugu-Ishizawa R; Sakuma H; Matsuki M; Itano S; Nagasawa H; Morinaga H; Uchida HA; Kuwabara T; Imasawa T; Yamada K; Nakagawa N                             | Efficacy of a mobile health application on self-management among Japanese patients with chronic kidney disease                                         | Clinical and Experimental Nephrology | 29(10) | 1354-1362 | 2025            |
| Fujimoto D; Umemoto S; Mizumoto T; Kanki T; Hata Y; Nishiguchi Y; Date R; Zhang J; Kingakizoe Y; Izumi Y; Adachi M; Kojima H; Yokoi H; Mukoyama M; Kuwabara T | Alvespimycin is identified as a novel therapeutic agent for diabetic kidney disease by chemical screening targeting extracellular vesicles             | Scientific Reports                   | 15     | 14436     | 2025            |
| Kohagura K                                                                                                                                                    | Sustained eGFR improvement after dapagliflozin in a patient with antiretroviral therapy-related chronic kidney disease                                 | CEN Case Report                      | 14(6)  | 805-808   | 2025            |
| Kohagura K                                                                                                                                                    | Role of time in target range in blood pressure management for preventing renal decline in type 2 diabetes                                              | Hypertension                         | 48(7)  | 2119-2121 | 2025            |
| Kohagura K                                                                                                                                                    | Reply to a letter to the editor regarding "Heterogeneous afferent arteriopathy: a key concept for understanding blood pressure-dependent renal damage" | Hypertension                         | 48(12) | 3315-3316 | 2025            |
| Tomishima H, Odawara M, Hattata T, Imamura Y, Sakurada T, Maruyama T, Abe M, Kaname S, Nangaku M, Nishi H                                                     | Cost-effectiveness of multidisciplinary care for patients with chronic kidney disease in Japan.                                                        | Clin Exp Nephrol                     |        |           | 2026, in press. |

|                                                                                                                                                                                                                                                            |                                                                                                                                          |                                   |       |         |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------|---------|------|
| Abe M, Hatta T, Imamura Y, Sakurada T, Kaname S.                                                                                                                                                                                                           | Examine the optimal multidisciplinary care teams for patients with chronic kidney disease from a nationwide cohort study.                | Kidney Res Clin Pract             | 44(2) | 249-264 | 2025 |
| Weiner M; Sugiyama H; Kaname S; Skrunes R; Prenner A; Crnogorac M; Gieddes C; Türkmen K; Galesic K; Rosenkranz AR; Suzuki Y; Fujimoto S; Segelmark M                                                                                                       | Aetiology of acute/subacute nephritic syndrome: results from kidney biopsy registries in Japan and Europe                                | BMC Nephrology                    | 26(1) | 625     | 2025 |
| Kaname S; Ong ML; Mathias J; Gatta F; Larow L; Wang Y                                                                                                                                                                                                      | Outcomes in patients with thrombotic microangiopathy associated with a trigger following plasma exchange: A systematic literature review | Transfusion and Apheresis Science | 64(1) | 104048  | 2025 |
| Geetha D; Neumann T; Karras A; Cid MC; Merker PA; Bray S; Bozeman A; Jayne DRW; ADVOCATE Study Group                                                                                                                                                       | Efficacy and safety of avacopan for treatment of patients with ANCA-associated vasculitis receiving cyclophosphamide                     | RMD Open                          | 11(4) | e005743 | 2025 |
| Nagasaka K; Aramano K; Nagafuchi H; Sada K; Komagata Y; Yamamura M; Kato M; Endo T; Nakaya I; Takeuchi T; Murakawa Y; Sugihara T; Saito M; Hayashi T; Furuta S; Karasawa K; Banno S; Endo S; Majima M; Dobashi H; Kaname S; Tamura N; Arimura Y; Harigai M | Nation-wide cohort study of Japanese patients with ANCA-associated vasculitis using rituximab: effectiveness and safety after two years  | Modern Rheumatology               |       |         | 2025 |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                          |                       |           |           |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------|-----------|------|
| Ohmura K; Shimizu H; Tanaka Y; Hiromura K; Hayashi H; Kamada K; Mineo K; Kawahito Y; Iwashita A; Kaname S; Yasuda S; Hiramoto K; Maruyama S; Yajima N; Iwata Y; Matsumoto I; Gono T; Sato H; Kubo S; Nakayama S; Ikeuchi H; Yuzawa Y; Kono M; Tamura N; Seno T; Kida T; Sakashita A; Onishi A; Morinobu A; Kawakami T; Hosoya T; Yamaguchi T; Kaneko Y; Hanaoka H; Kato S; Maeda K; Nakagawa S; Kondo Y; Kuwana M; Ishii T; Sumitomo S; Miyakoshi C; Aizumi T | Impact of glucocorticoid tapering speed on renal outcomes in proliferative lupus nephritis: a multicentre retrospective study                            | Rheumatology (Oxford) | 64(9)     | 5014-5022 | 2025 |
| Geetha D; Pagnoux C; Sattui E; Merkel PA; Weiner M; Draibe J; Faguer S; Bray S; Gurlin RE; Balcells-Oliver M; Bruchfeld A; Jayne DR; ADVOCATE Study Group                                                                                                                                                                                                                                                                                                     | Efficacy and safety of avacopan in patients aged 65 years and older with ANCA-associated vasculitis: a post hoc analysis of data from the ADVOCATE trial | Rheumatology (Oxford) | 64(6)     | 3863-3871 | 2025 |
| 要 伸也                                                                                                                                                                                                                                                                                                                                                                                                                                                          | SLEの腎障害とSGLT2阻害薬                                                                                                                                         | リウマチ科                 | 74(5)     | 480-487   | 2025 |
| 要 伸也                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 第4回臨床医学における血液ガスと酸塩基平衡分析の100年                                                                                                                             | 腎と透析                  | 74(5)     | 1-8       | 2025 |
| 旭浩一                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 【革新する腎臓病学・臨床と研究の最前線】社会的側面と今後の課題 わが国の腎臓病対策における地域連携・患者支援の実際                                                                                                | 医学のあゆみ                | 296 巻 5 号 | 560-563   | 2026 |