

令和 7 年度 研究成果の刊行に関する一覧表

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の<br>編集者名 | 書 籍 名 | 出版社名 | 出版地 | 出版年 | ペー<br>ジ |
|------|---------|---------------|-------|------|-----|-----|---------|
|      |         |               |       |      |     |     |         |

雑誌

| 発表者氏名  | 論文タイトル名  | 発表誌名                          | 巻号    | ページ     | 出版年  |
|--|--|-------------------------------|-------|---------|------|
| Kato H, Ichimaru Y,<br>Kurihara M, Sogawa K,<br>Funada M, Suzuki T   | Possible involvement of<br>hallucinogenic effects in<br>the aversive effects<br>induced by kappa-opioid<br>and 5-HT <sub>2A/2C</sub> receptor<br>agonists in mice. | Neuropsychophar<br>macol Rep. | 45(4) | e70075  | 2025 |
| Sogawa K, Kato K,<br>Sano M, Nakayoshi T.<br>Yoshioka H. Kato H.<br>Oda A. <u>Funada M</u> ,<br><u>Ssuzuki T</u> , <u>Kurihara M</u> ,<br>Ichimaru Y | Indirubin derivatives<br>bearing an oxirane moiety<br>are promising<br>chemosensitizers for<br>combination treatment in<br>pancreatic cancer.                      | Med Chem Res.                 | 35    | 105-117 | 2025 |
| 加藤英明, 曾川甲子<br>郎, 細谷龍一郎, 清水<br>典史, 浅野哲, 加賀谷<br>肇, <u>鈴木勉</u>  | 医療用麻薬が関わる医<br>療事故およびヒヤリ・ハ<br>ット事例調査.   | 神奈川県公衆衛<br>生学雑誌               | 71    | 49-51   | 2025 |

|   |   |                             |        |         |      |
|---|---|-----------------------------|--------|---------|------|
| 荒井裕美子、湯山 円<br>晴、市丸 嘉、 <u>船田正彦</u> 、佐藤忠章、 <u>栗原正明</u>  | 定量的構造活性相関<br>(QSAR) によるTHC類<br>縁体及びHHC類縁体の<br>カンナビノイド受容体1<br>(CB1) 親和性インシリ<br>コ予測.  | 医薬品医療機器<br>レギュラトリー<br>サイエンス | 56 (5) | 408-416 | 2025 |
| Ichimaru Y., Kato K.,<br>Yamaguchi Y.,<br>Sakamoto T., Jin W.,<br><u>Kurihara M.</u> , Fujita M.,<br>Otsuka M., Kurosaki H. | Design, synthesis and<br>characterization of 1-<br>(anthracen-9-ylmethyl)-<br>1,5,9-triazacyclododecane<br>(Ant-[12]aneN3) and its<br>DNA photocleavage<br>activity | <i>Chem Pharm Bull.</i>     | 73     | 103-107 | 2025 |
| Ichimaru Y, Kato K,<br>Sogawa K, Egawa D,<br>Kato H, Katakawa K,<br>Jin W, <u>Kurihara M</u> ,<br>Kurosaki H                | Synthesis and anticancer<br>activity of bis(2-<br>picolyl)amine derivatives<br>with a biaryl moiety as a<br>photosensitizer   | Chemistry                   | 7      | 41      | 2025 |
| Ichimaru Y, Kato K, Jin<br>W, <u>Kurihara M</u> ,<br>Kurosaki H   | Bis[5-(anthracen-9-<br>ylmeth-yl)-1,5,9-<br>tri-aza-cyclododecan-1-<br>ium]<br>tetra-chlorido-zincate.  | IUCrData.                   | 10     | x250356 | 2025 |
| <u>栗原正明</u>   | 創薬を志向した分子の<br>設計と機能化  | 薬学雑誌                        | 146(3) | 149-155 | 2026 |

|  |  |                      |       |         |      |
|--|--|----------------------|-------|---------|------|
| <u>Mori T</u> , Shibasaki M,<br>Fukuma E, Uzawa N,<br><u>Suzuki T</u>  | Emesis and constipation induced by methadone and the active metabolite of tramadol (M1) in animals.  | J Appl Toxicol.      | 46    | 551-559 | 2026 |
| Makabe H, Narita M,<br>Nagumo Y, Fujiwara M,<br>Hamada Y, Takise J,<br>Yoshizawa T, Sano S,<br>Iizuka S, Asaba E, Suda<br>Y, <u>Mori T</u> , Saitoh T,<br>Nagase H, Tawfik VL,<br>Yagishita S, Hamada A,<br>Yonemori, Takayama S,<br>Yoshida M, Yoshizawa<br>R, Suzuki KGN, Kasai<br>RS, Kuzumaki N,<br>Satomi E, Narita M | Pain signaling via sensory neurons drives breast cancer progression through neuropeptide release and $\kappa$ -opioid counter-regulation.                            | Pharmacol Res..      | 225   | 108-113 | 2026 |
| Matsuda K, Kitanaka<br>N, Hall FS, Hamana T,<br>Nakai M, Yuze S,<br>Tomita K, Igarashi K,<br>Sato T, Uhl GR,<br><u>Kitanaka J</u>  | Pretreatment with LY2090314, a potent glycogen synthase kinase-3 inhibitor, suppresses methamphetamine-induced stereotyped behavior but not hyperlocomotion in mice. | Behav.<br>Pharmacol. | 36(8) | 579-587 | 2025 |

|   |   |                           |       |        |      |
|---|---|---------------------------|-------|--------|------|
| Hamana T, Kitanaka N, Hall FS, Amagata K, Matsuda K, Morita C, Nakai M, Niki R, Yuze S, Tomita K, Igarashi K, Sato T, Uhl GR, <u>Kitanaka J</u> | Wortmannin, a potent phosphatidylinositol 3-kinase inhibitor, suppresses methamphetamine-induced stereotypy and hyperlocomotion in mice | Behav. Pharmacol.         | 37    | 97-106 | 2026 |
| Goshima Y, Nakamura H, Koga M, Koyama J, Kimura Y, Vasishth MN, Snyder EY, Asai M, Sakai K, <u>Masukawa D</u>                                   | Distribution of the l-DOPA Receptor Gpr143/OA1-Gene in mice Creates a Unique Mixed Psychosis-Like Phenotype.                            | Neuropsychopharmacol Rep. | 46(1) | e70080 | 2026 |
|   |   |                           |       |        |      |