

A nationwide survey of hypoplastic myelodysplastic syndrome (a multicenter retrospective study)

Takashi Kobayashi¹  | Yasuhito Nannya¹ | Motoshi Ichikawa¹ | Kenji Oritani² |
 Yuzuru Kanakura² | Akihiro Tomita^{3,4} | Hitoshi Kiyoi³ | Masayoshi Kobune⁵ |
 Junji Kato⁵ | Hiroshi Kawabata⁶ | Motohiro Shindo⁷ | Yoshihiro Torimoto⁸ |
 Yuji Yonemura⁹ | Nobuyoshi Hanaoka¹⁰ | Hideki Nakakuma¹⁰ |
 Daisuke Hasegawa¹¹ | Atsushi Manabe¹¹ | Naohito Fujishima¹² |
 Nobuharu Fujii¹³ | Mitsune Tanimoto¹³ | Yasuyoshi Morita¹⁴ | Akira Matsuda¹⁵ |
 Atsushi Fujieda¹⁶ | Naoyuki Katayama¹⁶ | Haruhiko Ohashi¹⁷ | Hirokazu Nagai¹⁸ |
 Yoshiki Terada¹⁹ | Masayuki Hino¹⁹ | Ken Sato²⁰ | Naoshi Obara²¹ |
 Shigeru Chiba²¹ | Kensuke Usuki²² | Masatsugu Ohta²³ | Osamu Imataki²⁴  |
 Makiko Uemura²⁴ | Tomoiku Takaku²⁵ | Norio Komatsu²⁵ | Akira Kitanaka²⁶ |
 Kazuya Shimoda²⁶ | Kenichiro Watanabe²⁷ | Kaoru Tohyama²⁸ |
 Akifumi Takaori-Kondo⁶ | Hideo Harigae²⁹ | Shunya Arai¹ | Yasushi Miyazaki³⁰ |
 Keiya Ozawa^{31,32} | Mineo Kurokawa¹  | for National Research Group on Idiopathic
 Bone Marrow Failure Syndromes

¹Department of Hematology and Oncology, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan; ²Department of Hematology and Oncology, Graduate School of Medicine, Osaka University, Osaka, Japan; ³Department of Hematology and Oncology, Nagoya University Graduate School of Medicine, Nagoya, Japan; ⁴Department of Hematology, Fujita Health University School of Medicine, Aichi, Japan; ⁵Department of Medical Oncology and Hematology, Sapporo Medical University School of Medicine, Sapporo, Japan; ⁶Department of Hematology and Oncology, Graduate School of Medicine, Kyoto University, Kyoto, Japan; ⁷Division of Gastroenterology and Hematology/Oncology, Department of Medicine, Asahikawa Medical University, Asahikawa, Japan; ⁸Oncology Center, Asahikawa Medical University Hospital, Asahikawa, Japan; ⁹Department of Transfusion Medicine and Cell Therapy, Kumamoto University Hospital, Kumamoto, Japan; ¹⁰Department of Hematology/Oncology, Wakayama Medical University, Wakayama, Japan; ¹¹Department of Pediatrics, St. Luke's International Hospital, Tokyo, Japan; ¹²Division of Blood Transfusion, Akita University Hospital, Akita, Japan; ¹³Department of Hematology and Oncology, Okayama University Hospital, Okayama, Japan; ¹⁴Division of Hematology and Rheumatology, Department of Internal Medicine, Kindai University Faculty of Medicine, Osaka-Sayama, Japan; ¹⁵Department of Hemato-Oncology, Saitama International Medical Center, Saitama Medical University, Hidaka, Saitama, Japan; ¹⁶Department of Hematology and Oncology, Mie University Graduate School of Medicine, Tsu, Mie, Japan; ¹⁷Clinical Research Center, National Hospital Organization Nagoya Medical Center, Nagoya, Japan; ¹⁸Department of Hematology, National Hospital Organization Nagoya Medical Center, Nagoya, Japan; ¹⁹Hematology, Graduate School of Medicine, Osaka City University, Osaka, Japan; ²⁰Division of Hematology, Department of Internal Medicine, National Defense Medical College, Saitama, Japan; ²¹Department of Hematology, Faculty of Medicine, University of Tsukuba, Tsukuba, Ibaraki, Japan; ²²Department of Hematology, NTT Medical Center Tokyo, Tokyo, Japan; ²³Department of Hematology, Fukushima Medical University Aizu Medical Center, Fukushima, Japan; ²⁴Division of Hematology, Department of Internal Medicine, Faculty of Medicine, Kagawa University, Kagawa, Japan; ²⁵Department of Hematology, Juntendo University School of Medicine, Tokyo, Japan; ²⁶Department of Gastroenterology and Hematology, Faculty of Medicine, University of Miyazaki, Miyazaki, Japan; ²⁷Department of Pediatrics, Graduate School of Medicine, Kyoto University, Kyoto, Japan; ²⁸Department of Laboratory Medicine (Laboratory Hematology), Kawasaki Medical School, Okayama, Japan; ²⁹Department of Hematology and Rheumatology, Tohoku University Graduate School of Medicine, Sendai, Japan; ³⁰Department of Hematology, Atomic Bomb Disease and Hibakusha Medicine Unit, Atomic Bomb Disease Institute, Nagasaki University Graduate School of Biomedical Sciences, Nagasaki, Japan; ³¹Division of Hematology, Jichi Medical University, Tochigi, Japan; ³²IMSUT Hospital, The Institute of Medical Science, The University of Tokyo, Tokyo, Japan